

Frequency width of open channels in multiple scattering media

JEROEN BOSCH,^{1,2,*} SEBASTIANUS A. GOORDEN,^{1,3} AND ALLARD P. MOSK^{1,2}

¹Complex Photonic Systems (COPS), MESA+ Institute for Nanotechnology, University of Twente, P.O. Box 217, 7500 AE Enschede, The Netherlands

²Nanophotonics, Debye Institute for Nanomaterials Research, Center for Extreme Matter and Emergent Phenomena, Utrecht University, P.O. Box 80,000, 3508 TA Utrecht, The Netherlands

³Present address: ASML Netherlands B.V., De Run 6501, 5504 DR Veldhoven, The Netherlands

*j.bosch1@uu.nl

Abstract: We report optical measurements of the spectral width of open transmission channels in a three-dimensional diffusive medium. The light transmission through a sample is enhanced by efficiently coupling to open transmission channels using repeated digital optical phase conjugation. The spectral properties are investigated by enhancing the transmission, fixing the incident wavefront and scanning the wavelength of the laser. We measure the transmitted field to extract the field correlation function and the enhancement of the total transmission. We find that optimizing the total transmission leads to a significant increase in the frequency width of the field correlation function. Additionally we find that the enhanced transmission persists over an even larger frequency bandwidth. This result shows open channels in the diffusive regime are spectrally much wider than previous measurements in the localized regime suggest.

© 2016 Optical Society of America

OCIS codes: (070.5040) Phase conjugation; (290.4210) Multiple scattering.

References and links

1. M. P. van Albada and A. Lagendijk, "Observation of weak localization of light in a random medium," *Phys. Rev. Lett.* **55**, 2692–2695 (1985).
2. P. E. Wolf and G. Maret, "Weak localization and coherent backscattering of photons in disordered media," *Phys. Rev. Lett.* **55**, 2696 (1985).
3. E. Akkermans and G. Montambaux, *Mesoscopic physics of electrons and photons* (Cambridge University, Cambridge, 2007), 2nd ed.
4. A. Lagendijk, B. van Tiggelen, and D. S. Wiersma, "Fifty years of Anderson localization," *Phys. Today* **62**, 24–29 (2009).
5. F. Scheffold and G. Maret, "Universal conductance fluctuations of light," *Phys. Rev. Lett.* **81**, 5800–5803 (1998).
6. O. N. Dorokhov, "Transmission coefficient and the localization length of an electron in N bound disordered chains," *JETP Lett.* **36**, 318–321 (1982).
7. O. N. Dorokhov, "On the coexistence of localized and extended electronic states in the metallic phase," *Solid State Commun.* **51**, 381–384 (1984).
8. P. A. Lee and A. D. Stone, "Universal conductance fluctuations in metals," *Phys. Rev. Lett.* **55**, 1622–1625 (1985).
9. P. A. Mello, P. Pereyra, and N. Kumar, "Macroscopic approach to multichannel disordered conductors," *Ann. of Phys.* **181**, 290–317 (1988).
10. Y. V. Nazarov, "Limits of universality in disordered conductors," *Phys. Rev. Lett.* **73**, 134–137 (1994).
11. J. B. Pendry, A. MacKinnon, and A. B. Pretre, "Maximal fluctuations – A new phenomenon in disordered systems," *Physica A* **168**, 400–407 (1990).
12. C. W. J. Beenakker, "Random-matrix theory of quantum transport," *Rev. Mod. Phys.* **69**, 731–808 (1997).
13. I. M. Vellekoop and A. P. Mosk, "Focusing coherent light through opaque strongly scattering media," *Opt. Lett.* **32**, 2309–2311 (2007).
14. S. M. Popoff, G. Lerosey, R. Carminati, M. Fink, A. C. Boccara, and S. Gigan, "Measuring the transmission matrix in optics: An approach to the study and control of light propagation in disordered media," *Phys. Rev. Lett.* **104**, 100601 (2010).
15. A. P. Mosk, A. Lagendijk, G. Lerosey, and M. Fink, "Controlling waves in space and time for imaging and focusing in complex media," *Nat. Photon.* **6**, 283–292 (2012).
16. I. M. Vellekoop and A. P. Mosk, "Universal optimal transmission of light through disordered materials," *Phys. Rev. Lett.* **101**, 120601 (2008).

17. S. M. Popoff, A. Goetschy, S. F. Liew, A. D. Stone, and H. Cao, "Coherent control of total transmission of light through disordered media," *Phys. Rev. Lett.* **112**, 133903 (2014).
 18. M. Kim, Y. Choi, C. Yoon, W. Choi, J. Kim, Q.-H. Park, and W. Choi, "Maximal energy transport through disordered media with the implementation of transmission eigenchannels," *Nat. Photon.* **6**, 581–585 (2012).
 19. Z. Shi and A. Z. Genack, "Transmission eigenvalues and the bare conductance in the crossover to Anderson localization," *Phys. Rev. Lett.* **108**, 043901 (2012).
 20. B. Gérardin, J. Laurent, A. Derode, C. Prada, and A. Aubry, "Full transmission and reflection of waves propagating through a maze of disorder," *Phys. Rev. Lett.* **113**, 173901 (2014).
 21. W. Choi, A. P. Mosk, Q.-H. Park, and W. Choi, "Transmission eigenchannels in a disordered medium," *Phys. Rev. B* **83**, 134207 (2011).
 22. S. F. Liew, S. M. Popoff, A. P. Mosk, W. Vos, and H. Cao, "Transmission channels for light in absorbing random media: from diffusive to ballistic-like transport," *Phys. Rev. B* **89**, 224202 (2014).
 23. Z. Shi and A. Z. Genack, "Dynamic and spectral properties of transmission eigenchannels in random media," *Phys. Rev. B* **92**, 184202 (2015).
 24. C. W. Hsu, A. Goetschy, Y. Bromberg, A. D. Stone, and H. Cao, "Broadband coherent enhancement of transmission and absorption in disordered media," *Phys. Rev. Lett.* **115**, 223901 (2015).
 25. L. V. Wang and S. Hu, "Photoacoustic tomography: in vivo imaging from organelles to organs," *Science* **335**, 1458–1462 (2012).
 26. Y. M. Wang, B. Judkewitz, C. A. DiMarzio, and C. Yang, "Deep-tissue focal fluorescence imaging with digitally time-reversed ultrasound-encoded light," *Nat. Commun.* **3**, 928 (2012).
 27. O. Yizhar, L. E. Fenno, T. J. Davidson, M. Mogri, and K. Deisseroth, "Optogenetics in neural systems," *Neuron* **71**, 9–34 (2011).
 28. S. A. Goorden, M. Horstmann, A. P. Mosk, B. Škorić, and P. W. H. Pinkse, "Quantum-secure authentication of a physical unclonable key," *Optica* **1**, 421–424 (2014).
 29. M. Burrelli, F. Pratesi, F. Riboli, and D. S. Wiersma, "Complex photonic structures for light harvesting," *Adv. Opt. Mater.* **3**, 722–743 (2015).
 30. V. Y. F. Leung, A. Lagendijk, T. W. Tukker, A. P. Mosk, W. L. IJzerman, and W. L. Vos, "Interplay between multiple scattering, emission, and absorption of light in the phosphor of a white light-emitting diode," *Opt. Express* **22**, 8190–8204 (2014).
 31. A. Peña, A. Girschik, F. Libisch, S. Rotter, and A. A. Chabanov, "The single-channel regime of transport through random media," *Nat. Commun.* **5**, 3488 (2014).
 32. R. von Mises and H. Pollaczek-Geiringer, "Praktische verfahren der Gleichungsauflösung," *Z. Angew. Math. Mech.* **9**, 152–164 (1929).
 33. X. Hao, L. Martin-Rouault, and M. Cui, "A self-adaptive method for creating high efficiency communication channels through random scattering media," *Sci. Rep.* **4**, 5874 (2014).
 34. S. Feng, C. Kane, P. A. Lee, and A. D. Stone, "Correlations and fluctuations of coherent wave transmission through disordered media," *Phys. Rev. Lett.* **61**, 834–837 (1988).
 35. M. Takeda, H. Ina, and S. Kobayashi, "Fourier-transform method of fringe-pattern analysis for computer-based topography and interferometry," *J. Opt. Soc. Am.* **72**, 156–160 (1982).
 36. T. Colomb, P. Dahlgren, D. Beghuin, E. Cuhe, P. Marquet, and C. Depeursinge, "Polarization imaging by use of digital holography," *Appl. Opt.* **41**, 27–37 (2002).
 37. W.-H. Lee, "Binary synthetic holograms," *Appl. Opt.* **13**, 1677–1682 (1974).
 38. E. G. van Putten, "Disorder-enhanced imaging with spatially controlled light," Ph.D. thesis, University of Twente (2011).
 39. S. A. Goorden, "Reversible scattering of light exploited for quantum-secure communication," Ph.D. thesis, University of Twente (2015).
 40. M. P. van Albada, B. A. van Tiggelen, A. Lagendijk, and A. Tip, "Speed of propagation of classical waves in strongly scattering media," *Phys. Rev. Lett.* **66**, 3132–3135 (1991).
 41. P. W. Brouwer, K. M. Frahm, and C. W. J. Beenakker, "Quantum mechanical time-delay matrix in chaotic scattering," *Phys. Rev. Lett.* **78**, 4737–4740 (1997).
 42. Y. V. Fyodorov and D. V. Savin, "Resonance scattering of waves in chaotic systems," in "The Oxford Handbook of Random Matrix Theory," G. Akemann, J. Baik, and P. Di Francesco, eds. (Oxford University, Oxford, 2011), Chap. 34.
 43. S. Rotter, P. Ambichl, and F. Libisch, "Generating particlelike scattering states in wave transport," *Phys. Rev. Lett.* **106**, 120602 (2011).
 44. K. Y. Bliokh, Y. P. Bliokh, V. Freilikher, S. Savel'ev, and F. Nori, "Colloquium : Unusual resonators: Plasmonics, metamaterials, and random media," *Rev. Mod. Phys.* **80**, 1201–1213 (2008).
 45. F. van Beijnum, E. G. van Putten, A. Lagendijk, and A. P. Mosk, "Frequency bandwidth of light focused through turbid media," *Opt. Lett.* **36**, 373–375 (2011).
 46. R. Pierrat, P. Ambichl, S. Gigan, A. Haber, R. Carminati, and S. Rotter, "Invariance property of wave scattering through disordered media," *Proc. Natl. Acad. Sci. U.S.A.* **111**, 17765–17770 (2014).
-

1. Introduction

Many well-known effects in wave transport result from interference and cannot be described by diffusion theory. These effects include enhanced backscattering [1,2], Anderson localization [3,4] and universal conductance fluctuations [5]. A striking interference phenomenon is the existence of highly transmitting channels in multiple scattering systems, which allow unity transmittance through arbitrarily thick non-absorbing diffusive layers. These highly transmitting channels, usually called “open channels”, were initially predicted for electrons [6–10], while later the theory was generalized to other waves [3, 11, 12].

An exciting recent development in optics is the use of wavefront shaping to coherently control light in multiple scattering media [13–15]. Wavefront shaping enables investigation of interference effects that are difficult to elucidate in e.g. electronic systems. Open channels were observed in optics by wavefront shaping to selectively couple light into them [16–18], and by transmission matrix measurements in microwave and acoustical waveguides [19, 20]. Numerical simulations agree with these experiments [21–24]. Open channels greatly enhance the penetration of light into multiple scattering media and may benefit a wide range of applications in e.g. healthcare, sensing, security, photovoltaics and lighting [25–30].

The spectral width of open channels is of critical importance to applications. As open channels arise from interference, one may expect them to be narrowband. A recent microwave experiment in quasi-1D geometry shows that in the Anderson localized regime, where transport is dominated by a single quasimode [31], the open transmission channels are spectrally narrower than the average channel width, inhibiting applications [23].

Here, we use transmission enhancement as a robust way to measure on open transmission channels in 3D diffusive media. Our experiment is based on repeated phase conjugation, which is a physical implementation of the Von Mises iteration [32], as depicted in Fig. 1. In a single pass through the medium the average transmittance is not wavelength dependent (Fig. 1 (a)). Repeated phase conjugation of light through the sample leads to efficient enhancement of the transmission at wavelength λ_0 [33], since the most transmitting channels are more strongly represented in every step (Fig. 1 (b)). After enhancing the transmission, we fix the spatial wavefront of the incident light and tune the wavelength. The spectral width of the transmission enhancement is determined by measuring the transmission spectrum, as well as the field correlation function, as illustrated in Fig. 1(c). Surprisingly, we find that in our 3D diffusive samples the transmission enhancement is spectrally broader than the well known C^1 speckle correlation function [34] that represents the channel average.

2. Experimental apparatus

An overview of the apparatus is shown in Fig. 2. It consists of two digital phase conjugate mirrors, PCM1 and PCM2. Each phase conjugate mirror consists of a field detector and a field shaper. The field detectors use off-axis holography with two orthogonally polarized reference beams to retrieve the vector light field $\vec{E}(x, y)$ from a single camera image [35, 36]. The field shapers use a digital micromirror device (DMD, Vialux V-9600) and Lee holography [37] to shape the vector light field. PCM1 and PCM2 are imaged to the sample surfaces with a calculated magnification of 286x, using $f = 750$ mm tube lenses and 1.4 NA 63x (MO1) and 0.95 NA 63x (MO2) microscope objectives, respectively. The back aperture of MO2 is imaged onto a separate charge-coupled device (CCD), which measures the transmitted power of both polarizations.

The light source is a New Focus Velocity TLB-6712 frequency tunable diode laser. The laser scanning range is 765 - 781 nm, the base resolution is 0.01 nm and the linewidth is around 1 MHz. Single mode polarization-maintaining optical fibers guide the light to the field shapers and detectors. We use monochromatic cameras with 1392×1040 pixels of $6.45 \mu\text{m}$ by $6.45 \mu\text{m}$ size (Dolphin F145-B) for the field detectors.




Fig. 1. Cartoon depicting our experimental procedure. a) On average, unoptimized transmittance through the disordered sample is wavelength-independent. b) Light is coupled to open transmission channels at wavelength λ_0 by phase conjugating the transmitted light field N times. c) When light is coupled into an open channel, all the incident light is transmitted through the sample at the optimized wavelength λ_0 . The spectral width of open transmission channels is investigated.

The sample consists of a $20 \pm 10 \mu\text{m}$ thick layer of zinc oxide (ZnO) nanoparticles with a transport mean free path of $l_{\text{tr}} = 0.73 \pm 0.15 \mu\text{m}$ and is prepared as described in [38].

For details on the apparatus see [39].

3. Accurate coupling to open channels

Iterative phase conjugation is employed to efficiently enhance transmission by coupling light to open channels of the multiple scattering sample. We obtained the best reproducibility by choosing to control a single polarization component at fixed amplitude. The optimized wavelength is set to $\lambda_0 = 769 \text{ nm}$. The iterative phase conjugation procedure is initialized by sending a random speckle pattern, constructed by field shaper 1, through the sample. The transmitted vector field is measured by field detector 2 and the total transmitted power is measured by the CCD. Then, field shaper 1 is turned off and field shaper 2 constructs the phase conjugate of the detected field, which propagates back through the sample. This completes a single phase conjugation iteration. PCM1 and PCM2 alternately phase conjugate the light field until the process converges.

The total transmitted power P measured on the CCD during the iterative phase conjugation process is shown in Fig. 3. The transmitted power converges to its maximum after approximately $N = 9$ passes through the sample. For the investigation of the width of open channels we use the field measured on field detector 1 after $N = 30$ passes, ensuring full convergence. The transmittance of this field is 54% higher than the average transmittance of the sample.




Fig. 2. Schematic overview of the iterative phase conjugation apparatus. Each side of a slab-geometry sample is imaged to a phase conjugate mirror (PCM), which allows detection and reconstruction of the full vector light field.




Fig. 3. Measured total transmitted power P as function of number of passes through the sample N . The cross indicates the field used for investigating the spectral width of open transmission channels.

4. Correlation width of open channels

The width of open channels is characterized in two ways. First, we define the field correlation function:

$$C_{\omega_0}(\Delta\omega) = |E(\omega_0) \cdot E^*(\omega_0 + \Delta\omega)|^2, \quad (1)$$

where $E(\omega_0)$ and $E(\omega_0 + \Delta\omega)$ denote the vertical polarization component of fields measured on the field detector at ω_0 and $\omega_0 + \Delta\omega$, respectively. We note that this is subtly different from the well-known correlation function C^1 [34] which by definition is averaged over ω_0 . The field correlation is calculated over the square area controlled by the PCM, and the fields $E(\omega_0)$ and $E(\omega_0 + \Delta\omega)$ are normalized to the transmission of a random speckle pattern through the sample.

Secondly, we define the transmission enhancement

$$\eta_{\omega_0}^T(\Delta\omega) = \frac{P^{\text{opt}}(\omega_0 + \Delta\omega)}{P^{\text{unopt}}(\omega_0 + \Delta\omega)}, \quad (2)$$

where $P^{\text{opt}}(\omega_0 + \Delta\omega)$ denotes the power measured on the CCD at $\omega_0 + \Delta\omega$ for an illumination pattern that maximizes the transmission at ω_0 . $P^{\text{unopt}}(\omega_0 + \Delta\omega)$ is the average power measured

on the CCD at $\omega + \Delta\omega$ for an unoptimized illumination pattern with the same incident power.




Fig. 4. Transmitted field correlation for an unoptimized incident field $C_{\omega_0}^{\text{unopt}}(\Delta\omega)$ and for an incident field that optimally couples to open channels $C_{\omega_0}^{\text{opt}}(\Delta\omega)$. Transmission enhancement $\eta_{\omega_0}^{\text{T}}(\Delta\omega)$ of an optimized incident field.

The procedure for measuring the field correlation and transmission enhancement is as follows. The laser is set to $\lambda = \lambda_0 = 769$ nm and field shaper 1 is set to optimally enhance transmission using the setting found by iterative phase conjugation. Then $E^{\text{opt}}(\lambda_0)$ is measured on field detector 2. Then, the laser is scanned from the central wavelength $\lambda_0 = 769$ nm up to $\lambda = 773$ nm and back down to $\lambda = 765$ nm with a stepsize of 0.2 nm and a wavelength accuracy of 0.07 nm. The spatial profile of the field incident on the sample is kept constant by actively correcting the DMD pattern for diffraction effects. At each wavelength step the transmitted field $E^{\text{opt}}(\lambda)$ is measured on field detector 2 and the total transmitted power $P^{\text{opt}}(\lambda)$ is measured on the CCD.

For the reference wavelength scan, the laser is reset to λ_0 and the pattern on field shaper 1 is shifted by 20 DMD pixels in both the x and y direction (approximately 3 speckle grains) to create an effectively uncorrelated illumination pattern. $E^{\text{unopt}}(\lambda_0)$ is measured on field detector 2. The same wavelength scan is performed and $E^{\text{unopt}}(\lambda)$ and $P(\lambda)$ are measured at each wavelength step.

In Fig. 4 we show the measured field correlation function for an optimized field $C_{\omega_0}^{\text{opt}}(\Delta\omega)$ and for an unoptimized field $C_{\omega_0}^{\text{unopt}}(\Delta\omega)$ as well as the measured enhancement $\eta_{\omega_0}^{\text{T}}(\Delta\omega)$. All curves decay as a function of $\Delta\omega$ with a different width. The field correlation function of the unoptimized field $C_{\omega_0}^{\text{unopt}}(\Delta\omega) = C^1(\Delta\omega)$ has a full width at half maximum (FWHM) of 42 ± 3.4 cm^{-1} . The width of the field correlation function of the optimized field $C_{\omega_0}^{\text{opt}}(\Delta\omega)$ (FWHM 52 ± 3.4 cm^{-1}) is clearly larger than that of the unoptimized field $C_{\omega_0}^{\text{unopt}}(\Delta\omega)$. The measurement of the transmission enhancement $\eta^{\text{T}}(\Delta\omega)$ (FWHM 81 ± 10 cm^{-1}) shows significantly more noise than the field correlation functions, but the curve is clearly broader than either of them. From measurements on samples with 5 different thicknesses we find that the frequency bandwidth of the optimized field pattern is consistently wider by 14 to 24 percent. The frequency bandwidth of the transmission enhancement is found to be wider by 43 to 93 percent, it is a fluctuating signal that is sometimes asymmetric as is the case in Fig. 4. Remarkably this increased width of the optimized transmission seems qualitatively different from observations in waveguides in the localized regime [23].

5. Interpretation and outlook

The initial expectation of the width of a correlation function is the Thouless frequency $\Delta\omega_{\text{Th}}$, where $\Delta\omega_{\text{Th}}/\omega = 6D/(L^2\omega)$, with diffusion constant $D = \frac{1}{3}v_E l_{\text{tr}}$ and transport velocity v_E [40]. We find the Thouless frequency from the field correlation function for an unoptimized field.

The width of the field correlation function for the optimized field that we observe is clearly larger than that for the unoptimized field. This indicates there is a relation between transmission and time delay, suggesting that highly transmitting channels may have an effective shorter time delay. This is remarkable as in random matrix theory of chaotic systems it was found that time delay and transmission operators are statistically uncorrelated [41, 42]. The observed broadening may be due to a small number of anomalous highly-transmitting simultaneous eigenstates of these operators [43], or due to a more subtle correlation effect involving many channels.

In previous work, simulations and measurements on transmission eigenchannels for microwaves in samples in the crossover to localization have shown a decrease in width of the correlation function for modes with a higher transmittance [23], as they are associated with narrow resonances [44]. We observe an effect that seems exactly opposite, where it should be noted that we perform measurements in a 3D sample far from the localized regime. The difference between these regimes is intriguing and may lead to a new indicator of the approach of the localization transition.

In earlier work from our group, measurements on three dimensional diffuse samples have shown that the intensity of light focused through a medium, by optimizing intensity in a single spot, follows the speckle correlation function [45]. However in that work an increase in total transmission was not measured. The key difference with this work is the performed optimization. While in [45], Beijnum et al optimized and observed the intensity in a single speckle spot, here we optimize for, and observe, total transmission.

The spectral width of the transmission enhancement $\eta_{\omega_0}^T(\Delta\omega)$ was found to be even broader than the correlation function. This is in line with simulations on 2D disordered waveguides in the diffusion regime [22]. The broadening of the transmission enhancement with respect to the correlation function can be tentatively explained by the fact that it is only sensitive to decorrelation on the input of the sample. On the other hand the correlation function is also sensitive to dephasing between transmission channels on the output. The increase in width of the correlation function after optimization suggests that optimizing the total transmission leads to a narrowing of the pathlength distribution. The relation to universal features of the delay time in diffusion is an intriguing aspect to be explored [46].

In conclusion, we have efficiently enhanced total transmission by coupling light to open transmission channels in a 3D strongly scattering sample. We have observed that enhancing the transmission by repeated phase conjugation leads to an increase in the frequency bandwidth of the field correlation function. In addition, we observe that the enhanced transmission persists over an even larger frequency bandwidth. Our results show there is a subtle relationship between transmission and transport delay time, which is largely unexplored theoretically and experimentally.

Funding

Stichting voor Fundamenteel Onderzoek der Materie (FOM); Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO); NWO-Vici; European Research Council (ERC) (279248)

Acknowledgments

We thank Jacopo Bertolotti, Ad Lagendijk, Pepijn W.H. Pinkse, Willem L. Vos and Hasan Yilmaz for discussions, Oluwafemi S. Ojambati for providing the sample and Cornelis A.M. Hartevelde for technical support.