

# REFERENCES

---

- Admiraal, W., C. Riaux-Gobin and R.W.P.M. Laane. 1987. Interactions of ammonium, nitrate, and D- and L-amino acids in the nitrogen assimilation of two species of estuarine benthic diatoms. *Mar. Ecol. Prog. Ser.* 40: 267-273.
- Algeus, S. 1948. The deamination of glycocoll by green algae. *Physiologia Plantarum* 1: 382-386.
- Alongi, D.M. 1994. The role of bacteria in nutrient recycling in tropical mangrove and other coastal benthic ecosystems. *Hydrobiologia* 285: 19-32.
- Amelung, W. and X. Zhang. 2001. Determination of amino acid enantiomers in soils. *Soil Biology and Biochemistry* 33: 553-562.
- Amelung, W. and S. Brodowski. 2002. In vitro quantification of hydrolysis-induced racemization of amino acid enantiomers in environmental samples using deuterium labeling and electron-impact ionization mass spectrometry. *Analytical Chemistry* 74: 3239-3246.
- Amon, R.W.M., H.P. Fitznar and R. Benner. 2001. Linkages among bioreactivity, chemical composition and diagenetic state of marine dissolved organic matter. *Limnol. Oceanogr.* 46: 287-297.
- Anderson, I.C., K.J. McGlathery and A.C. Tyler. 2003. Microbial mediation of 'reactive' nitrogen transformations in a temperate lagoon. *Mar. Ecol. Prog. Ser.* 246: 73-84.
- Andersson, M., P. van Rijswijk and J.J. Middelburg. 2006. Uptake of dissolved inorganic nitrogen, urea and amino acids in the Scheldt estuary: a comparison of organic C and N uptake. *Aquatic Microbial Ecology* 44(3) (*in press*).
- Antia, N.J., P.J. Harrison, L.Oliveira. 1991. The role of dissolved organic nitrogen in phytoplankton nutrition, cell biology and ecology. *Phycologia* 30: 1-89.
- Arnarson, T.S., and R.G. Keil. 2005. Influence of organic-mineral aggregates on microbial degradation of the dinoflagellate *Scrippsiella trochoidea*. *Geochim. et Cosmochim. Acta* 69: 2111-2117.
- Barranguet, C., P.M.J. Herman and J.J. Sinke. 1997. Microphytobenthos biomass and community composition studied by pigment biomarkers: importance and fate in the carbon cycle of a tidal flat. *Journal of Sea Research* 38: 59-70.
- Benner R. 2002. Chemical composition and reactivity. In: Hansell, D.A., Carlson, C.A. (Eds). *Biogeochemistry of Marine Dissolved Organic Matter*. Academic Press, San Diego, pp 59-90.
- Berg G.M., P.M. Glibert, M.W. Lomas and M.A. Burford. 1997. Organic nitrogen uptake and growth by the chrysophyte *Aureococcus anophagefferens* during a brown tide event. *Marine Biology* 129: 377-387.
- Berg, G.M., P.M. Glibert, N.O.G. Jørgensen, M. Balode and I. Purina. 2001. Variability in inorganic and organic nitrogen uptake associated with riverine nutrient input in the Gulf of Riga, Baltic Sea. *Estuaries* 24: 204-214.
- Berman, T. and D.A. Bronk. 2003. Dissolved organic nitrogen: a dynamic participant in aquatic ecosystems. *Aquatic Microbial Ecology* 31: 279-305.
- Boschker, H.T.S. and J.J. Middelburg. 2002. Stable isotopes and biomarkers in microbial ecology. *FEMS Microbiol. Ecol.* 40: 85-95.

## References

- Boschker H.T.S., S.C. Nold, P. Wellsbury, D. Bos, W. de Graaf, R. Pel, R.J. Parkes and T.E. Cappenberg. 1998. Direct linking of microbial populations to specific biogeochemical processes by  $^{13}\text{C}$ -labelling of biomarkers. *Nature* 392: 801-805.
- Boschker H.T.S. 2004. Linking microbial community structure and functioning: stable isotope ( $^{13}\text{C}$ ) labeling in combination with PLFA analysis, p. 1673-1688. In G.A. Kowalchuk, F.J. de Bruijn, I.M. Head, A.D. Akkermans and J.D. van Elsas, [eds.], *Molecular Microbial Ecology Manual II*. Kluwer Academic Publishers.
- Borch, N.H., and D.L. Kirchman. 1999. Protection of protein from bacterial degradation by submicron particles. *Aquat. Microb. Ecol.* 16: 265-272.
- Brenna, T.J., T.N. Corso, H.J. Tobias and R.J. Caimi. 1997. High-precision continuous-flow isotope ratio mass spectrometry. *Mass Spectrometry Reviews* 16: 227-258.
- Brodowski, S., W. Amelung, I. Lobe and C.C. Du Preez. 2004. Losses and biogeochemical cycling of soil organic nitrogen with prolonged arable cropping in the South African Highveld – evidence from D- and L-amino acids. *Biogeochemistry* 71: 17-42.
- Bronk, D.A. and P.M. Glibert. 1993. Application of a  $^{15}\text{N}$  tracer method to the study of dissolved organic nitrogen uptake during spring and summer in Chesapeake Bay. *Marine Biology* 115: 501-508.
- Bronk, D.A. 2002. Dynamics of DON. In: Hansell, D.A., Carlson, C.A. (Eds). *Biogeochemistry of Marine Dissolved Organic Matter*. Academic Press, San Diego, pp 153-247.
- Capone, D.G. 2000. The marine microbial nitrogen cycle. In Kirchman, D.L. (ed.) *Microbial ecology of the oceans*. Wiley-Liss. ISBN 0-471-29993-6
- Caraco, N.F. and J.J. Cole. 2002. The importance of organic nitrogen production in aquatic systems: a landscape perspective. p 263-283. In: S.E.G. Findlay and R.L. Sinsabaugh (eds.). *Aquatic ecosystems: Interactivity of dissolved organic matter*. Academic.
- Christensen, D. and T.H. Blackburn. 1980. Turnover of tracer ( $^{14}\text{C}$ ,  $^3\text{H}$  labelled) alanine in inshore marine sediments. *Marine Biology* 58: 97-103.
- Cochlan, W.P., P.J. Harrison and K.L. Denman. 1991. Diel periodicity of nitrogen uptake by marine phytoplankton in nitrate-rich environments. *Limnol. Oceanogr.* 36 (8): 1689-1700.
- Coffin, R.B. 1989. Bacterial uptake of dissolved free and combined amino acids in estuarine waters. *Limnol. Oceanogr.* 34: 531-542.
- Cook, P.L.M., A.T. Reville, E.C.V. Butler and B.D. Eyre. 2004. Carbon and nitrogen cycling on intertidal mudflats of a temperate Australian estuary. II. Nitrogen cycling. *Mar. Ecol. Prog. Ser.* 280: 39-54.
- Cook, P.L.M., B. Veuger, S. Böer and J.J. Middelburg. Effect of nutrient availability on carbon and nitrogen incorporation and flows through benthic algae and bacteria in nearshore sediment. *to be submitted*.
- Cowie, G.L. and J.I. Hedges. 1992. Sources and reactivities of amino acids in a coastal marine environment. *Limnol. Oceanogr.* 37(4): 703-724.
- Cowie, G.L., J.I. Hedges and S.E. Calvert. 1992. Sources and relative reactivities of amino acids, neutral sugars, and lignin in an intermittently anoxic marine environment. *Geochim. Cosmochim. Acta* 56: 1963-1978.
- Cowie, G.L., and J.I. Hedges. 1994. Biochemical indicators of diagenetic alterations in natural organic matter mixtures. *Nature* 369: 304-307.
- Créach, V., F. Lucas, C. Deleu, G. Bertu and A. Mariotti. 1999. Combination of biomolecular and stable isotope techniques to determine the origin of organic matter used by bacterial communities: application to sediment. *Journal of Microbiological Methods* 38: 43-52.

## References

- Dauwe, B. and J.J. Middelburg. 1998. Amino acids and hexosamines as indicators of organic matter degradation state in North Sea sediments. *Limnol. Oceanogr.* 43: 782-798.
- Dauwe, B., J.J. Middelburg, P.M.J. Herman and C.H.R. Heip. 1999. Linking diagenetic alteration of amino acids and bulk organic matter reactivity. *Limnol. Oceanogr.* 44: 1809-1814.
- Dijkman, N.A. and J.C. Kromkamp. 2006. Phospholipid-derived fatty acids as chemotaxonomic markers for phytoplankton and application to derive phytoplankton composition in the Scheldt estuary (Belgium & the Netherlands). *Mar. Ecol. Prog. Ser.* in press.
- Dittmar, T., H.P. Fitznar and G. Kattner. 2001. Origin and biogeochemical cycling of organic nitrogen in the eastern Arctic Ocean as evident from D- and L-amino acids. *Geochim. et Cosmochim. Acta* 65 (22): 4103-4114.
- Dugdale, R.C. and J.J. Goering. 1967. Uptake of new and regenerated forms of nitrogen in primary productivity. *Limnol. Oceanogr.* 12(2): 196-206.
- Erbe, T. and H. Brückner. 2000. Studies on the optical isomerisation of dietary amino acids in vinegar and aqueous acetic acid. *Eur. Food Res. Technol.* 211 (1): 6-12.
- Erbe, T. 1999. Die Quantifizierung von Aminosäurenisomeren in Lebensmitteln mittels chiraler Gaschromatographie-Massenspektrometrie im Hinblick auf die Relevanz und die Entstehungsmechanismen von D-Aminosäuren. Ph.D. thesis. Univ. of Gießen. [URL: <http://geb.uni-giessen.de/geb/volltexte/2000/215/>]
- Evrard, V., P.L.M. Cook, B. Veuger and J.J. Middelburg. "The fate of C and N in a subtidal sandy sediment: A <sup>13</sup>C and <sup>15</sup>N pulse-chase approach". *In preparation*.
- Eyre, B.D., S. Rysgaard, T. Dalsgaard, P.B. Christensen. 2002. Comparison of isotope pairing and N<sub>2</sub>:Ar methods for measuring sediment denitrification – assumptions, modifications, and implications. *Estuaries* 25: 1077-1087.
- Eyre, B.D. and A.J.P. Ferguson. 2005. Benthic metabolism and nitrogen cycling in a subtropical east Australian estuary (Brunswick): Temporal variability and controlling factors. *Limnol. Oceanogr.* 50(1): 81-96.
- Eyre, B.D. and A.J.P. Ferguson. 2006. Impact of a flood event on benthic and pelagic coupling in a subtropical east Australian estuary (Brunswick). *Estuarine, Coastal and Shelf Science* 66: 11-122.
- Fan, C. and P.M. Glibert. 2005. Effects of light on nitrogen and carbon uptake during a *Prorocentrum minimum* bloom. *Harmful Algae* 4: 629-641.
- Fantle, M.S., A.I. Dittel, S.M. Schwalm, C.E. Epifanio and M.L. Fogel. 1999. A food web analysis of the juvenile blue crab, *Callinectes sapidus*, using stable isotopes in whole animals and individual amino acids. *Oecologia* 120: 416-426.
- Ferguson, A.J.P., B.D. Eyre and J.M.Gay. 2003. Organic matter and benthic metabolism in euphotic sediments along shallow sub-tropical estuaries, northern New South Wales, Australia. *Aquatic Microbial Ecology* 33: 137-154.
- Ferguson, A.J.P., B.D. Eyre and J.M.Gay. 2004. Benthic nutrient fluxes in euphotic sediments along shallow sub-tropical estuaries, northern New South Wales, Australia. *Aquatic Microbial Ecology* 37: 219-235.
- Fierer, N., J.P. Schimel and P.A. Holden. 2003. Variations in microbial community composition through two soil depth profiles. *Soil Biology and Biochemistry* 35: 167-176.
- Fitznar, H.P., J.M.Lobbes and G. Kattner. 1999. Determination of enantiomeric amino acids with high-performance liquid chromatography and pre-column derivatisation with o-phthalaldehyde and N-isobutyrylcysteine in seawater and fossil samples (mollusks). *Journal of Chromatography A* 832: 123-132.
- Flynn, K.J. and I. Butler. 1986. Nitrogen sources for the growth of marine microalgae: role of dissolved free amino acids. *Mar. Ecol. Prog. Ser.* 34: 281-304.

## References

- Glaser, B. and W. Amelung. 2002. Determination of  $^{13}\text{C}$  natural abundance of amino acid enantiomers in soil: methodological considerations and first results. *Rapid Commun. Mass Spectrom.* 16: 891-898.
- Goldman, J.C. and M.R. Dennett. 2000. Growth of marine bacteria in batch and continuous culture under carbon and nitrogen limitation. *Limnology and Oceanography* 45: 789-800.
- Goldman, J.C. and M.R. Dennett. 2001. Rapid nitrogen uptake by marine bacteria. *Limnol. Oceanogr.* 46(5): 1195-1198.
- Granum, E. and S.M. Mykkestad. 1999. Effects of  $\text{NH}_4^+$  assimilation on dark carbon fixation and  $\beta$ -1,3-glucan metabolism in the marine diatom *Skeletonema costatum* (bacillariophyceae). *Journal of Phycology* 35: 1191-1199.
- Grasshoff, K., K. Kremling and M. Ehrhardt (Eds.). 1999. *Methods of Seawater Analysis*. WILEY-VCH, Weinheim, pp 203–205.
- Gribsholt, B., H.T.S. Boschker, E. Struyf, M. Andersson, A. Tramper, L. De Brabandere, S. van Damme, N. Brion, P. Meire, F. Dehairs, J.J. Middelburg and C.H.R. Heip. 2005. Nitrogen processing in a tidal freshwater marsh: A whole-ecosystem  $^{15}\text{N}$  labeling study. *Limnol. Oceanogr.* 50(6): 1945-1959.
- Gribsholt, B., B. Veuger, A. Tramper, H.T.S. Boschker and J.J. Middelburg. Long-term  $^{15}\text{N}$  retention in a tidal freshwater marsh fringing the nutrient rich Scheldt River, Belgium: a pulse-chase  $^{15}\text{N}$  labeling experiment. *In preparation*
- Griffiths, H. 1998. *Stable isotopes. Integration of biological, ecological and geochemical processes*. BIOS, Oxford. ISBN: 1-85996-135-5
- Grutters M., W. van Raaphorst, E. Epping, J. Helder, J.W. de Leeuw, D.P. Glavin and J. Bada. 2002. Preservation of amino acids from in situ-produced bacterial cell wall peptidoglycans in northeastern Atlantic continental margin sediments. *Limnol. Oceanogr.* 47 (5): 1521-1524.
- Hamilton, S.K., J.L. Tank, D.E. Raikow, E.R. Siler, N.J. Dorn and N.E. Leonard. 2004. The role of instream vs allochthonous N in stream food webs: Modeling the results of an isotope addition experiment. *Journal of the North American Benthological Society* 23: 429-448.
- Hansell, D.A., Carlson, C.A. (Eds). 2002. *Biogeochemistry of Marine Dissolved Organic Matter*. Academic Press, San Diego.
- Henrichs, S.M. and S.F. Sugai. 1993. Adsorption of amino acids and glucose by sediments of Resurrection Bay, Alaska, USA: Functional group effects. *Geochimica et Cosmochimica Acta* 57: 823-835.
- Herbert, R.A. 1999. Nitrogen cycling in coastal marine ecosystems. *FEMS Microbiology Reviews* 23: 563-590.
- Hoiczky, E. and A. Hansel. 2000. Cyanobacterial cell walls: news from an unusual prokaryotic envelope. *Journal of Bacteriology* 182 (5): 1191-1199.
- Jørgensen, N.O.G., R. Stepanauskas, A.G.U. Pedersen, M. Hansen and O. Nybroe. 2003. Occurrence and degradation of peptidoglycan in aquatic environments. *FEMS Microbiol. Ecol.* 46: 269-280.
- Jørgensen, N.O.G. 2006. Uptake of urea by estuarine bacteria. *Aquatic Microbial Ecology* 42: 227-242.
- Kaiser, K., and R. Benner. 2005. Hydrolysis-induced racemization of amino acids. *Limnol. Oceanogr. Methods* 3: 318-325.
- Kanda, J., E.A. Laws, T. Saino and A. Hattori. 1987. An evaluation of isotope dilution from conventional data sets of  $^{15}\text{N}$  uptake experiments. *Journal of Plankton Research* 9: 79-90.
- Keil, R.G. and D.L. Kirchman. 1993. Dissolved combined amino acids: chemical form and utilization by marine-bacteria. *Limnology and Oceanography* 38: 1256-1270.

## References

- Keil, R.G., E. Tsamakis and J.I. Hedges. 2000. Early diagenesis of particulate amino acids in marine systems. *In* G.A. Goodfriend, M.J. Collins, M.L. Fogel, S.E. Macko and J.F. Wehmiller [eds.], *Perspectives in amino acid and protein geochemistry*. Oxford University Press. pp 69-82.
- Keil, R.G. and M.L. Fogel. 2001. Reworking of amino acids in marine sediments: Stable carbon isotopic composition of amino acids in sediments along the Washington coast. *Limnol. Oceanogr.* 46 (1): 14-23.
- Kemp, P.F. 1990. The fate of benthic bacterial production. *Aquatic Sciences* 2: 109-124.
- Kirchman, D., E.K. K'nees and R. Hodson. 1985. Leucine incorporation and its potential as a measure of protein synthesis by bacteria in natural aquatic systems. *Applied and Environmental Microbiology* 49 (3): 599-607.
- Kirchman, D.L. 1994. The uptake of inorganic nutrients by heterotrophic bacteria. *Microbial Ecology*. 28: 255-271.
- Kirchman, D.L. 2000. Uptake and regeneration of inorganic nutrients by marine heterotrophic bacteria. *In* Kirchman, D.L. (ed.) *Microbial ecology of the oceans*. Wiley-Liss. ISBN 0-471-29993-6
- Koch, A.L. 1990. Growth and form of the bacterial cell wall. *American Scientist* 78: 327-341.
- Kroer, N., N.O.G. Jørgensen and R.B. Coffin. 1994. Utilization of dissolved nitrogen by heterotrophic bacterioplankton: a comparison of three ecosystems. *Applied and Environmental Microbiology*. 60 (11): 4116-4123.
- Lajtha, K. and R.H. Michener. 1994. *Stable isotopes in ecology and environmental science*. Blackwell, Oxford. ISBN 0-632-03154-9
- Lee, C., and C. Cronin. 1982. The vertical flux of particulate organic nitrogen in the sea: Decomposition of amino acids in the Peru upwelling area and the equatorial Atlantic. *J. Mar. Res.* 41: 227-251.
- Lee, S. and J.A. Fuhrman. 1987. Relationships between biovolume and biomass of naturally derived marine bacterioplankton. *Applied and Environmental Microbiology* 53: 1298-1303.
- Liardon, R. S. Ledermann and U. Ott. 1981. Determination of D-amino acids by deuterium labelling and selected ion monitoring. *Journal of Chromatography* 203: 385-395.
- Linares, F. and K. Sundbäck. 2006. Uptake of dissolved free amino acids (DFAA) by microphytobenthic communities. *Aquatic Microbial Ecology* 42: 175-186.
- Lipschultz, F. 1995. Nitrogen-specific uptake rates of marine phytoplankton isolated from natural populations of particles by flow cytometry. *Mar. Ecol. Prog. Ser.* 123: 245-258.
- Lomstein, B.A., A.G.U. Jensen, J.W. Hansen, J.B. Andreasen, L.S. Hansen, J. Berntsen and H. Kunzendorf. 1998. Budgets of sediment nitrogen and carbon cycling in the shallow water of Knebel Vig, Denmark. *Aquatic Microbial Ecology* 14: 69-80.
- Luna, G.M., E. Manini and R. Danovaro. 2002. Large fraction of dead and inactive bacteria in coastal marine sediments: comparison of protocols for determination and ecological significance. *Applied and Environmental Microbiology* 68(7): 3509-3513.
- Lund, B.A. and T.H. Blackburn. 1989. Urea turnover in a coastal marine sediment measured by a <sup>14</sup>C-urea short term incubation. *J. Microb. Methods* 9: 297-308.
- MacGregor, B.J. V. Bruchert, S. Fleischer and R. Amann. 2002. Isolation of small-subunit rRNA for stable isotope characterization. *Environmental Microbiology* 4 (8): 451-464.
- Macko, S.A., M.E. Uhle, M.H. Engel and V. Andrusevich. 1997. Stable nitrogen isotope analysis of amino acid enantiomers by gas chromatography/combustion/isotope ratio mass spectrometry. *Anal. Chem.* 69: 926-929.

## References

- Madigan, M.T., J.M. Martinko and J. Parker. 2000. Brock Biology of microorganisms. 9th ed. Prentice-Hall.
- McCarthy J.J. and R.W. Eppley. 1972. A comparison of chemical, isotopic, and enzymatic methods for measuring nitrogen assimilation of marine phytoplankton. *Limnol. Oceanogr.* 17 (3): 371-382.
- McCarthy, J.J., W.R. Taylor and J.L. Taft. 1977. Nitrogenous nutrition of the plankton in the Chesapeake Bay. 1. Nutrient availability and phytoplankton preferences. *Limnology and Oceanography* 22: 996-1011.
- McCarthy, M.D., J.I. Hedges and R. Benner. 1998. Major bacterial contribution to marine dissolved organic nitrogen. *Science* 281: 231-234.
- McClelland, J.W. and J.P. Montoya. 2002. Trophic relationships and the nitrogen isotopic composition of amino acids in plankton. *Ecology* 83 (8): 2173-2180.
- McClelland, J.W., C.M. Holl and J.P. Montoya. 2003. Relating low  $\delta^{15}\text{N}$  values of zooplankton to  $\text{N}_2$ -fixation in the tropical North Atlantic: insights provided by stable isotope ratios of amino acids. *Deep Sea Research I* 50: 849-861.
- Middelboe, M., N.H. Borch and D.L. Kirchman. 1995. Bacterial utilization of dissolved free amino acids, dissolved combined amino acids and ammonium in the Delaware Bay estuary: effects of carbon and nitrogen limitation. *Mar. Ecol. Prog. Ser.* 128: 109-120.
- Middelburg, J.J., C. Barranguet, H.T.S. Boschker, P.M.J. Herman, T. Moens and C.H.R. Heip. 2000. The fate of intertidal microphytobenthos carbon: An in situ  $^{13}\text{C}$ -labeling study. *Limnol. Oceanogr.* 45 (6): 1224-1234.
- Middelburg, J.J., and J. Nieuwenhuize. 2000a. Uptake of dissolved inorganic nitrogen in turbid, tidal estuaries. *Marine Ecology Progress Series* 192, 79-88.
- Middelburg, J.J. and J. Nieuwenhuize. 2000b. Nitrogen uptake by heterotrophic bacteria and phytoplankton in the nitrate-rich Thames estuary. *Mar. Ecol. Prog. Ser.* 203: 13-21.
- Middelburg, J.J., and J. Nieuwenhuize. 2001. Nitrogen isotope tracing of dissolved inorganic nitrogen behaviour in tidal estuaries. *Estuarine, Coastal and Shelf Science* 53: 385-391.
- Mobley, H.L.T. and R.P. Hausinger. 1989. Microbial ureases: significance, regulation and molecular characterization. *Microbiological reviews* 53(1): 85-108.
- Moodley, L., H.T.S. Boschker, J.J. Middelburg, R. Pel, P.M.J. Herman, E. de Deckere and C.H.R. Heip. 2000. Ecological significance of benthic foraminifera:  $^{13}\text{C}$  labeling experiments. *Mar. Ecol. Prog. Ser.* 202: 289-295.
- Moriarty, D.J.W. and A.C. Hayward. 1982. Ultrastructure of bacteria and the proportion of Gram-negative bacteria in marine sediments. *Microb. Ecol.* 8: 1-14.
- Mulholland, M.R., P.M. Glibert, G.M. Berg, L. Van Heukelem, S. Pantoja and C. Lee. 1998. Extracellular amino acid oxidation by microplankton: a cross-ecosystem comparison. *Aquat. Microb. Ecol.* 15: 141-152.
- Mulholland, M.R., C.J. Gobler and C. Lee. 2002. Peptide hydrolysis, amino acid oxidation, and nitrogen uptake in communities seasonally dominated by *Aureococcus anophagefferens*. *Limnol. Oceanogr.* 47 (4): 1094-1108.
- Mulholland, M.R., C. Lee and P.M. Glibert. 2003. Extracellular enzyme activity and uptake of carbon and nitrogen along an estuarine salinity and nutrient gradient. *Mar. Ecol. Prog. Ser.* 258: 3-17.
- Mulholland, M.R., Boneillo, G. and Minor, E. C. 2004. A comparison of N and C uptake during brown tide (*Aureococcus anophagefferens*) blooms from two coastal bays on the east coast of the USA. *Harmful Algae* 3: 361-376.
- Nagata, T., B. Meon and D.L. Kirchman. 2003. Microbial degradation of peptidoglycan in seawater. *Limnol. Oceanogr.* 48 (2): 745-754.

## References

- Nielsen, K., N. Risgaard-Petersen, B. Somod, S. Rysgaard and T. Bergo. 2001. Nitrogen and phosphorus retention estimated independently by flux measurements and dynamic modeling in the estuary, Randers Fjord, Denmark. *Marine Ecology Progress Series* 219: 25-40.
- Nieuwenhuize, J., Y.E.M. Maas and J.J. Middelburg. 1994. Rapid analysis of organic-carbon and nitrogen in particulate materials. *Marine Chemistry* 45: 217-224.
- Oremland, R.S. and D.G. Capone. 1988. Use of specific inhibitors in biogeochemistry and microbial ecology. *Advances in Microbial Ecology* 10: 285-383.
- Ottosen, L.D.M., N. Risgaard-Petersen, L.P. Nielsen and T. Dalsgaard. 2001. Denitrification in exposed intertidal mud-flats, measured with a new  $^{15}\text{N}$ -ammonium spray technique. *Mar. Ecol. Prog. Ser.* 209: 35-42.
- Palenik, B. and F.M.M. Morel. 1990. Amino acid utilization by marine phytoplankton: A novel mechanism. *Limnol. Oceanogr.* 35(2): 260-269.
- Pantoja, S. and C. Lee. 1994. Cell-surface oxidation of amino acids in seawater. *Limnol. Oceanogr.* 39(7): 1718-1726.
- Pantoja, S. and C. Lee. 2003. Amino acid remineralization and organic matter lability in Chilean coastal sediments. *Organic Geochemistry* 34: 1047-1056.
- Parkes, R.J., 1987. Analysis of microbial communities within sediments using biomarkers, p. 147-177. *In* M. Hetcher, R.T.G. Gray and J.G. Jones [eds.], *Ecology of microbial communities*. Cambridge University Press.
- Pedersen, A.G.U., T.R. Thomsen, B.A. Lomstein and N.O.G. Jørgensen. 2001. Bacterial influence on amino acid enantiomerisation in a coastal marine sediment. *Limnol. Oceanogr.* 46 (6): 1358-1369.
- Pelz, O., L.A. Cifuentes, B.T. Hammer, C.A. Kelley and R.B. Coffin. 1998. Tracing the assimilation of organic compounds using  $\delta^{13}\text{C}$  analysis of unique amino acids in the bacterial peptidoglycan cell wall. *FEMS Microbiol. Ecol.* 25: 229-240.
- Porter, K.G. and T.S. Feig. 1980. The use of DAPI for identifying and counting aquatic microflora. *Limnology and Oceanography* 25: 943-948.
- Price, N.M. and P.J. Harrison. 1988. Uptake of urea C and urea N by the coastal marine diatom *Thalassiosira pseudonana*. *Limnol. Oceanogr.* 33(4): 528-537.
- Risgaard-Petersen, N. 2003. Coupled nitrification-denitrification in autotrophic and heterotrophic estuarine sediments: On the influence of benthic microalgae. *Limnol. Oceanogr.* 48(1): 93-105.
- Rondell, J.B., K.W. Finster and B.A. Lomstein. 2000. Urea and DON uptake by a *Lyngbya gracialis* dominated microbial mat: a controlled laboratory experiment. *Aquatic Microbial Ecology* 21: 169-175.
- Rosenfeld, J.K. 1979. Ammonium adsorption in nearshore anoxic sediments. *Limnol. Oceanogr.* 24: 356-364.
- Rosenfeld, J.K. 1979. Amino acid diagenesis and adsorption in nearshore anoxic sediments. *Limnol. Oceanogr.* 24: 1014-1021.
- Rysgaard, S., N. Risgaard-Petersen, L.P. Nielsen and N.P. Revsbech. 1993. Nitrification and denitrification in lake and estuarine sediments measured by the  $^{15}\text{N}$  dilution technique and isotope pairing. *Applied and Environmental Microbiology* 59(7): 2093-2098.
- Rysgaard, S., P.B. Christensen and L.P. Nielsen. 1995. Seasonal variation in nitrification and denitrification in estuarine sediment colonized by benthic microalgae and bioturbating infauna. *Mar. Ecol. Prog. Ser.* 126: 111-121.
- Schell, D.M. 1974. Uptake and regeneration of free amino acids in marine waters of Southeast Alaska. *Limnol. Oceanogr.* 19 (2): 260-270.

## References

- Schmidt, J.L., J.W. Deming, P.A. Jumars and R.G. Keil. 1998. Constancy of bacterial abundance in surficial marine sediments. *Limnol. Oceanogr.* 43: 976-982.
- Seitzinger, S.P., R.W. Sanders and R. Styles. 2002. Bioavailability of DON from natural and anthropogenic sources to estuarine plankton. *Limnology and Oceanography* 47: 353-366.
- Silfer, J.A., M.H. Engel, S.A. Macko and E.J. Jumeau. 1991. Stable carbon isotope analysis of amino acid enantiomers by conventional isotope ratio mass spectrometry and combined with gas chromatography/isotope ratio mass spectrometry. *Anal. Chem.* 63: 370-374.
- Simon, M. and F. Azam. 1989. Protein content and protein synthesis rates of planktonic marine bacteria. *Marine Ecology Progress Series* 51: 201-213.
- Sinninghe Damsté, J.S. et al. 2004. The rise of the rhizosolenid diatoms. *Science* 304: 584-587.
- Smith, D.C. and F. Azam. 1992. A simple, economical method for measuring bacterial protein synthesis rates in seawater using 3H-leucine. *Marine Microbial Food Webs* 6 (2): 107-114.
- Soetaert, K., J.J. Middelburg, C. Heip, P. Meire, S. van Damme and T. Maris. 2006. Long-term change in dissolved inorganic nutrients in the heterotrophic Scheldt estuary (Belgium, The Netherlands). *Limnol. Oceanogr.* 51: 409-423.
- Sonesson, A., L. Larsson, A. Fox, G. Westerdahl and G. Odham. 1988. Determination of environmental levels of peptidoglycan and lipopolysaccharide using gas chromatography with negative-ion chemical-ionization mass spectrometry utilizing bacterial amino acids and hydroxy fatty acids as biomarkers. *Journal of Chromatography* 431: 1-15.
- Stepanaukas, R., N.O.G. Jørgensen, O.R. Eigaard, A. Zvikas, L.J. Tranvik and L. Leonardson. 2002. Summer inputs of riverine nutrients to the Baltic Sea: bioavailability and eutrophication relevance. *Ecological Monographs* 72: 579-597.
- Stephens, G.C. and B.B. North. 1971. Extrusion of carbon accompanying uptake of amino acids by marine phytoplankters. *Limnol. Oceanogr.* 16 (5): 752-757.
- Steyaert, M. P.M.J. Herman, T. Moens, J. Widdows and M. Vincx. 2001. Tidal migration of nematodes on an estuarine tidal flat (the Molenplaat, Schelde Estuary, SW Netherlands). *Mar. Ecol. Prog. Ser.* 224: 299-304.
- Sundbäck, K., F. Linares, F. Larson, A. Wulff and A. Engelsen. 2004. Benthic nitrogen fluxes along a depth gradient in a microtidal fjord: The role of denitrification and microphytobenthos. *Limnol. Oceanogr.* 49(4): 1095-1107.
- Tamminen, T. and A. Irmisch. 1996. Urea uptake kinetics of a midsummer planktonic community on the SW coast of Finland. *Mar. Ecol. Prog. Ser.* 130: 201-211.
- Tank, J.L., J.L. Meyer, D.M. Sanzone, P.J. Mulholland, J.R. Webster, B.J. Peterson, W.M. Wollheim and N.E. Leonard. 2000. Analysis of nitrogen cycling in a forest stream during autumn using a <sup>15</sup>N-tracer addition. *Limnol. Oceanogr.* 45(5): 1013-1029.
- Tobias, C., A. Giblin, J. McClelland, J. Tucker and B. Peterson. 2003. Sediment DIN fluxes and preferential recycling of benthic microalgal nitrogen in a shallow macrotidal estuary. *Mar. Ecol. Prog. Ser.* 257: 25-36.
- Tunlid, A. and G. Odham. 1983. Capillary gas chromatography using electron capture or selected ion monitoring detection for the determination of muramic acid, diaminopimelic acid and the ratio of D/L-alanine in bacteria. *Journal of Microbiological Methods* 1: 63-76.
- Tunlid, A., G. Odham, R.H. Findlay and D.C. White. 1985. Precision and sensitivity of the measurement of <sup>15</sup>N enrichment in D-alanine from bacterial cell walls using positive/negative ion mass spectrometry. *Journal of Microbiological Methods* 3: 237-245.



## References

- Ueda, K., S.L. Morgan, A. Fox, J. Gilbert, A. Sonesson, L. Larsson, G. Odham. 1989. D-Alanine as a chemical marker for the determination of streptococcal cell wall levels in mammalian tissues by gas chromatography/negative ion chemical ionisation mass spectrometry. *Anal. Chem.* 61: 265-270.
- Uhle, M.E., S.A. Macko, H.J. Spero, M.H. Engel and D.W. Lea. 1997. Sources of carbon and nitrogen in modern planktonic foraminifera: the role of algal symbionts as determined by bulk and compound specific stable isotope analyses. *Org. Geochem.* 27: 103-113.
- Van Oevelen, D., J. J. Middelburg, K. Soetaert, and L.Moodley. 2006a. The fate of bacterial carbon in an intertidal sediment: Modeling an in situ isotope tracer experiment. *Limnol. Oceanogr.* 51(3): 1302-1314.
- Van Oevelen, D., L. Moodley, K. Soetaert, and J. J. Middelburg. 2006b. The trophic significance of bacterial carbon in a marine intertidal sediment: Results of an in situ stable isotope labeling study. *Limnol. Oceanogr.* 51 (5): 2349-2359.
- Van Oevelen, D., K. Soetaert, J.J. Middelburg, P.M.J. Herman, L. Moodley, I. Hamels, T. Moens and C.H.R. Heip. 2006c. Carbon flows through a benthic food web: Integrating biomass, isotope and tracer data. *Journal of Marine Research* 64: 453-482.
- Veuger, B., J.J. Middelburg, H.T.S. Boschker, J. Nieuwenhuize, P. van Rijswijk, E.J. Rochelle-Newall and N. Navarro. 2004. Microbial uptake of dissolved organic and inorganic nitrogen in Randers Fjord. *Estuarine, Coastal and Shelf Science* 61 (3): 507-515. (Chapter 1)
- Veuger, B., J.J. Middelburg, H.T.S. Boschker and M. Houtekamer. 2005. Analysis of  $^{15}\text{N}$  incorporation into D-alanine: a new method for tracing nitrogen uptake by bacteria. *Limnol. Oceanogr. Methods* 3: 230-240. (Chapter 2)
- Veuger, B., D. van Oevelen, H.T.S. Boschker and J.J. Middelburg. 2006. Fate of peptidoglycan in an intertidal sediment: an in situ  $^{13}\text{C}$ -labeling study. *Limnology and Oceanography* 51 (4): 1572-1580. (Chapter 5)
- Veuger, B., B.D. Eyre, D. Maher and J.J. Middelburg. Nitrogen incorporation and retention by bacteria, algae and fauna in a subtropical, intertidal sediment: An in situ  $^{15}\text{N}$ -labeling study. *In revision for Limnology and Oceanography* (Chapter 4)
- Veuger, B and J.J. Middelburg. Incorporation of nitrogen and carbon from urea and amino acids by bacteria and algae in intertidal sediment. *In revision for Aquatic Microbial Ecology* (Chapter 3)
- Wheeler, P.A. and D.L. Kirchman. 1986. Utilization of inorganic and organic nitrogen by bacteria in marine systems. *Limnol. Oceanogr.* 31 (5): 998-1009.
- Zehr JP, Axler RP, Goldman CR (1985) Heterotrophic mineralization of amino acid nitrogen in subalpine Castle Lake, California. *Marine Chemistry* 16: 343-350
- Zehr, J.P. and B.B. Ward. 2002. Nitrogen cycling in the ocean: New perspectives on processes and paradigms. *Applied and Environmental Microbiology* 68 (3): 1015-1024.
- Ziegler, S.E., and M.L. Fogel. 2003. Seasonal and diel relationships between the isotopic compositions of dissolved and particulate organic matter in freshwater ecosystems. *Biogeochemistry* 64: 25-52.