

## REFERENCES

1. Berthoud,HR: Multiple neural systems controlling food intake and body weight. *Neurosci.Biobehav.Rev.* 26:393-428, 2002
2. Anand,BK, Brobeck,JR: Localization of a "feeding center" in the hypothalamus of the rat. *Proc.Soc.Exp.Biol.Med.* 77:323-324, 1951
3. Stellar,E: The physiology of motivation. *Psychol.Rev.* 61:5-22, 1954
4. Hetherington,AW, Ranson,SW: Hypothalamic lesions and adiposity in the rat. *Anat.Rec.* 78:149-172, 1940
5. Ellacott,KL, Cone,RD: The central melanocortin system and the integration of short- and long-term regulators of energy homeostasis. *Recent Prog.Horm.Res.* 59:395-408, 2004
6. Elias,CF, Lee,C, Kelly,J, Aschkenasi,C, Ahima,RS, Couceyro,PR, Kuhar,MJ, Saper,CB, Elmquist,JK: Leptin activates hypothalamic CART neurons projecting to the spinal cord. *Neuron* 21:1375-1385, 1998
7. Hahn,TM, Breininger,JF, Baskin,DG, Schwartz,MW: Coexpression of Agrp and NPY in fasting-activated hypothalamic neurons. *Nat.Neurosci.* 1:271-272, 1998
8. Bagdade,JD, Bierman,EL, Porte,D, Jr.: The significance of basal insulin levels in the evaluation of the insulin response to glucose in diabetic and nondiabetic subjects. *J.Clin.Invest* 46:1549-1557, 1967
9. Considine,RV, Sinha,MK, Heiman,ML, Kriauciunas,A, Stephens,TW, Nyce,MR, Ohannesian,JP, Marco,CC, McKee,LJ, Bauer,TL, ..: Serum immunoreactive-leptin concentrations in normal-weight and obese humans. *N Engl.J.Med.* 334:292-295, 1996
10. Schwartz,MW, Baskin,DG, Bukowski,TR, Kuijper,JL, Foster,D, Lasser,G, Prunkard,DE, Porte,D, Jr., Woods,SC, Seeley,RJ, Weigle,DS: Specificity of leptin action on elevated blood glucose levels and hypothalamic neuropeptide Y gene expression in ob/ob mice. *Diabetes* 45:531-535, 1996
11. Stephens,TW, Basinski,M, Bristow,PK, Bue-Valleskey,JM, Burgett,SG, Craft,L, Hale,J, Hoffmann,J, Hsiung,HM, Kriauciunas,A, ..: The role of neuropeptide Y in the antiobesity action of the obese gene product. *Nature* 377:530-532, 1995
12. Satoh,N, Ogawa,Y, Katsuura,G, Hayase,M, Tsuji,T, Imagawa,K, Yoshimasa,Y, Nishi,S, Hosoda,K, Nakao,K: The arcuate nucleus as a primary site of satiety effect of leptin in rats. *Neurosci.Lett.* 224:149-152, 1997
13. Schwartz,MW, Seeley,RJ, Woods,SC, Weigle,DS, Campfield,LA, Burn,P, Baskin,DG: Leptin increases hypothalamic pro-opiomelanocortin mRNA expression in the rostral arcuate nucleus. *Diabetes* 46:2119-2123, 1997

14. Broberger,C, Johansen,J, Johansson,C, Schalling,M, Hokfelt,T: The neuropeptide Y/agouti gene-related protein (AGRP) brain circuitry in normal, anorectic, and monosodium glutamate-treated mice. *Proc.Natl.Acad.Sci.U.S.A* 95:15043-15048, 1998
15. Kristensen,P, Judge,ME, Thim,L, Ribel,U, Christjansen,KN, Wulff,BS, Clausen,JT, Jensen,PB, Madsen,OD, Vrang,N, Larsen,PJ, Hastrup,S: Hypothalamic CART is a new anorectic peptide regulated by leptin. *Nature* 393:72-76, 1998
16. Adan,RA, Tiesjema,B, Hillebrand,JJ, La Fleur,SE, Kas,MJ, de Krom,M: The MC4 receptor and control of appetite. *Br.J.Pharmacol.* 149:815-827, 2006
17. Schwartz,MW, Woods,SC, Porte,D, Jr., Seeley,RJ, Baskin,DG: Central nervous system control of food intake. *Nature* 404:661-671, 2000
18. Fekete,C, Legradi,G, Mihaly,E, Huang,QH, Tatro,JB, Rand,WM, Emerson,CH, Lechan,RM: alpha-Melanocyte-stimulating hormone is contained in nerve terminals innervating thyrotropin-releasing hormone-synthesizing neurons in the hypothalamic paraventricular nucleus and prevents fasting-induced suppression of prothyrotropin-releasing hormone gene expression. *J.Neurosci.* 20:1550-1558, 2000
19. Fekete,C, Sarkar,S, Rand,WM, Harney,JW, Emerson,CH, Bianco,AC, Lechan,RM: Agouti-related protein (AGRP) has a central inhibitory action on the hypothalamic-pituitary-thyroid (HPT) axis; comparisons between the effect of AGRP and neuropeptide Y on energy homeostasis and the HPT axis. *Endocrinology* 143:3846-3853, 2002
20. Dallman,MF, Strack,AM, Akana,SF, Bradbury,MJ, Hanson,ES, Scribner,KA, Smith,M: Feast and famine: critical role of glucocorticoids with insulin in daily energy flow. *Front Neuroendocrinol.* 14:303-347, 1993
21. Kow,LM, Pfaff,DW: The effects of the TRH metabolite cyclo(His-Pro) and its analogs on feeding. *Pharmacol.Biochem.Behav.* 38:359-364, 1991
22. Lechan,RM, Fekete,C: Chapter 12: The TRH neuron: a hypothalamic integrator of energy metabolism. *Prog.Brain Res.* 153C:209-235, 2006
23. Verbalis,JG, Blackburn,RE, Hoffman,GE, Stricker,EM: Establishing behavioral and physiological functions of central oxytocin: insights from studies of oxytocin and ingestive behaviors. *Adv.Exp.Med.Biol.* 395:209-225, 1995
24. Gundlach,AL: Galanin/GALP and galanin receptors: role in central control of feeding, body weight/obesity and reproduction? *Eur.J.Pharmacol.* 440:255-268, 2002
25. Ludwig,DS, Tritos,NA, Mastaitis,JW, Kulkarni,R, Kokkotou,E, Elmquist,J, Lowell,B, Flier,JS, Maratos-Flier,E: Melanin-concentrating hormone overexpression in transgenic mice leads to obesity and insulin resistance. *J.Clin.Invest* 107:379-386, 2001
26. Qu,D, Ludwig,DS, Gammeltoft,S, Piper,M, Pelleymounter,MA, Cullen,MJ, Mathes,WF, Przypek,R, Kanarek,R, Maratos-Flier,E: A role for melanin-concentrating hormone in the central regulation of feeding behaviour. *Nature* 380:243-247, 1996

27. Hagan,JJ, Leslie,RA, Patel,S, Evans,ML, Wattam,TA, Holmes,S, Benham,CD, Taylor,SG, Routledge,C, Hemmati,P, Munton,RP, Ashmeade,TE, Shah,AS, Hatcher,JP, Hatcher,PD, Jones,DN, Smith,MI, Piper,DC, Hunter,AJ, Porter,RA, Upton,N: Orexin A activates locus coeruleus cell firing and increases arousal in the rat. *Proc.Natl.Acad.Sci.U.S.A* 96:10911-10916, 1999
28. Sakurai,T, Amemiya,A, Ishii,M, Matsuzaki,I, Chemelli,RM, Tanaka,H, Williams,SC, Richardson,JA, Kozlowski,GP, Wilson,S, Arch,JR, Buckingham,RE, Haynes,AC, Carr,SA, Annan,RS, McNulty,DE, Liu,WS, Terrell,JA, Elshourbagy,NA, Bergsma,DJ, Yanagisawa,M: Orexins and orexin receptors: a family of hypothalamic neuropeptides and G protein-coupled receptors that regulate feeding behavior. *Cell* 92:573-585, 1998
29. Sakurai,T: Roles of orexins in regulation of feeding and wakefulness. *Neuroreport* 13:987-995, 2002
30. Saper,CB, Chou,TC, Elmquist,JK: The need to feed: homeostatic and hedonic control of eating. *Neuron* 36:199-211, 2002
31. King,BM: The rise, fall, and resurrection of the ventromedial hypothalamus in the regulation of feeding behavior and body weight. *Physiol Behav.* 87:221-244, 2006
32. Hetherington,AW: The production of hypothalamic obesity in rats already displaying chronic hypopituitarism. *Am.J.Physiol* 140:89-92, 1943
33. McCrimmon,RJ, Song,Z, Cheng,H, McNay,EC, Weikart-Yeckel,C, Fan,X, Routh,VH, Sherwin,RS: Corticotrophin-releasing factor receptors within the ventromedial hypothalamus regulate hypoglycemia-induced hormonal counterregulation. *J.Clin.Invest* 116:1723-1730, 2006
34. Song,Z, Levin,BE, McArdle,JJ, Bakhos,N, Routh,VH: Convergence of pre- and postsynaptic influences on glucosensing neurons in the ventromedial hypothalamic nucleus. *Diabetes* 50:2673-2681, 2001
35. Song,Z, Routh,VH: Differential effects of glucose and lactate on glucosensing neurons in the ventromedial hypothalamic nucleus. *Diabetes* 54:15-22, 2005
36. Maeshall,NB, Barrnett,RJ, Mayer,J: Hypothalamic lesions in goldthioglucose injected mice. *Proc.Soc.Exp.Biol.Med.* 90:240-244, 1955
37. Marshall,NB, Mayer,J: Specificity of gold thioglucose for ventromedial hypothalamic lesions and hyperphagia. *Nature* 178:1399-1400, 1956
38. Stanley,S, Wynne,K, McGowan,B, Bloom,S: Hormonal regulation of food intake. *Physiol Rev.* 85:1131-1158, 2005
39. Rios,M, Fan,G, Fekete,C, Kelly,J, Bates,B, Kuehn,R, Lechan,RM, Jaenisch,R: Conditional deletion of brain-derived neurotrophic factor in the postnatal brain leads to obesity and hyperactivity. *Mol.Endocrinol.* 15:1748-1757, 2001

40. Xu,B, Goulding,EH, Zang,K, Cepoi,D, Cone,RD, Jones,KR, Tecott,LH, Reichardt,LF: Brain-derived neurotrophic factor regulates energy balance downstream of melanocortin-4 receptor. *Nat.Neurosci.* 6:736-742, 2003
41. Bernardis,LL, Bellinger,LL: The dorsomedial hypothalamic nucleus revisited: 1986 update. *Brain Res.* 434:321-381, 1987
42. Guan,XM, Yu,H, Trumbauer,M, Frazier,E, Van der Ploeg,LH, Chen,H: Induction of neuropeptide Y expression in dorsomedial hypothalamus of diet-induced obese mice. *Neuroreport* 9:3415-3419, 1998
43. Kesterson,RA, Huszar,D, Lynch,CA, Simerly,RB, Cone,RD: Induction of neuropeptide Y gene expression in the dorsal medial hypothalamic nucleus in two models of the agouti obesity syndrome. *Mol.Endocrinol.* 11:630-637, 1997
44. Li,C, Chen,P, Smith,MS: The acute suckling stimulus induces expression of neuropeptide Y (NPY) in cells in the dorsomedial hypothalamus and increases NPY expression in the arcuate nucleus. *Endocrinology* 139:1645-1652, 1998
45. Kislauskis,E, Bullock,B, McNeil,S, Dobner,PR: The rat gene encoding neuropeptid N. Structure, tissue-specific expression, and evolution of exon sequences. *J.Biol.Chem.* 263:4963-4968, 1988
46. Chou,TC, Scammell,TE, Gooley,JJ, Gaus,SE, Saper,CB, Lu,J: Critical role of dorsomedial hypothalamic nucleus in a wide range of behavioral circadian rhythms. *J.Neurosci.* 23:10691-10702, 2003
47. Gooley,JJ, Schomer,A, Saper,CB: The dorsomedial hypothalamic nucleus is critical for the expression of food-entrainable circadian rhythms. *Nat.Neurosci.* 9:398-407, 2006
48. Broberger,C: Brain regulation of food intake and appetite: molecules and networks. *J.Intern.Med.* 258:301-327, 2005
49. Kalia,M, Sullivan,JM: Brainstem projections of sensory and motor components of the vagus nerve in the rat. *J.Comp Neurol.* 211:248-265, 1982
50. Ritter,S, Dinh,TT, Friedman,MI: Induction of Fos-like immunoreactivity (Fos-li) and stimulation of feeding by 2,5-anhydro-D-mannitol (2,5-AM) require the vagus nerve. *Brain Res.* 646:53-64, 1994
51. Travers,JB, Travers,SP, Norgren,R: Gustatory neural processing in the hindbrain. *Annu.Rev.Neurosci.* 10:595-632, 1987
52. Berthoud,HR: Mind versus metabolism in the control of food intake and energy balance. *Physiol Behav.* 81:781-793, 2004
53. Grill,HJ, Smith,GP: Cholecystokinin decreases sucrose intake in chronic decerebrate rats. *Am.J.Physiol* 254:R853-R856, 1988
54. Mercer,JG, Moar,KM, Hoggard,N: Localization of leptin receptor (Ob-R) messenger ribonucleic acid in the rodent hindbrain. *Endocrinology* 139:29-34, 1998

55. Grill,HJ, Schwartz,MW, Kaplan,JM, Foxhall,JS, Breininger,J, Baskin,DG: Evidence that the caudal brainstem is a target for the inhibitory effect of leptin on food intake. *Endocrinology* 143:239-246, 2002
56. Allen,YS, Adrian,TE, Allen,JM, Tatemoto,K, Crow,TJ, Bloom,SR, Polak,JM: Neuropeptide Y distribution in the rat brain. *Science* 221:877-879, 1983
57. Joseph,SA, Pilcher,WH, Bennett-Clarke,C: Immunocytochemical localization of ACTH perikarya in nucleus tractus solitarius: evidence for a second opioidcortin neuronal system. *Neurosci.Lett.* 38:221-225, 1983
58. Berridge,KC: Modulation of taste affect by hunger, caloric satiety, and sensory-specific satiety in the rat. *Appetite* 16:103-120, 1991
59. Hayward,MD, Pintar,JE, Low,MJ: Selective reward deficit in mice lacking beta-endorphin and enkephalin. *J.Neurosci.* 22:8251-8258, 2002
60. Kelley,AE, Baldo,BA, Pratt,WE: A proposed hypothalamic-thalamic-striatal axis for the integration of energy balance, arousal, and food reward. *J.Comp Neurol.* 493:72-85, 2005
61. Kelley,AE, Baldo,BA, Pratt,WE, Will,MJ: Corticostriatal-hypothalamic circuitry and food motivation: integration of energy, action and reward. *Physiol Behav.* 86:773-795, 2005
62. Lerner,AB: The discovery of the melanotropins. A history of pituitary endocrinology. *Ann.N.Y.Acad.Sci.* 680:1-12, 1993
63. Bagnol,D, Lu,XY, Kaelin,CB, Day,HE, Ollmann,M, Gantz,I, Akil,H, Barsh,GS, Watson,SJ: Anatomy of an endogenous antagonist: relationship between Agouti-related protein and proopiomelanocortin in brain. *J.Neurosci.* 19:RC26, 1999
64. Haskell-Luevano,C, Chen,P, Li,C, Chang,K, Smith,MS, Cameron,JL, Cone,RD: Characterization of the neuroanatomical distribution of agouti-related protein immunoreactivity in the rhesus monkey and the rat. *Endocrinology* 140:1408-1415, 1999
65. Mezey,E, Kiss,JZ, Mueller,GP, Eskay,R, O'Donohue,TL, Palkovits,M: Distribution of the pro-opiomelanocortin derived peptides, adrenocorticotrope hormone, alpha-melanocyte-stimulating hormone and beta-endorphin (ACTH, alpha-MSH, beta-END) in the rat hypothalamus. *Brain Res.* 328:341-347, 1985
66. O'Donohue,TL, Miller,RL, Jacobowitz,DM: Identification, characterization and stereotaxic mapping of intraneuronal alpha-melanocyte stimulating hormone-like immunoreactive peptides in discrete regions of the rat brain. *Brain Res.* 176:101-123, 1979
67. Watson,SJ, Richard,CW, III, Barchas,JD: Adrenocorticotropin in rat brain: immunocytochemical localization in cells and axons. *Science* 200:1180-1182, 1978

68. Wilson,BD, Bagnol,D, Kaelin,CB, Ollmann,MM, Gantz,I, Watson,SJ, Barsh,GS: Physiological and anatomical circuitry between Agouti-related protein and leptin signaling. *Endocrinology* 140:2387-2397, 1999
69. Seeley,RJ, Drazen,DL, Clegg,DJ: The critical role of the melanocortin system in the control of energy balance. *Annu.Rev.Nutr.* 24:133-149, 2004
70. Bultman,SJ, Michaud,EJ, Woynarowski,RP: Molecular characterization of the mouse agouti locus. *Cell* 71:1195-1204, 1992
71. Ollmann,MM, Wilson,BD, Yang,YK, Kerns,JA, Chen,Y, Gantz,I, Barsh,GS: Antagonism of central melanocortin receptors in vitro and in vivo by agouti-related protein. *Science* 278:135-138, 1997
72. Shutter,JR, Graham,M, Kinsey,AC, Scully,S, Luthy,R, Stark,KL: Hypothalamic expression of ART, a novel gene related to agouti, is up-regulated in obese and diabetic mutant mice. *Genes Dev.* 11:593-602, 1997
73. Nijenhuis,WA, Oosterom,J, Adan,RA: AgRP(83-132) acts as an inverse agonist on the human-melanocortin-4 receptor. *Mol.Endocrinol.* 15:164-171, 2001
74. Roselli-Rehfuss,L, Mountjoy,KG, Robbins,LS, Mortrud,MT, Low,MJ, Tatro,JB, Entwistle,ML, Simerly,RB, Cone,RD: Identification of a receptor for gamma melanotropin and other proopiomelanocortin peptides in the hypothalamus and limbic system. *Proc.Natl.Acad.Sci.U.S.A* 90:8856-8860, 1993
75. Jegou,S, Boutelet,I, Vaudry,H: Melanocortin-3 receptor mRNA expression in proopiomelanocortin neurones of the rat arcuate nucleus. *J.Neuroendocrinol.* 12:501-505, 2000
76. Kishi,T, Aschkenasi,CJ, Lee,CE, Mountjoy,KG, Saper,CB, Elmquist,JK: Expression of melanocortin 4 receptor mRNA in the central nervous system of the rat. *J.Comp Neurol.* 457:213-235, 2003
77. Liu,H, Kishi,T, Roseberry,AG, Cai,X, Lee,CE, Montez,JM, Friedman,JM, Elmquist,JK: Transgenic mice expressing green fluorescent protein under the control of the melanocortin-4 receptor promoter. *J.Neurosci.* 23:7143-7154, 2003
78. Mountjoy,KG, Mortrud,MT, Low,MJ, Simerly,RB, Cone,RD: Localization of the melanocortin-4 receptor (MC4-R) in neuroendocrine and autonomic control circuits in the brain. *Mol.Endocrinol.* 8:1298-1308, 1994
79. Poggioli,R, Vergoni,AV, Bertolini,A: ACTH-(1-24) and alpha-MSH antagonize feeding behavior stimulated by kappa opiate agonists. *Peptides* 7:843-848, 1986
80. Benoit,SC, Schwartz,MW, Lachey,JL, Hagan,MM, Rushing,PA, Blake,KA, Yagaloff,KA, Kurylko,G, Franco,L, Danhoo,W, Seeley,RJ: A novel selective melanocortin-4 receptor agonist reduces food intake in rats and mice without producing aversive consequences. *J.Neurosci.* 20:3442-3448, 2000

81. Fan,W, Boston,BA, Kesterson,RA, Hruby,VJ, Cone,RD: Role of melanocortinergic neurons in feeding and the agouti obesity syndrome. *Nature* 385:165-168, 1997
82. Giraudo,SQ, Billington,CJ, Levine,AS: Feeding effects of hypothalamic injection of melanocortin 4 receptor ligands. *Brain Res.* 809:302-306, 1998
83. Pierroz,DD, Ziotopoulou,M, Ungsunan,L, Moschos,S, Flier,JS, Mantzoros,CS: Effects of acute and chronic administration of the melanocortin agonist MTII in mice with diet-induced obesity. *Diabetes* 51:1337-1345, 2002
84. Thiele,TE, van Dijk,G, Yagaloff,KA, Fisher,SL, Schwartz,M, Burn,P, Seeley,RJ: Central infusion of melanocortin agonist MTII in rats: assessment of c-Fos expression and taste aversion. *Am.J.Physiol* 274:R248-R254, 1998
85. Tsujii,S, Bray,GA: Acetylation alters the feeding response to MSH and beta-endorphin. *Brain Res.Bull.* 23:165-169, 1989
86. Abbott,CR, Rossi,M, Kim,M, AlAhmed,SH, Taylor,GM, Ghatei,MA, Smith,DM, Bloom,SR: Investigation of the melanocyte stimulating hormones on food intake. Lack Of evidence to support a role for the melanocortin-3-receptor. *Brain Res.* 869:203-210, 2000
87. Kask,A, Rago,L, Wikberg,JE, Schioth,HB: Differential effects of melanocortin peptides on ingestive behaviour in rats: evidence against the involvement of MC(3) receptor in the regulation of food intake. *Neurosci.Lett.* 283:1-4, 2000
88. McKay,LD, Kenney,NJ, Edens,NK, Williams,RH, Woods,SC: Intracerebroventricular beta-endorphin increases food intake of rats. *Life Sci.* 29:1429-1434, 1981
89. Dunbar,JC, Lu,H: Proopiomelanocortin (POMC) products in the central regulation of sympathetic and cardiovascular dynamics: studies on melanocortin and opioid interactions. *Peptides* 21:211-217, 2000
90. Bhardwaj,R, Becher,E, Mahnke,K, Hartmeyer,M, Schwarz,T, Scholzen,T, Luger,TA: Evidence for the differential expression of the functional alpha-melanocyte-stimulating hormone receptor MC-1 on human monocytes. *J.Immunol.* 158:3378-3384, 1997
91. Boston,BA: The role of melanocortins in adipocyte function. *Ann.N.Y.Acad.Sci.* 885:75-84, 1999
92. Gantz,I, Fong,TM: The melanocortin system. *Am.J.Physiol Endocrinol.Metab* 284:E468-E474, 2003
93. Leiba,H, Garty,NB, Schmidt-Sole,J, Piterman,O, Azrad,A, Salomon,Y: The melanocortin receptor in the rat lacrimal gland: a model system for the study of MSH (melanocyte stimulating hormone) as a potential neurotransmitter. *Eur.J.Pharmacol.* 181:71-82, 1990
94. Lipton,JM, Catania,A: Mechanisms of antiinflammatory action of the neuroimmunomodulatory peptide alpha-MSH. *Ann.N.Y.Acad.Sci.* 840:373-380, 1998

95. Robbins,LS, Nadeau,JH, Johnson,KR, Kelly,MA, Roselli-Rehfuss,L, Baack,E, Mountjoy,KG, Cone,RD: Pigmentation phenotypes of variant extension locus alleles result from point mutations that alter MSH receptor function. *Cell* 72:827-834, 1993
96. Thody,AJ, Cooper,MF, Bowden,PE, Meddis,D, Shuster,S: Effect of alpha-melanocyte-stimulating hormone and testosterone on cutaneous and modified sebaceous glands in the rat. *J.Endocrinol.* 71:279-288, 1976
97. Chen,AS, Marsh,DJ, Trumbauer,ME, Frazier,EG, Guan,XM, Yu,H, Rosenblum,CI, Vongs,A, Feng,Y, Cao,L, Metzger,JM, Strack,AM, Camacho,RE, Mellin,TN, Nunes,CN, Min,W, Fisher,J, Gopal-Truter,S, MacIntyre,DE, Chen,HY, Van der Ploeg,LH: Inactivation of the mouse melanocortin-3 receptor results in increased fat mass and reduced lean body mass. *Nat.Genet.* 26:97-102, 2000
98. Gispen,WH, Wiegant,VM, Greven,HM, de Wied,D: The induction of excessive grooming in the rat by intraventricular application of peptides derived from ACTH: structure-activity studies. *Life Sci.* 17:645-652, 1975
99. Hirsch,MD, O'Donohue,TL, Wilson,R, Sawyer,TK, Hruby,VJ, Hadley,ME, Cody,WL, Knittel,JJ, Crawley,JN: Structural and conformational modifications of alpha-MSH/ACTH4-10 provide melanotropin analogues with highly potent behavioral activities. *Peptides* 5:1197-1201, 1984
100. Huszar,D, Lynch,CA, Fairchild-Huntress,V, Dunmore,JH, Fang,Q, Berkemeier,LR, Gu,W, Kesterson,RA, Boston,BA, Cone,RD, Smith,FJ, Campfield,LA, Burn,P, Lee,F: Targeted disruption of the melanocortin-4 receptor results in obesity in mice. *Cell* 88:131-141, 1997
101. Muceniece,R, Zvejniece,L, Liepinsh,E, Kirjanova,O, Baumane,L, Petrovska,R, Mutulis,F, Mutule,I, Kalvinsh,I, Wikberg,JE, Dambrova,M: The MC(3) receptor binding affinity of melanocortins correlates with the nitric oxide production inhibition in mice brain inflammation model. *Peptides* 2006
102. Andersen,GN, Hagglund,M, Nagaeva,O, Frangsmyr,L, Petrovska,R, Mincheva-Nilsson,L, Wikberg,JE: Quantitative measurement of the levels of melanocortin receptor subtype 1, 2, 3 and 5 and pro-opio-melanocortin peptide gene expression in subsets of human peripheral blood leucocytes. *Scand.J.Immunol.* 61:279-284, 2005
103. Getting,SJ, Gibbs,L, Clark,AJ, Flower,RJ, Perretti,M: POMC gene-derived peptides activate melanocortin type 3 receptor on murine macrophages, suppress cytokine release, and inhibit neutrophil migration in acute experimental inflammation. *J.Immunol.* 162:7446-7453, 1999
104. Wikberg,JE: Melanocortin receptors: perspectives for novel drugs. *Eur.J.Pharmacol.* 375:295-310, 1999
105. Wikberg,JE, Muceniece,R, Mandrika,I, Prusis,P, Lindblom,J, Post,C, Skottner,A: New aspects on the melanocortins and their receptors. *Pharmacol.Res.* 42:393-420, 2000

106. Fathi,Z, Iben,LG, Parker,EM: Cloning, expression, and tissue distribution of a fifth melanocortin receptor subtype. *Neurochem.Res.* 20:107-113, 1995
107. Griffon,N, Mignon,V, Facchinetto,P, Diaz,J, Schwartz,JC, Sokoloff,P: Molecular cloning and characterization of the rat fifth melanocortin receptor. *Biochem.Biophys.Res.Commun.* 200:1007-1014, 1994
108. Xia,Y, Wikberg,JE, Chhajlani,V: Expression of melanocortin 1 receptor in periaqueductal gray matter. *Neuroreport* 6:2193-2196, 1995
109. Yang,YK, Ollmann,MM, Wilson,BD, Dickinson,C, Yamada,T, Barsh,GS, Gantz,I: Effects of recombinant agouti-signaling protein on melanocortin action. *Mol.Endocrinol.* 11:274-280, 1997
110. Adan,RA, Gispen,WH: Brain melanocortin receptors: from cloning to function. *Peptides* 18:1279-1287, 1997
111. Schioth,HB, Chhajlani,V, Muceniece,R, Klusa,V, Wikberg,JE: Major pharmacological distinction of the ACTH receptor from other melanocortin receptors. *Life Sci.* 59:797-801, 1996
112. Rossi,M, Kim,MS, Morgan,DG, Small,CJ, Edwards,CM, Sunter,D, Abusnana,S, Goldstone,AP, Russell,SH, Stanley,SA, Smith,DM, Yagaloff,K, Ghatei,MA, Bloom,SR: A C-terminal fragment of Agouti-related protein increases feeding and antagonizes the effect of alpha-melanocyte stimulating hormone in vivo. *Endocrinology* 139:4428-4431, 1998
113. Hagan,MM, Rushing,PA, Pritchard,LM, Schwartz,MW, Strack,AM, Van der Ploeg,LH, Woods,SC, Seeley,RJ: Long-term orexigenic effects of AgRP-(83---132) involve mechanisms other than melanocortin receptor blockade. *Am.J.Physiol Regul.Integr.Comp Physiol* 279:R47-R52, 2000
114. Lu,XY, Nicholson,JR, Akil,H, Watson,SJ: Time course of short-term and long-term orexigenic effects of Agouti-related protein (86-132). *Neuroreport* 12:1281-1284, 2001
115. Hagan,MM, Rushing,PA, Benoit,SC, Woods,SC, Seeley,RJ: Opioid receptor involvement in the effect of AgRP- (83-132) on food intake and food selection. *Am.J.Physiol Regul.Integr.Comp Physiol* 280:R814-R821, 2001
116. Jonsson,L, Skarphedinsson,JO, Skuladottir,GV, Watanobe,H, Schioth,HB: Food conversion is transiently affected during 4-week chronic administration of melanocortin agonist and antagonist in rats. *J.Endocrinol.* 173:517-523, 2002
117. McMinn,JE, Wilkinson,CW, Havel,PJ, Woods,SC, Schwartz,MW: Effect of intracerebroventricular alpha-MSH on food intake, adiposity, c-Fos induction, and neuropeptide expression. *Am.J.Physiol Regul.Integr.Comp Physiol* 279:R695-R703, 2000
118. Obici,S, Feng,Z, Tan,J, Liu,L, Karkanias,G, Rossetti,L: Central melanocortin receptors regulate insulin action. *J.Clin.Invest* 108:1079-1085, 2001

119. Small,CJ, Kim,MS, Stanley,SA, Mitchell,JR, Murphy,K, Morgan,DG, Ghatei,MA, Bloom,SR: Effects of chronic central nervous system administration of agouti-related protein in pair-fed animals. *Diabetes* 50:248-254, 2001
120. Small,CJ, Liu,YL, Stanley,SA, Connoley,IP, Kennedy,A, Stock,MJ, Bloom,SR: Chronic CNS administration of Agouti-related protein (Agrp) reduces energy expenditure. *Int.J.Obes.* 27:530-533, 2003
121. Baran,K, Preston,E, Wilks,D, Cooney,GJ, Kraegen,EW, Sainsbury,A: Chronic central melanocortin-4 receptor antagonism and central neuropeptide-Y infusion in rats produce increased adiposity by divergent pathways. *Diabetes* 51:152-158, 2002
122. Mizuno,TM, Makimura,H, Mobbs,CV: The physiological function of the agouti-related peptide gene: the control of weight and metabolic rate. *Ann.Med.* 35:425-433, 2003
123. Kim,MS, Rossi,M, Abusnana,S, Sunter,D, Morgan,DG, Small,CJ, Edwards,CM, Heath,MM, Stanley,SA, Seal,LJ, Bhatti,JR, Smith,DM, Ghatei,MA, Bloom,SR: Hypothalamic localization of the feeding effect of agouti-related peptide and alpha-melanocyte-stimulating hormone. *Diabetes* 49:177-182, 2000
124. Cowley,MA, Pronchuk,N, Fan,W, Dinulescu,DM, Colmers,WF, Cone,RD: Integration of NPY, AGRP, and melanocortin signals in the hypothalamic paraventricular nucleus: evidence of a cellular basis for the adipostat. *Neuron* 24:155-163, 1999
125. Wirth,MM, Olszewski,PK, Yu,C, Levine,AS, Giraudo,SQ: Paraventricular hypothalamic alpha-melanocyte-stimulating hormone and MTII reduce feeding without causing aversive effects. *Peptides* 22:129-134, 2001
126. Kask,A, Schioth,HB: Tonic inhibition of food intake during inactive phase is reversed by the injection of the melanocortin receptor antagonist into the paraventricular nucleus of the hypothalamus and central amygdala of the rat. *Brain Res.* 887:460-464, 2000
127. Wirth,MM, Giraudo,SQ: Agouti-related protein in the hypothalamic paraventricular nucleus: effect on feeding. *Peptides* 21:1369-1375, 2000
128. Wirth,MM, Giraudo,SQ: Effect of Agouti-related protein delivered to the dorsomedial nucleus of the hypothalamus on intake of a preferred versus a non-preferred diet. *Brain Res.* 897:169-174, 2001
129. Grill,HJ, Ginsberg,AB, Seeley,RJ, Kaplan,JM: Brainstem application of melanocortin receptor ligands produces long-lasting effects on feeding and body weight. *J.Neurosci.* 18:10128-10135, 1998
130. Williams,DL, Kaplan,JM, Grill,HJ: The role of the dorsal vagal complex and the vagus nerve in feeding effects of melanocortin-3/4 receptor stimulation. *Endocrinology* 141:1332-1337, 2000

131. Mizuno,TM, Kelley,KA, Pasinetti,GM, Roberts,JL, Mobbs,CV: Transgenic neuronal expression of proopiomelanocortin attenuates hyperphagic response to fasting and reverses metabolic impairments in leptin-deficient obese mice. *Diabetes* 52:2675-2683, 2003
132. Savontaus,E, Breen,TL, Kim,A, Yang,LM, Chua,SC, Jr., Wardlaw,SL: Metabolic effects of transgenic melanocyte-stimulating hormone overexpression in lean and obese mice. *Endocrinology* 145:3881-3891, 2004
133. Li,G, Zhang,Y, Wilsey JT, Scarpase,PJ: Hypothalamic pro-opiomelanocortin gene delivery ameliorates obesity and glucose intolerance in aged rats. *Diabetologia* 48:2376-2385, 2005
134. Kappeler,L, Gourdji,D, Zizzari,P, Bluet-Pajot,MT, Epelbaum,J: Age-associated changes in hypothalamic and pituitary neuroendocrine gene expression in the rat. *J.Neuroendocrinol.* 15:592-601, 2003
135. Nelson,JF, Bender,M, Schachter,BS: Age-related changes in proopiomelanocortin messenger ribonucleic acid levels in hypothalamus and pituitary of female C57BL/6J mice. *Endocrinology* 123:340-344, 1988
136. Barbieri,M, Rizzo,MR, Manzella,D, Paolisso,G: Age-related insulin resistance: is it an obligatory finding? The lesson from healthy centenarians. *Diabetes Metab Res.Rev.* 17:19-26, 2001
137. Wolff,GL, Roberts,DW, Mountjoy,KG: Physiological consequences of ectopic agouti gene expression: the yellow obese mouse syndrome. *Physiol Genomics* 1:151-163, 1999
138. Cuenot,L: Les races pures et leur combinaisons chez les souris. *Arch.Zool.Exper.Gener.* 3:123-132, 1905
139. Dickie,MM: Mutations at the agouti locus in the mouse. *J.Hered.* 60:20-25, 1969
140. Zemel,MB: Agouti/melanocortin interactions with leptin pathways in obesity. *Nutr.Rev.* 56:271-274, 1998
141. Stutz,AM, Morrison,CD, Argyropoulos,G: The Agouti-related protein and its role in energy homeostasis. *Peptides* 26:1771-1781, 2005
142. Hruby,VJ, Lu,D, Sharma,SD, Castrucci,AL, Kesterson,RA, al Obeidi,FA, Hadley,ME, Cone,RD: Cyclic lactam alpha-melanotropin analogues of Ac-Nle4-cyclo[Asp5, D-Phe7,Lys10] alpha-melanocyte-stimulating hormone-(4-10)-NH<sub>2</sub> with bulky aromatic amino acids at position 7 show high antagonist potency and selectivity at specific melanocortin receptors. *J.Med.Chem.* 38:3454-3461, 1995
143. Lu,D, Willard,D, Patel,IR, Kadwell,S, Overton,L, Kost,T, Luther,M, Chen,W, Woychik,RP, Wilkison,WO, : Agouti protein is an antagonist of the melanocyte-stimulating-hormone receptor. *Nature* 371:799-802, 1994
144. Ollmann,MM, Lamoreux,ML, Wilson,BD, Barsh,GS: Interaction of Agouti protein with the melanocortin 1 receptor in vitro and in vivo. *Genes Dev.* 12:316-330, 1998

145. Frigeri,LG, Wolff,GL, Teguh,C: Differential responses of yellow Avy/A and agouti A/a (BALB/c X VY) F1 hybrid mice to the same diets: glucose tolerance, weight gain, and adipocyte cellularity. *Int.J.Obes.* 12:305-320, 1988
146. Koegler,FH, Schaffhauser,RO, Mynatt,RL, York,DA, Bray,GA: Macronutrient diet intake of the lethal yellow agouti (Ay/a) mouse. *Physiol Behav.* 67:809-812, 1999
147. Mynatt,RL, Miltenberger,RJ, Klebig,ML, Zemel,MB, Wilkinson,JE, Wilkinson,WO, Woychik,RP: Combined effects of insulin treatment and adipose tissue-specific agouti expression on the development of obesity. *Proc.Natl.Acad.Sci.U.S.A* 94:919-922, 1997
148. Graham,M, Shutter,JR, Sarmiento,U, Sarosi,I, Stark,KL: Overexpression of Agrt leads to obesity in transgenic mice. *Nat.Genet.* 17:273-274, 1997
149. Challis,BG, Coll,AP, Yeo,GS, Pinnock,SB, Dickson,SL, Thresher,RR, Dixon,J, Zahn,D, Rochford,JJ, White,A, Oliver,RL, Millington,G, Aparicio,SA, Colledge,WH, Russ,AP, Carlton,MB, O'Rahilly,S: Mice lacking pro-opiomelanocortin are sensitive to high-fat feeding but respond normally to the acute anorectic effects of peptide-YY(3-36). *Proc.Natl.Acad.Sci.U.S.A* 101:4695-4700, 2004
150. Smart,JL, Low,MJ: Lack of proopiomelanocortin peptides results in obesity and defective adrenal function but normal melanocyte pigmentation in the murine C57BL/6 genetic background. *Ann.N.Y.Acad.Sci.* 994:202-210, 2003
151. Yaswen,L, Diehl,N, Brennan,MB, Hochgeschwender,U: Obesity in the mouse model of pro-opiomelanocortin deficiency responds to peripheral melanocortin. *Nat.Med.* 5:1066-1070, 1999
152. Qian,S, Chen,H, Weingarth,D, Trumbauer,ME, Novi,DE, Guan,X, Yu,H, Shen,Z, Feng,Y, Frazier,E, Chen,A, Camacho,RE, Shearman,LP, Gopal-Truter,S, MacNeil,DJ, Van der Ploeg,LH, Marsh,DJ: Neither agouti-related protein nor neuropeptide Y is critically required for the regulation of energy homeostasis in mice. *Mol.Cell Biol.* 22:5027-5035, 2002
153. Leibowitz,SF, Wortley,KE: Hypothalamic control of energy balance: different peptides, different functions. *Peptides* 25:473-504, 2004
154. Wortley,KE, Anderson,KD, Yasenchak,J, Murphy,A, Valenzuela,D, Diano,S, Yancopoulos,GD, Wiegand,SJ, Sleeman,MW: Agouti-related protein-deficient mice display an age-related lean phenotype. *Cell Metab* 2:421-427, 2005
155. Gropp,E, Shanabrough,M, Borok,E, Xu,AW, Janoschek,R, Buch,T, Plum,L, Balthasar,N, Hampel,B, Waisman,A, Barsh,GS, Horvath,TL, Bruning,JC: Agouti-related peptide-expressing neurons are mandatory for feeding. *Nat.Neurosci.* 8:1289-1291, 2005
156. Luquet,S, Perez,FA, Hnasko,TS, Palmiter,RD: NPY/AgRP neurons are essential for feeding in adult mice but can be ablated in neonates. *Science* 310:683-685, 2005

157. Butler,AA, Kesterson,RA, Khong,K, Cullen,MJ, Pelleymounter,MA, Dekoning,J, Baetscher,M, Cone,RD: A unique metabolic syndrome causes obesity in the melanocortin-3 receptor-deficient mouse. *Endocrinology* 141:3518-3521, 2000
158. Moussa,NM, Claycombe,KJ: The yellow mouse obesity syndrome and mechanisms of agouti-induced obesity. *Obes.Res.* 7:506-514, 1999
159. Marsh,DJ, Hollopeter,G, Huszar,D, Laufer,R, Yagaloff,KA, Fisher,SL, Burn,P, Palmiter,RD: Response of melanocortin-4 receptor-deficient mice to anorectic and orexigenic peptides. *Nat.Genet.* 21:119-122, 1999
160. Fan,W, Ellacott,KL, Halatchev,IG, Takahashi,K, Yu,P, Cone,RD: Cholecystokinin-mediated suppression of feeding involves the brainstem melanocortin system. *Nat.Neurosci.* 7:335-336, 2004
161. Shaw,AM, Irani,BG, Moore,MC, Haskell-Luevano,C, Millard,WJ: Ghrelin-induced food intake and growth hormone secretion are altered in melanocortin 3 and 4 receptor knockout mice. *Peptides* 26:1720-1727, 2005
162. Butler,AA: The melanocortin system and energy balance. *Peptides* 27:281-290, 2006
163. Chen,AS, Metzger,JM, Trumbauer,ME, Guan,XM, Yu,H, Frazier,EG, Marsh,DJ, Forrest,MJ, Gopal-Truter,S, Fisher,J, Camacho,RE, Strack,AM, Mellin,TN, MacIntyre,DE, Chen,HY, Van der Ploeg,LH: Role of the melanocortin-4 receptor in metabolic rate and food intake in mice. *Transgenic Res.* 9:145-154, 2000
164. Ste,ML, Miura,GI, Marsh,DJ, Yagaloff,K, Palmiter,RD: A metabolic defect promotes obesity in mice lacking melanocortin-4 receptors. *Proc.Natl.Acad.Sci.U.S.A* 97:12339-12344, 2000
165. Fekete,C, Marks,DL, Sarkar,S, Emerson,CH, Rand,WM, Cone,RD, Lechan,RM: Effect of Agouti-related protein in regulation of the hypothalamic-pituitary-thyroid axis in the melanocortin 4 receptor knockout mouse. *Endocrinology* 145:4816-4821, 2004
166. Marsh,DJ, Miura,GI, Yagaloff,KA, Schwartz,MW, Barsh,GS, Palmiter,RD: Effects of neuropeptide Y deficiency on hypothalamic agouti-related protein expression and responsiveness to melanocortin analogues. *Brain Res.* 848:66-77, 1999
167. Halatchev,IG, Ellacott,KL, Fan,W, Cone,RD: Peptide YY3-36 inhibits food intake in mice through a melanocortin-4 receptor-independent mechanism. *Endocrinology* 145:2585-2590, 2004
168. Himms-Hagen,J: On raising energy expenditure in ob/ob mice. *Science* 276:1132-1133, 1997
169. Samama,P, Rumennik,L, Grippo,JF: The melanocortin receptor MCR4 controls fat consumption. *Regul.Pept.* 113:85-88, 2003
170. Butler,AA, Marks,DL, Fan,W, Kuhn,CM, Bartolome,M, Cone,RD: Melanocortin-4 receptor is required for acute homeostatic responses to increased dietary fat. *Nat.Neurosci.* 4:605-611, 2001

171. Adrian,TE, Ferri,GL, Bacarese-Hamilton,AJ, Fuessl,HS, Polak,JM, Bloom,SR: Human distribution and release of a putative new gut hormone, peptide YY. *Gastroenterology* 89:1070-1077, 1985
172. Pedersen-Bjergaard,U, Host,U, Kelbaek,H, Schifter,S, Rehfeld, JF, Faber,J, Christensen,NJ: Influence of meal composition on postprandial peripheral plasma concentrations of vasoactive peptides in man. *Scand.J.Clin.Lab Invest* 56:497-503, 1996
173. le Roux,CW, Bloom,SR: Peptide YY, appetite and food intake. *Proc.Nutr.Soc.* 64:213-216, 2005
174. Batterham,RL, Cowley,MA, Small,CJ, Herzog,H, Cohen,MA, Dakin,CL, Wren,AM, Brynes,AE, Low,MJ, Ghatei,MA, Cone,RD, Bloom,SR: Gut hormone PYY(3-36) physiologically inhibits food intake. *Nature* 418:650-654, 2002
175. Challis,BG, Pinnock,SB, Coll,AP, Carter,RN, Dickson,SL, O'Rahilly,S: Acute effects of PYY3-36 on food intake and hypothalamic neuropeptide expression in the mouse. *Biochem.Biophys.Res.Commun.* 311:915-919, 2003
176. Morley,JE, Levine,AS, Grace,M, Kneip,J: Peptide YY (PYY), a potent orexigenic agent. *Brain Res.* 341:200-203, 1985
177. Bai,FL, Yamano,M, Shiotani,Y, Emson,PC, Smith,AD, Powell, JF, Tohyama,M: An arcuato-paraventricular and -dorsomedial hypothalamic neuropeptide Y-containing system which lacks noradrenaline in the rat. *Brain Res.* 331:172-175, 1985
178. Chronwall,BM, DiMaggio,DA, Massari,VJ, Pickel,VM, Ruggiero,DA, O'Donohue,TL: The anatomy of neuropeptide-Y-containing neurons in rat brain. *Neuroscience* 15:1159-1181, 1985
179. Sahu,A, Kalra,SP, Crowley,WR, Kalra,PS: Evidence that NPY-containing neurons in the brainstem project into selected hypothalamic nuclei: implication in feeding behavior. *Brain Res.* 457:376-378, 1988
180. Sawchenko,PE, Swanson,LW, Grzanna,R, Howe,PR, Bloom,SR, Polak,JM: Colocalization of neuropeptide Y immunoreactivity in brainstem catecholaminergic neurons that project to the paraventricular nucleus of the hypothalamus. *J.Comp Neurol.* 241:138-153, 1985
181. Blomqvist,AG, Herzog,H: Y-receptor subtypes--how many more? *Trends Neurosci.* 20:294-298, 1997
182. Parker,RM, Herzog,H: Regional distribution of Y-receptor subtype mRNAs in rat brain. *Eur.J.Neurosci.* 11:1431-1448, 1999
183. Broberger,C, Landry,M, Wong,H, Walsh,JN, Hokfelt,T: Subtypes Y1 and Y2 of the neuropeptide Y receptor are respectively expressed in pro-opiomelanocortin- and neuropeptide-Y-containing neurons of the rat hypothalamic arcuate nucleus. *Neuroendocrinology* 66:393-408, 1997

184. Fetissov,SO, Byrne,LC, Hassani,H, Ernfors,P, Hokfelt,T: Characterization of neuropeptide Y Y2 and Y5 receptor expression in the mouse hypothalamus. *J.Comp Neurol.* 470:256-265, 2004
185. Naveilhan,P, Hassani,H, Canals,JM, Ekstrand,AJ, Larefalk,A, Chhajlani,V, Arenas,E, Gedda,K, Svensson,L, Thoren,P, Ernfors,P: Normal feeding behavior, body weight and leptin response require the neuropeptide Y Y2 receptor. *Nat.Med.* 5:1188-1193, 1999
186. Larsen,PJ, Kristensen,P: Central Y4 receptor distribution. Radioactive ribonucleotide probe in situ hybridization with in vitro receptor autoradiography. *Methods Mol.Biol.* 153:185-198, 2000
187. Gerald,C, Walker,MW, Criscione,L, Gustafson,EL, Batzl-Hartmann,C, Smith,KE, Vaysse,P, Durkin,MM, Laz,TM, Linemeyer,DL, Schaffhauser,AO, Whitebread,S, Hofbauer,KG, Taber,RI, Branchek,TA, Weinshank,RL: A receptor subtype involved in neuropeptide-Y-induced food intake. *Nature* 382:168-171, 1996
188. Hu,Y, Bloomquist,BT, Cornfield,LJ, DeCarr,LB, Flores-Riveros,JR, Friedman,L, Jiang,P, Lewis-Higgins,L, Sadlowski,Y, Schaefer,J, Velazquez,N, McCaleb,ML: Identification of a novel hypothalamic neuropeptide Y receptor associated with feeding behavior. *J.Biol.Chem.* 271:26315-26319, 1996
189. Larsen,PJ, Kristensen,P: Distribution of neuropeptide Y receptor expression in the rat suprachiasmatic nucleus. *Brain Res.Mol.Brain Res.* 60:69-76, 1998
190. Gehlert,DR: Role of hypothalamic neuropeptide Y in feeding and obesity. *Neuropeptides* 33:329-338, 1999
191. Marsh,DJ, Hollopeter,G, Kafer,KE, Palmiter,RD: Role of the Y5 neuropeptide Y receptor in feeding and obesity. *Nat.Med.* 4:718-721, 1998
192. Stanley,BG, Magdalin,W, Seirafi,A, Nguyen,MM, Leibowitz,SF: Evidence for neuropeptide Y mediation of eating produced by food deprivation and for a variant of the Y1 receptor mediating this peptide's effect. *Peptides* 13:581-587, 1992
193. Clark,JT, Kalra,PS, Crowley,WR, Kalra,SP: Neuropeptide Y and human pancreatic polypeptide stimulate feeding behavior in rats. *Endocrinology* 115:427-429, 1984
194. Morley,JE, Levine,AS, Gosnell,BA, Kneip,J, Grace,M: Effect of neuropeptide Y on ingestive behaviors in the rat. *Am.J.Physiol* 252:R599-R609, 1987
195. Kalra,SP, Dube,MG, Kalra,PS: Continuous intraventricular infusion of neuropeptide Y evokes episodic food intake in sated female rats: effects of adrenalectomy and cholecystokinin. *Peptides* 9:723-728, 1988
196. Ammar,AA, Sederholm,F, Saito,TR, Scheurink,AJ, Johnson,AE, Sodersten,P: NPY-leptin: opposing effects on appetitive and consummatory ingestive behavior and sexual behavior. *Am.J.Physiol Regul.Integr.Comp Physiol* 278:R1627-R1633, 2000

197. Seeley,RJ, Payne,CJ, Woods,SC: Neuropeptide Y fails to increase intraoral intake in rats. *Am.J.Physiol* 268:R423-R427, 1995
198. Marks,JL, Waite,K: Some acute effects of intracerebroventricular neuropeptide Y on insulin secretion and glucose metabolism in the rat. *J.Neuroendocrinol.* 8:507-513, 1996
199. Marks,JL, Waite,K, Davies,L: Intracerebroventricular neuropeptide Y produces hyperinsulinemia in the presence and absence of food. *Physiol Behav.* 60:685-692, 1996
200. Moltz,JH, McDonald,JK: Neuropeptide Y: direct and indirect action on insulin secretion in the rat. *Peptides* 6:1155-1159, 1985
201. Raposinho,PD, Castillo,E, d'Alleves,V, Broqua,P, Pralong,FP, Aubert,ML: Chronic blockade of the melanocortin 4 receptor subtype leads to obesity independently of neuropeptide Y action, with no adverse effects on the gonadotropic and somatotropic axes. *Endocrinology* 141:4419-4427, 2000
202. Sainsbury,A, Cusin,I, Doyle,P, Rohner-Jeanrenaud,F, Jeanrenaud,B: Intracerebroventricular administration of neuropeptide Y to normal rats increases obese gene expression in white adipose tissue. *Diabetologia* 39:353-356, 1996
203. Zarjevski,N, Cusin,I, Vettor,R, Rohner-Jeanrenaud,F, Jeanrenaud,B: Chronic intracerebroventricular neuropeptide-Y administration to normal rats mimics hormonal and metabolic changes of obesity. *Endocrinology* 133:1753-1758, 1993
204. Bouali,SM, Fournier,A, St Pierre,S, Jolicoeur,FB: Effects of NPY and NPY2-36 on body temperature and food intake following administration into hypothalamic nuclei. *Brain Res.Bull.* 36:131-135, 1995
205. Jolicoeur,FB, Bouali,SM, Fournier,A, St Pierre,S: Mapping of hypothalamic sites involved in the effects of NPY on body temperature and food intake. *Brain Res.Bull.* 36:125-129, 1995
206. Billington,CJ, Briggs,JE, Grace,M, Levine,AS: Effects of intracerebroventricular injection of neuropeptide Y on energy metabolism. *Am.J.Physiol* 260:R321-R327, 1991
207. Billington,CJ, Briggs,JE, Harker,S, Grace,M, Levine,AS: Neuropeptide Y in hypothalamic paraventricular nucleus: a center coordinating energy metabolism. *Am.J.Physiol* 266:R1765-R1770, 1994
208. Egawa,M, Yoshimatsu,H, Bray,GA: Neuropeptide Y suppresses sympathetic activity to interscapular brown adipose tissue in rats. *Am.J.Physiol* 260:R328-R334, 1991
209. Heilig,M, Murison,R: Intracerebroventricular neuropeptide Y suppresses open field and home cage activity in the rat. *Regul.Pept.* 19:221-231, 1987
210. Heilig,M, Vecsei,L, Widerlov,E: Opposite effects of centrally administered neuropeptide Y (NPY) on locomotor activity of spontaneously hypertensive (SH) and normal rats. *Acta Physiol Scand.* 137:243-248, 1989

211. Hwa,JJ, Witten,MB, Williams,P, Ghibaudo,L, Gao,J, Salisbury,BG, Mullins,D, Hamud,F, Strader,CD, Parker,EM: Activation of the NPY Y5 receptor regulates both feeding and energy expenditure. *Am.J.Physiol* 277:R1428-R1434, 1999
212. Catzeffis,C, Pierroz,DD, Rohner-Jeanrenaud,F, Rivier,JE, Sizonenko,PC, Aubert,ML: Neuropeptide Y administered chronically into the lateral ventricle profoundly inhibits both the gonadotropic and the somatotrophic axis in intact adult female rats. *Endocrinology* 132:224-234, 1993
213. Raposinho,PD, Pierroz,DD, Broqua,P, White,RB, Pedrazzini,T, Aubert,ML: Chronic administration of neuropeptide Y into the lateral ventricle of C57BL/6J male mice produces an obesity syndrome including hyperphagia, hyperleptinemia, insulin resistance, and hypogonadism. *Mol.Cell Endocrinol.* 185:195-204, 2001
214. Vettor,R, Zarjevski,N, Cusin,I, Rohner-Jeanrenaud,F, Jeanrenaud,B: Induction and reversibility of an obesity syndrome by intracerebroventricular neuropeptide Y administration to normal rats. *Diabetologia* 37:1202-1208, 1994
215. Hulsey,MG, Pless,CM, White,BD, Martin,RJ: ICV administration of anti-NPY antisense oligonucleotide: effects on feeding behavior, body weight, peptide content and peptide release. *Regul.Pept.* 59:207-214, 1995
216. Stanley,BG, Leibowitz,SF: Neuropeptide Y injected in the paraventricular hypothalamus: a powerful stimulant of feeding behavior. *Proc.Natl.Acad.Sci.U.S.A* 82:3940-3943, 1985
217. Stanley,BG, Magdalin,W, Seirafi,A, Thomas,WJ, Leibowitz,SF: The perifornical area: the major focus of (a) patchily distributed hypothalamic neuropeptide Y-sensitive feeding system(s). *Brain Res.* 604:304-317, 1993
218. Akabayashi,A, Wahlestedt,C, Alexander,JT, Leibowitz,SF: Specific inhibition of endogenous neuropeptide Y synthesis in arcuate nucleus by antisense oligonucleotides suppresses feeding behavior and insulin secretion. *Brain Res.Mol.Brain Res.* 21:55-61, 1994
219. Gardiner,JV, Kong,WM, Ward,H, Murphy,KG, Dhillon,WS, Bloom,SR: AAV mediated expression of anti-sense neuropeptide Y cRNA in the arcuate nucleus of rats results in decreased weight gain and food intake. *Biochem.Biophys.Res.Commun.* 327:1088-1093, 2005
220. Stanley,BG, Leibowitz,SF: Neuropeptide Y: stimulation of feeding and drinking by injection into the paraventricular nucleus. *Life Sci.* 35:2635-2642, 1984
221. Stanley,BG, Daniel,DR, Chin,AS, Leibowitz,SF: Paraventricular nucleus injections of peptide YY and neuropeptide Y preferentially enhance carbohydrate ingestion. *Peptides* 6:1205-1211, 1985

222. Kotz,CM, Wang,CF, Briggs,JE, Levine,AS, Billington,CJ: Effect of NPY in the hypothalamic paraventricular nucleus on uncoupling proteins 1, 2, and 3 in the rat. *Am.J.Physiol.Regul.Integr.Comp Physiol* 278:R494-R498, 2000
223. Currie,PJ, Coscina,DV: Dissociated feeding and hypothermic effects of neuropeptide Y in the paraventricular and perifornical hypothalamus. *Peptides* 16:599-604, 1995
224. Currie,PJ, Coscina,DV: Regional hypothalamic differences in neuropeptide Y-induced feeding and energy substrate utilization. *Brain Res.* 737:238-242, 1996
225. Stanley,BG, Kyrouli,SE, Lampert,S, Leibowitz,SF: Neuropeptide Y chronically injected into the hypothalamus: a powerful neurochemical inducer of hyperphagia and obesity. *Peptides* 7:1189-1192, 1986
226. Stanley,BG, Anderson,KC, Grayson,MH, Leibowitz,SF: Repeated hypothalamic stimulation with neuropeptide Y increases daily carbohydrate and fat intake and body weight gain in female rats. *Physiol Behav.* 46:173-177, 1989
227. Marin Bivens,CL, Thomas,WJ, Stanley,BG: Similar feeding patterns are induced by perifornical neuropeptide Y injection and by food deprivation. *Brain Res.* 782:271-280, 1998
228. Heilig,M, McLeod,S, Brot,M, Heinrichs,SC, Menzaghi,F, Koob,GF, Britton,KT: Anxiolytic-like action of neuropeptide Y: mediation by Y1 receptors in amygdala, and dissociation from food intake effects. *Neuropsychopharmacology* 8:357-363, 1993
229. Primeaux,SD, York,DA, Bray,GA: Neuropeptide Y administration into the amygdala alters high fat food intake. *Peptides* 2006
230. Inui,A, Okita,M, Nakajima,M, Momose,K, Ueno,N, Teranishi,A, Miura,M, Hirosue,Y, Sano,K, Sato,M, Watanabe,M, Sakai,T, Watanabe,T, Ishida,K, Silver,J, Baba,S, Kasuga,M: Anxiety-like behavior in transgenic mice with brain expression of neuropeptide Y. *Proc.Assoc.Am.Physicians* 110:171-182, 1998
231. Michalkiewicz,M, Michalkiewicz,T: Developing transgenic neuropeptide Y rats. *Methods Mol.Biol.* 153:73-89, 2000
232. Ste,ML, Luquet,S, Cole,TB, Palmiter,RD: Modulation of neuropeptide Y expression in adult mice does not affect feeding. *Proc.Natl.Acad.Sci.U.S.A* 102:18632-18637, 2005
233. Thiele,TE, Marsh,DJ, Ste,ML, Bernstein,IL, Palmiter,RD: Ethanol consumption and resistance are inversely related to neuropeptide Y levels. *Nature* 396:366-369, 1998
234. Kaga,T, Inui,A, Okita,M, Asakawa,A, Ueno,N, Kasuga,M, Fujimiya,M, Nishimura,N, Dobashi,R, Morimoto,Y, Liu,IM, Cheng,JT: Modest overexpression of neuropeptide Y in the brain leads to obesity after high-sucrose feeding. *Diabetes* 50:1206-1210, 2001
235. Erickson,JC, Clegg,KE, Palmiter,RD: Sensitivity to leptin and susceptibility to seizures of mice lacking neuropeptide Y. *Nature* 381:415-421, 1996
236. Erickson,JC, Ahima,RS, Hollopeter,G, Flier,JS, Palmiter,RD: Endocrine function of neuropeptide Y knockout mice. *Regul.Pept.* 70:199-202, 1997

237. Erickson,JC, Hollopeter,G, Palmiter,RD: Attenuation of the obesity syndrome of ob/ob mice by the loss of neuropeptide Y. *Science* 274:1704-1707, 1996
238. Bannon,AW, Seda,J, Carmouche,M, Francis,JM, Norman,MH, Karbon,B, McCaleb,ML: Behavioral characterization of neuropeptide Y knockout mice. *Brain Res.* 868:79-87, 2000
239. Hollopeter,G, Erickson,JC, Seeley,RJ, Marsh,DJ, Palmiter,RD: Response of neuropeptide Y-deficient mice to feeding effectors. *Regul.Pept.* 75-76:383-389, 1998
240. Sindelar,DK, Palmiter,RD, Woods,SC, Schwartz,MW: Attenuated feeding responses to circadian and palatability cues in mice lacking neuropeptide Y. *Peptides* 26:2597-2602, 2005
241. Colombo,C, Haluzik,M, Cutson,JJ, Dietz,KR, Marcus-Samuels,B, Vinson,C, Gavrilova,O, Reitman,ML: Opposite effects of background genotype on muscle and liver insulin sensitivity of lipotrophic mice. Role of triglyceride clearance. *J.Biol.Chem.* 278:3992-3999, 2003
242. Goren,HJ, Kulkarni,RN, Kahn,CR: Glucose homeostasis and tissue transcript content of insulin signaling intermediates in four inbred strains of mice: C57BL/6, C57BLKS/6, DBA/2, and 129X1. *Endocrinology* 145:3307-3323, 2004
243. Patel,HR, Qi,Y, Hawkins,EJ, Hileman,SM, Elmquist,JK, Imai,Y, Ahima,RS: Neuropeptide y deficiency attenuates responses to fasting and high-fat diet in obesity-prone mice. *Diabetes* 55:3091-3098, 2006
244. Segal-Lieberman,G, Trombly,DJ, Juthani,V, Wang,X, Maratos-Flier,E: NPY ablation in C57BL/6 mice leads to mild obesity and to an impaired refeeding response to fasting. *Am.J.Physiol Endocrinol.Metab* 284:E1131-E1139, 2003
245. Kushi,A, Sasai,H, Koizumi,H, Takeda,N, Yokoyama,M, Nakamura,M: Obesity and mild hyperinsulinemia found in neuropeptide Y-Y1 receptor-deficient mice. *Proc.Natl.Acad.Sci.U.S.A* 95:15659-15664, 1998
246. Pedrazzini,T, Seydoux,J, Kunstner,P, Aubert,JF, Grouzmann,E, Beermann,F, Brunner,HR: Cardiovascular response, feeding behavior and locomotor activity in mice lacking the NPY Y1 receptor. *Nat.Med.* 4:722-726, 1998
247. Pedrazzini,T: Importance of NPY Y1 receptor-mediated pathways: assessment using NPY Y1 receptor knockouts. *Neuropeptides* 38:267-275, 2004
248. Kanatani,A, Mashiko,S, Murai,N, Sugimoto,N, Ito,J, Fukuroda,T, Fukami,T, Morin,N, MacNeil,DJ, Van der Ploeg,LH, Saga,Y, Nishimura,S, Ihara,M: Role of the Y1 receptor in the regulation of neuropeptide Y-mediated feeding: comparison of wild-type, Y1 receptor-deficient, and Y5 receptor-deficient mice. *Endocrinology* 141:1011-1016, 2000
249. Sainsbury,A, Schwarzer,C, Couzens,M, Fetissov,S, Furtlinger,S, Jenkins,A, Cox,HM, Sperk,G, Hokfelt,T, Herzog,H: Important role of hypothalamic Y2 receptors in body

- weight regulation revealed in conditional knockout mice. *Proc.Natl.Acad.Sci.U.S.A* 99:8938-8943, 2002
250. Sainsbury,A, Schwarzer,C, Couzens,M, Jenkins,A, Oakes,SR, Ormandy,CJ, Herzog,H: Y4 receptor knockout rescues fertility in ob/ob mice. *Genes Dev.* 16:1077-1088, 2002
251. Sainsbury,A, Baldock,PA, Schwarzer,C, Ueno,N, Enriquez,RF, Couzens,M, Inui,A, Herzog,H, Gardiner,EM: Synergistic effects of Y2 and Y4 receptors on adiposity and bone mass revealed in double knockout mice. *Mol.Cell Biol.* 23:5225-5233, 2003
252. Raposinho,PD, Pedrazzini,T, White,RB, Palmiter,RD, Aubert,ML: Chronic neuropeptide Y infusion into the lateral ventricle induces sustained feeding and obesity in mice lacking either Npy1r or Npy5r expression. *Endocrinology* 145:304-310, 2004
253. Lin,EJ, Sainsbury,A, Lee,NJ, Boey,D, Couzens,M, Enriquez,R, Slack,K, Bland,R, During,MJ, Herzog,H: Combined deletion of Y1, Y2 and Y4 receptors prevents hypothalamic NPY overexpression-induced hyperinsulinemia despite persistence of hyperphagia and obesity. *Endocrinology* 2006
254. Bouret,SG, Draper,SJ, Simerly,RB: Trophic action of leptin on hypothalamic neurons that regulate feeding. *Science* 304:108-110, 2004
255. Bouret,SG, Simerly,RB: Minireview: Leptin and development of hypothalamic feeding circuits. *Endocrinology* 145:2621-2626, 2004
256. During,MJ: Adeno-associated virus as a gene delivery system. *Adv.Drug Deliv.Rev.* 27:83-94, 1997
257. Tal,J: Adeno-associated virus-based vectors in gene therapy. *J.Biomed.Sci.* 7:279-291, 2000
258. Berns,KI, Giraud,C: Adenovirus and adeno-associated virus as vectors for gene therapy. *Ann.N.Y.Acad.Sci.* 772:95-104, 1995
259. Flotte,TR, Afione,SA, Zeitlin,PL: Adeno-associated virus vector gene expression occurs in nondividing cells in the absence of vector DNA integration. *Am.J.Respir.Cell Mol.Biol.* 11:517-521, 1994
260. Flotte,TR, Carter,BJ: Adeno-associated virus vectors for gene therapy. *Gene Ther.* 2:357-362, 1995
261. Kaplitt,MG, Leone,P, Samulski,RJ, Xiao,X, Pfaff,DW, O'Malley,KL, During,MJ: Long-term gene expression and phenotypic correction using adeno-associated virus vectors in the mammalian brain. *Nat.Genet.* 8:148-154, 1994
262. Podsakoff,G, Wong,KK, Jr., Chatterjee,S: Efficient gene transfer into nondividing cells by adeno-associated virus-based vectors. *J.Viro.* 68:5656-5666, 1994
263. Russell,DW, Miller,AD, Alexander,IE: Adeno-associated virus vectors preferentially transduce cells in S phase. *Proc.Natl.Acad.Sci.U.S.A* 91:8915-8919, 1994

264. Samulski,RJ, Chang,LS, Shenk,T: Helper-free stocks of recombinant adeno-associated viruses: normal integration does not require viral gene expression. *J.Virol.* 63:3822-3828, 1989
265. Kotin,RM, Siniscalco,M, Samulski,RJ, Zhu,XD, Hunter,L, Laughlin,CA, McLaughlin,S, Muzychka,N, Rocchi,M, Berns,KI: Site-specific integration by adeno-associated virus. *Proc.Natl.Acad.Sci.U.S.A* 87:2211-2215, 1990
266. Miller,DG, Rutledge,EA, Russell,DW: Chromosomal effects of adeno-associated virus vector integration. *Nat.Genet.* 30:147-148, 2002
267. Samulski,RJ, Zhu,X, Xiao,X, Brook,JD, Housman,DE, Epstein,N, Hunter,LA: Targeted integration of adeno-associated virus (AAV) into human chromosome 19. *EMBO J.* 10:3941-3950, 1991
268. Schlehofer,JR, Ehrbar,M, zur,HH: Vaccinia virus, herpes simplex virus, and carcinogens induce DNA amplification in a human cell line and support replication of a helpervirus dependent parvovirus. *Virology* 152:110-117, 1986
269. Weindler,FW, Heilbronn,R: A subset of herpes simplex virus replication genes provides helper functions for productive adeno-associated virus replication. *J.Virol.* 65:2476-2483, 1991
270. Merten,OW, Geny-Fiamma,C, Douar,AM: Current issues in adeno-associated viral vector production. *Gene Ther.* 12 Suppl 1:S51-S61, 2005
271. Chiorini,JA, Yang,L, Liu,Y, Safer,B, Kotin,RM: Cloning of adeno-associated virus type 4 (AAV4) and generation of recombinant AAV4 particles. *J.Virol.* 71:6823-6833, 1997
272. Chiorini,JA, Kim,F, Yang,L, Kotin,RM: Cloning and characterization of adeno-associated virus type 5. *J.Virol.* 73:1309-1319, 1999
273. Gao,G, Alvira,MR, Somanathan,S, Lu,Y, Vandenberghe,LH, Rux,JJ, Calcedo,R, Sanmiguel,J, Abbas,Z, Wilson,JM: Adeno-associated viruses undergo substantial evolution in primates during natural infections. *Proc.Natl.Acad.Sci.U.S.A* 100:6081-6086, 2003
274. Gao,GP, Alvira,MR, Wang,L, Calcedo,R, Johnston,J, Wilson,JM: Novel adeno-associated viruses from rhesus monkeys as vectors for human gene therapy. *Proc.Natl.Acad.Sci.U.S.A* 99:11854-11859, 2002
275. Grimm,D, Kay,MA: From virus evolution to vector revolution: use of naturally occurring serotypes of adeno-associated virus (AAV) as novel vectors for human gene therapy. *Curr.Gene Ther.* 3:281-304, 2003
276. Xiao,W, Chirmule,N, Berta,SC, McCullough,B, Gao,G, Wilson,JM: Gene therapy vectors based on adeno-associated virus type 1. *J.Virol.* 73:3994-4003, 1999

277. Qing,K, Mah,C, Hansen,J, Zhou,S, Dwarki,V, Srivastava,A: Human fibroblast growth factor receptor 1 is a co-receptor for infection by adeno-associated virus 2. *Nat.Med.* 5:71-77, 1999
278. Summerford,C, Samulski,RJ: Membrane-associated heparan sulfate proteoglycan is a receptor for adeno-associated virus type 2 virions. *J.Virol.* 72:1438-1445, 1998
279. Summerford,C, Bartlett,JS, Samulski,RJ: AlphaVbeta5 integrin: a co-receptor for adeno-associated virus type 2 infection. *Nat.Med.* 5:78-82, 1999
280. McCown,TJ, Xiao,X, Li,J, Breese,GR, Samulski,RJ: Differential and persistent expression patterns of CNS gene transfer by an adeno-associated virus (AAV) vector. *Brain Res.* 713:99-107, 1996
281. Muzyczka,N: Use of adeno-associated virus as a general transduction vector for mammalian cells. *Curr.Top.Microbiol.Immunol.* 158:97-129, 1992
282. Xiao,X, Li,J, Samulski,RJ: Efficient long-term gene transfer into muscle tissue of immunocompetent mice by adeno-associated virus vector. *J.Virol.* 70:8098-8108, 1996
283. Chirmule,N, Propert,K, Magosin,S, Qian,Y, Qian,R, Wilson,J: Immune responses to adenovirus and adeno-associated virus in humans. *Gene Ther.* 6:1574-1583, 1999
284. Erles,K, Sebokova,P, Schlehofer,JR: Update on the prevalence of serum antibodies (IgG and IgM) to adeno-associated virus (AAV). *J.Med.Virol.* 59:406-411, 1999
285. Moskalenko,M, Chen,L, van Roey,M, Donahue,BA, Snyder,RO, McArthur,JG, Patel,SD: Epitope mapping of human anti-adeno-associated virus type 2 neutralizing antibodies: implications for gene therapy and virus structure. *J.Virol.* 74:1761-1766, 2000
286. Klein,RL, Hamby,ME, Gong,Y, Hirko,AC, Wang,S, Hughes,JA, King,MA, Meyer,EM: Dose and promoter effects of adeno-associated viral vector for green fluorescent protein expression in the rat brain. *Exp.Neurol.* 176:66-74, 2002
287. Lo,WD, Qu,G, Sferra,TJ, Clark,R, Chen,R, Johnson,PR: Adeno-associated virus-mediated gene transfer to the brain: duration and modulation of expression. *Hum.Gene Ther.* 10:201-213, 1999
288. Mastakov,MY, Baer,K, Symes,CW, Leichtlein,CB, Kotin,RM, During,MJ: Immunological aspects of recombinant adeno-associated virus delivery to the mammalian brain. *J.Virol.* 76:8446-8454, 2002
289. Sanftner,LM, Suzuki,BM, Doroudchi,MM, Feng,L, McClelland,A, Forsayeth,JR, Cunningham,J: Striatal delivery of rAAV-hAADC to rats with preexisting immunity to AAV. *Mol.Ther.* 9:403-409, 2004
290. Burger,C, Nash,K, Mandel,RJ: Recombinant adeno-associated viral vectors in the nervous system. *Hum.Gene Ther.* 16:781-791, 2005
291. McCown,TJ: Adeno-associated virus (AAV) vectors in the CNS. *Curr.Gene Ther.* 5:333-338, 2005

292. Xiao,X, Li,J, McCown,TJ, Samulski,RJ: Gene transfer by adeno-associated virus vectors into the central nervous system. *Exp.Neurol.* 144:113-124, 1997
293. Chen,H, McCarty,DM, Bruce,AT, Suzuki,K, Suzuki,K: Gene transfer and expression in oligodendrocytes under the control of myelin basic protein transcriptional control region mediated by adeno-associated virus. *Gene Ther.* 5:50-58, 1998
294. Cuccharini,M, Ren,XL, Perides,G, Terwilliger,EF: Selective gene expression in brain microglia mediated via adeno-associated virus type 2 and type 5 vectors. *Gene Ther.* 10:657-667, 2003
295. Davidson,BL, Stein,CS, Heth,JA, Martins,I, Kotin,RM, Derksen,TA, Zabner,J, Ghodsi,A, Chiorini,JA: Recombinant adeno-associated virus type 2, 4, and 5 vectors: transduction of variant cell types and regions in the mammalian central nervous system. *Proc.Natl.Acad.Sci.U.S.A* 97:3428-3432, 2000
296. Wang,C, Wang,CM, Clark,KR, Sferra,TJ: Recombinant AAV serotype 1 transduction efficiency and tropism in the murine brain. *Gene Ther.* 10:1528-1534, 2003
297. Cuba DL, Garga V, Klein RL, Rea MA: Adeno-associated virus-mediated gene delivery in retina and hypothalamus (Abstract). *Neuroscience*, 2005
298. Loeb,JE, Cordier,WS, Harris,ME, Weitzman,MD, Hope,TJ: Enhanced expression of transgenes from adeno-associated virus vectors with the woodchuck hepatitis virus posttranscriptional regulatory element: implications for gene therapy. *Hum.Gene Ther.* 10:2295-2305, 1999
299. Tenenbaum,L, Jurysta,F, Stathopoulos,A, Puschban,Z, Melas,C, Hermens,WT, Verhaagen,J, Pichon,B, Velu,T, Levivier,M: Tropism of AAV-2 vectors for neurons of the globus pallidus. *Neuroreport* 11:2277-2283, 2000
300. Klein,RL, Meyer,EM, Peel,AL, Zolotukhin,S, Meyers,C, Muzyczka,N, King,MA: Neuron-specific transduction in the rat septohippocampal or nigrostriatal pathway by recombinant adeno-associated virus vectors. *Exp.Neurol.* 150:183-194, 1998
301. Paterna,JC, Moccetti,T, Mura,A, Feldon,J, Bueler,H: Influence of promoter and WHV post-transcriptional regulatory element on AAV-mediated transgene expression in the rat brain. *Gene Ther.* 7:1304-1311, 2000
302. Xu,R, Janson,CG, Mastakov,M, Lawlor,P, Young,D, Mouravlev,A, Fitzsimons,H, Choi,KL, Ma,H, Dragunow,M, Leone,P, Chen,Q, Dicker,B, During,MJ: Quantitative comparison of expression with adeno-associated virus (AAV-2) brain-specific gene cassettes. *Gene Ther.* 8:1323-1332, 2001
303. Kiessling,LL, Gestwicki,JE, Strong,LE: Synthetic multivalent ligands in the exploration of cell-surface interactions. *Curr.Opin.Chem.Biol.* 4:696-703, 2000
304. Duhl,DM, Stevens,ME, Vrieling,H, Saxon,PJ, Miller,MW, Epstein,CJ, Barsh,GS: Pleiotropic effects of the mouse lethal yellow (Ay) mutation explained by deletion of

- a maternally expressed gene and the simultaneous production of agouti fusion RNAs. *Development* 120:1695-1708, 1994
305. Adage,T, Scheurink,AJ, de Boer,SF, de Vries,K, Konsman,JP, Kuipers,F, Adan,RA, Baskin,DG, Schwartz,MW, van Dijk,G: Hypothalamic, metabolic, and behavioral responses to pharmacological inhibition of CNS melanocortin signaling in rats. *J.Neurosci.* 21:3639-3645, 2001
306. Gantz,I, Miwa,H, Konda,Y, Shimoto,Y, Tashiro,T, Watson,SJ, DelValle,J, Yamada,T: Molecular cloning, expression, and gene localization of a fourth melanocortin receptor. *J.Biol.Chem.* 268:15174-15179, 1993
307. Chen,P, Williams,SM, Grove,KL, Smith,MS: Melanocortin 4 receptor-mediated hyperphagia and activation of neuropeptide Y expression in the dorsomedial hypothalamus during lactation. *J.Neurosci.* 24:5091-5100, 2004
308. Delgado,JM, Anand,BK: Increase of food intake induced by electrical stimulation of the lateral hypothalamus. *Am.J.Physiol* 172:162-168, 1953
309. Katafuchi,T, Oomura,Y, Yoshimatsu,H: Single neuron activity in the rat lateral hypothalamus during 2-deoxy-D-glucose induced and natural feeding behavior. *Brain Res.* 359:1-9, 1985
310. de Lecea,L, Kilduff,TS, Peyron,C, Gao,X, Foye,PE, Danielson,PE, Fukuhara,C, Battenberg,EL, Gautvik,VT, Bartlett,FS, Frankel,WN, van den Pol,AN, Bloom,FE, Gautvik,KM, Sutcliffe,JG: The hypocretins: hypothalamus-specific peptides with neuroexcitatory activity. *Proc.Natl.Acad.Sci.U.S.A* 95:322-327, 1998
311. Zamir,N, Skofitsch,G, Bannon,MJ, Jacobowitz,DM: Melanin-concentrating hormone: unique peptide neuronal system in the rat brain and pituitary gland. *Proc.Natl.Acad.Sci.U.S.A* 83:1528-1531, 1986
312. Eaton,MJ, Blits,B, Ruitenberg,MJ, Verhaagen,J, Oudega,M: Amelioration of chronic neuropathic pain after partial nerve injury by adeno-associated viral (AAV) vector-mediated over-expression of BDNF in the rat spinal cord. *Gene Ther.* 9:1387-1395, 2002
313. Grimm,D, Kern,A, Rittner,K, Kleinschmidt,JA: Novel tools for production and purification of recombinant adenoassociated virus vectors. *Hum.Gene Ther.* 9:2745-2760, 1998
314. Hermens,WT, ter Brake,O, Dijkhuizen,PA, Sonnemanns,MA, Grimm,D, Kleinschmidt,JA, Verhaagen,J: Purification of recombinant adeno-associated virus by iodixanol gradient ultracentrifugation allows rapid and reproducible preparation of vector stocks for gene transfer in the nervous system. *Hum.Gene Ther.* 10:1885-1891, 1999
315. Oosterom,J, Nijenhuis,WA, Schaaper,WM, Slootstra,J, Meloen,RH, Gispen,WH, Burbach,JP, Adan,RA: Conformation of the core sequence in melanocortin peptides

- directs selectivity for the melanocortin MC3 and MC4 receptors. *J.Biol.Chem.* 274:16853-16860, 1999
316. Chen,W, Shields,TS, Stork,PJ, Cone,RD: A colorimetric assay for measuring activation of Gs- and Gq-coupled signaling pathways. *Anal.Biochem.* 226:349-354, 1995
317. van der,KM, Adan,RA, Entwistle,ML, Gispen,WH, Burbach,JP, Tatro,JB: Expression of melanocortin-5 receptor in secretory epithelia supports a functional role in exocrine and endocrine glands. *Endocrinology* 139:2348-2355, 1998
318. Adolph,EF: Urges to eat and drink in rats. *Am.J.Physiol* 151:110-125, 1947
319. Fulton,S, Woodside,B, Shizgal,P: Modulation of brain reward circuitry by leptin. *Science* 287:125-128, 2000
320. Ahima,RS, Prabakaran,D, Mantzoros,C, Qu,D, Lowell,B, Maratos-Flier,E, Flier,JS: Role of leptin in the neuroendocrine response to fasting. *Nature* 382:250-252, 1996
321. Paxinos, G. and Watson, C. The rat brain in stereotaxic coordinates. 4. 1998. New York: Academic.
322. Jackson,RS, Creemers,JW, Ohagi,S, Raffin-Sanson,ML, Sanders,L, Montague,CT, Hutton,JC, O'Rahilly,S: Obesity and impaired prohormone processing associated with mutations in the human prohormone convertase 1 gene. *Nat.Genet.* 16:303-306, 1997
323. Krude,H, Biebermann,H, Luck,W, Horn,R, Brabant,G, Gruters,A: Severe early-onset obesity, adrenal insufficiency and red hair pigmentation caused by POMC mutations in humans. *Nat.Genet.* 19:155-157, 1998
324. Li,G, Mobbs,CV, Scarpace,PJ: Central pro-opiomelanocortin gene delivery results in hypophagia, reduced visceral adiposity, and improved insulin sensitivity in genetically obese Zucker rats. *Diabetes* 52:1951-1957, 2003
325. Kopanchuk,S, Veiksina,S, Mutulis,F, Mutule,I, Yahorava,S, Mandrika,I, Petrovska,R, Rinken,A, Wikberg,JE: Kinetic evidence for tandemly arranged ligand binding sites in melanocortin 4 receptor complexes. *Neurochem.Int.* 49:533-542, 2006
326. Mandrika,I, Petrovska,R, Wikberg,J: Melanocortin receptors form constitutive homo- and heterodimers. *Biochem.Biophys.Res.Commun.* 326:349-354, 2005
327. Kopanchuk,S, Veiksina,S, Petrovska,R, Mutule,I, Szardenings,M, Rinken,A, Wikberg,JE: Co-operative regulation of ligand binding to melanocortin receptor subtypes: evidence for interacting binding sites. *Eur.J.Pharmacol.* 512:85-95, 2005
328. Brandenburger,Y, Rose,K, Bagutti,C, Eberle,AN: Synthesis and receptor binding analysis of thirteen oligomeric alpha-MSH analogs. *J.Recept.Signal.Transduct.Res.* 19:467-480, 1999

329. Vagner,J, Handl,HL, Gillies,RJ, Hruby,VJ: Novel targeting strategy based on multimeric ligands for drug delivery and molecular imaging: homooligomers of alpha-MSH. *Bioorg.Med.Chem.Lett.* 14:211-215, 2004
330. Schagger,H, von Jagow,G: Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal.Biochem.* 166:368-379, 1987
331. Kessler H, Schudok M, Haupt A: Dimerization of cyclic hexapeptides: strong increase of biological activity. In Peptides. Jung G, Bayer E, Eds. New York, de Gruyter, 1988, p. 664
332. Gao,Z, Lei,D, Welch,J, Le,K, Lin,J, Leng,S, Duhl,D: Agonist-dependent internalization of the human melanocortin-4 receptors in human embryonic kidney 293 cells. *J.Pharmacol.Exp.Ther.* 307:870-877, 2003
333. Shinyama,H, Masuzaki,H, Fang,H, Flier,JS: Regulation of melanocortin-4 receptor signaling: agonist-mediated desensitization and internalization. *Endocrinology* 144:1301-1314, 2003
334. Fotiadis,D, Liang,Y, Filipek,S, Saperstein,DA, Engel,A, Palczewski,K: Atomic-force microscopy: Rhodopsin dimers in native disc membranes. *Nature* 421:127-128, 2003
335. Leibowitz,SF: Brain neuropeptide Y: an integrator of endocrine, metabolic and behavioral processes. *Brain Res.Bull.* 27:333-337, 1991
336. Passini,MA, Watson,DJ, Wolfe,JH: Gene delivery to the mouse brain with adeno-associated virus. *Methods Mol.Biol.* 246:225-236, 2004
337. Kas,MJ, Tiesjema,B, van Dijk,G, Garner,KM, Barsh,GS, Brake,OT, Verhaagen,J, Adan,RA: Induction of brain-region-specific forms of obesity by agouti. *J.Neurosci.* 24:10176-10181, 2004
338. Sin,M, Walker,PD, Bouhamdan,M, Quinn,JP, Bannon,MJ: Preferential expression of an AAV-2 construct in NOS-positive interneurons following intrastriatal injection. *Brain Res.Mol.Brain Res.* 141:74-82, 2005
339. During,MJ, Young,D, Baer,K, Lawlor,P, Klugmann,M: Development and optimization of adeno-associated virus vector transfer into the central nervous system. *Methods Mol.Med.* 76:221-236, 2003
340. Richichi,C, Lin,EJ, Stefanini,D, Colella,D, Ravizza,T, Grignaschi,G, Veglianese,P, Sperk,G, During,MJ, Vezzani,A: Anticonvulsant and antiepileptogenic effects mediated by adeno-associated virus vector neuropeptide Y expression in the rat hippocampus. *J.Neurosci.* 24:3051-3059, 2004
341. Smidt,MP, Smits,SM, Bouwmeester,H, Hamers,FP, van der Linden,AJ, Hellemans,AJ, Graw,J, Burbach,JP: Early developmental failure of substantia nigra dopamine neurons in mice lacking the homeodomain gene Pitx3. *Development* 131:1145-1155, 2004

342. Nijsen,MJ, Croiset,G, Stam,R, Bruijnzeel,A, Diamant,M, de Wied,D, Wiegant,VM: The role of the CRH type 1 receptor in autonomic responses to corticotropin-releasing hormone in the rat. *Neuropsychopharmacology* 22:388-399, 2000
343. Kas,MJ, van Dijk,G, Scheurink,AJ, Adan,RA: Agouti-related protein prevents self-starvation. *Mol.Psychiatry* 8:235-240, 2003
344. Ericsson,A, Schalling,M, McIntyre,KR, Lundberg,JM, Larhammar,D, Seroogy,K, Hokfelt,T, Persson,H: Detection of neuropeptide Y and its mRNA in megakaryocytes: enhanced levels in certain autoimmune mice. *Proc.Natl.Acad.Sci.U.S.A* 84:5585-5589, 1987
345. Hillebrand,JJ, Kas,MJ, Scheurink,AJ, van Dijk,G, Adan,RA: AgRP((83-132)) and SHU9119 differently affect activity-based anorexia. *Eur.Neuropsychopharmacol.* 2005
346. Harfstrand,A: Intraventricular administration of neuropeptide Y (NPY) induces hypotension, bradycardia and bradypnoea in the awake unrestrained male rat. Counteraction by NPY-induced feeding behaviour. *Acta Physiol Scand.* 128:121-123, 1986
347. Buijs,RM, Chun,SJ, Niijima,A, Romijn,HJ, Nagai,K: Parasympathetic and sympathetic control of the pancreas: a role for the suprachiasmatic nucleus and other hypothalamic centers that are involved in the regulation of food intake. *J.Comp Neurol.* 431:405-423, 2001
348. Kenney,MJ, Weiss,ML, Haywood,JR: The paraventricular nucleus: an important component of the central neurocircuitry regulating sympathetic nerve outflow. *Acta Physiol Scand.* 177:7-15, 2003
349. Bamshad,M, Aoki,VT, Adkison,MG, Warren,WS, Bartness,TJ: Central nervous system origins of the sympathetic nervous system outflow to white adipose tissue. *Am.J.Physiol* 275:R291-R299, 1998
350. Bartness,TJ, Bamshad,M: Innervation of mammalian white adipose tissue: implications for the regulation of total body fat. *Am.J.Physiol* 275:R1399-R1411, 1998
351. Evans,BA, Agar,L, Summers,RJ: The role of the sympathetic nervous system in the regulation of leptin synthesis in C57BL/6 mice. *FEBS Lett.* 444:149-154, 1999
352. Hu,E, Liang,P, Spiegelman,BM: AdipoQ is a novel adipose-specific gene dysregulated in obesity. *J.Biol.Chem.* 271:10697-10703, 1996
353. Trayhurn,P, Duncan,JS, Hoggard,N, Rayner,DV: Regulation of leptin production: a dominant role for the sympathetic nervous system? *Proc.Nutr.Soc.* 57:413-419, 1998
354. Sainsbury,A, Rohner-Jeanrenaud,F, Grouzmann,E, Jeanrenaud,B: Acute intracerebroventricular administration of neuropeptide Y stimulates corticosterone output and feeding but not insulin output in normal rats. *Neuroendocrinology* 63:318-326, 1996

355. La Fleur,SE, Akana,SF, Manalo,SL, Dallman,MF: Interaction between corticosterone and insulin in obesity: regulation of lard intake and fat stores. *Endocrinology* 145:2174-2185, 2004
356. Combs,TP, Pajvani,UB, Berg,AH, Lin,Y, Jelicks,LA, Laplante,M, Nawrocki,AR, Rajala,MW, Parlow,AF, Cheeseboro,L, Ding,YY, Russell,RG, Lindemann,D, Hartley,A, Baker,GR, Obici,S, Deshaies,Y, Ludgate,M, Rossetti,L, Scherer,PE: A transgenic mouse with a deletion in the collagenous domain of adiponectin displays elevated circulating adiponectin and improved insulin sensitivity. *Endocrinology* 145:367-383, 2004
357. Spranger,J, Verma,S, Gohring,I, Bobbert,T, Seifert,J, Sindler,AL, Pfeiffer,A, Hileman,SM, Tschop,M, Banks,WA: Adiponectin does not cross the blood-brain barrier but modifies cytokine expression of brain endothelial cells. *Diabetes* 55:141-147, 2006
358. Kalra,PS, Kalra,SP: Use of antisense oligodeoxynucleotides to study the physiological functions of neuropeptide Y. *Methods* 22:249-254, 2000
359. Shimada,M, Tritos,NA, Lowell,BB, Flier,JS, Maratos-Flier,E: Mice lacking melanin-concentrating hormone are hypophagic and lean. *Nature* 396:670-674, 1998
360. Powley,TL, Keesey,RE: Relationship of body weight to the lateral hypothalamic feeding syndrome. *J.Comp Physiol Psychol.* 70:25-36, 1970
361. Chavez,M, Kaiyala,K, Madden,LJ, Schwartz,MW, Woods,SC: Intraventricular insulin and the level of maintained body weight in rats. *Behav.Neurosci.* 109:528-531, 1995
362. Seeley,RJ, Burklow,ML, Wilmer,KA, Matthews,CC, Reizes,O, McOsker,CC, Trokhan,DP, Gross,MC, Sheldon,RJ: The effect of the melanocortin agonist, MT-II, on the defended level of body adiposity. *Endocrinology* 146:3732-3738, 2005
363. Keesey,RE, Hirvonen,MD: Body weight set-points: determination and adjustment. *J.Nutr.* 127:1875S-1883S, 1997
364. Tache,Y, Perdue,MH: Role of peripheral CRF signalling pathways in stress-related alterations of gut motility and mucosal function. *Neurogastroenterol.Motil.* 16 Suppl 1:137-142, 2004
365. Hoebel,BG, Teitelbaum,P: Hypothalamic control of feeding and self-stimulation. *Science* 135:375-377, 1962
366. Broberger,C, de Lecea,L, Sutcliffe,JG, Hokfelt,T: Hypocretin/orexin- and melanin-concentrating hormone-expressing cells form distinct populations in the rodent lateral hypothalamus: relationship to the neuropeptide Y and agouti gene-related protein systems. *J.Comp Neurol.* 402:460-474, 1998
367. Horvath,TL, Diano,S, van den Pol,AN: Synaptic interaction between hypocretin (orexin) and neuropeptide Y cells in the rodent and primate hypothalamus: a novel

- circuit implicated in metabolic and endocrine regulations. *J.Neurosci.* 19:1072-1087, 1999
368. Peyron,C, Tighe,DK, van den Pol,AN, de Lecea,L, Heller,HC, Sutcliffe,JG, Kilduff,TS: Neurons containing hypocretin (orexin) project to multiple neuronal systems. *J.Neurosci.* 18:9996-10015, 1998
369. Angeles-Castellanos,M, Aguilar-Roblero,R, Escobar,C: c-Fos expression in hypothalamic nuclei of food-entrained rats. *Am.J.Physiol Regul.Integr.Comp Physiol* 286:R158-R165, 2004
370. Kurumiya,S, Kawamura,H: Damped oscillation of the lateral hypothalamic multineuronal activity synchronized to daily feeding schedules in rats with suprachiasmatic nucleus lesions. *J.Biol.Rhythms* 6:115-127, 1991
371. Leibowitz,SF, Alexander,JT: Analysis of neuropeptide Y-induced feeding: dissociation of Y1 and Y2 receptor effects on natural meal patterns. *Peptides* 12:1251-1260, 1991
372. Szentirmai,E, Krueger,JM: Central administration of neuropeptide Y induces wakefulness in rats. *Am.J.Physiol Regul.Integr.Comp Physiol* 291:R473-R480, 2006
373. Abrahamson,EE, Leak,RK, Moore,RY: The suprachiasmatic nucleus projects to posterior hypothalamic arousal systems. *Neuroreport* 12:435-440, 2001
374. Stanley,BG, Chin,AS, Leibowitz,SF: Feeding and drinking elicited by central injection of neuropeptide Y: evidence for a hypothalamic site(s) of action. *Brain Res.Bull.* 14:521-524, 1985
375. Hashimoto,K, Ohno,N, Aoki,Y, Kageyama,J, Takahara,J, Ofuji,T: Distribution and characterization of corticotropin-releasing factor and arginine vasopressin in rat hypothalamic nuclei. *Neuroendocrinology* 34:32-37, 1982
376. Zhang,Y, Proenca,R, Maffei,M, Barone,M, Leopold,L, Friedman,JM: Positional cloning of the mouse obese gene and its human homologue. *Nature* 372:425-432, 1994
377. Bailey,CJ, Flatt,PR, Atkins,TW: Influence of genetic background and age on the expression of the obese hyperglycaemic syndrome in Aston ob/ob mice. *Int.J.Obes.* 6:11-21, 1982
378. Coleman,DL, Hummel,KP: The influence of genetic background on the expression of the obese (Ob) gene in the mouse. *Diabetologia* 9:287-293, 1973
379. Balthasar,N, Dalgaard,LT, Lee,CE, Yu,J, Funahashi,H, Williams,T, Ferreira,M, Tang,V, McGovern,RA, Kenny,CD, Christiansen,LM, Edelstein,E, Choi,B, Boss,O, Aschkenasi,C, Zhang,CY, Mountjoy,K, Kishi,T, Elmquist,JK, Lowell,BB: Divergence of melanocortin pathways in the control of food intake and energy expenditure. *Cell* 123:493-505, 2005

380. Furth,PA, St Onge,L, Boger,H, Gruss,P, Gossen,M, Kistner,A, Bujard,H, Hennighausen,L: Temporal control of gene expression in transgenic mice by a tetracycline-responsive promoter. *Proc.Natl.Acad.Sci.U.S.A* 91:9302-9306, 1994
381. Coppari,R, Ichinose,M, Lee,CE, Pullen,AE, Kenny,CD, McGovern,RA, Tang,V, Liu,SM, Ludwig,T, Chua,SC, Jr., Lowell,BB, Elmquist,JK: The hypothalamic arcuate nucleus: a key site for mediating leptin's effects on glucose homeostasis and locomotor activity. *Cell Metab* 1:63-72, 2005
382. Grimm,D, Pandey,K, Kay,MA: Adeno-associated virus vectors for short hairpin RNA expression. *Methods Enzymol.* 392:381-405, 2005
383. Chua,SC, Jr., Brown,AW, Kim,J, Hennessy,KL, Leibel,RL, Hirsch,J: Food deprivation and hypothalamic neuropeptide gene expression: effects of strain background and the diabetes mutation. *Brain Res.Mol.Brain Res.* 11:291-299, 1991
384. Mizuno,TM, Mobbs,CV: Hypothalamic agouti-related protein messenger ribonucleic acid is inhibited by leptin and stimulated by fasting. *Endocrinology* 140:814-817, 1999
385. Mizuno,TM, Makimura,H, Silverstein,J, Roberts,JL, Lopingco,T, Mobbs,CV: Fasting regulates hypothalamic neuropeptide Y, agouti-related peptide, and proopiomelanocortin in diabetic mice independent of changes in leptin or insulin. *Endocrinology* 140:4551-4557, 1999
386. Korner,J, Savontaus,E, Chua,SC, Jr., Leibel,RL, Wardlaw,SL: Leptin regulation of AgRP and NPY mRNA in the rat hypothalamus. *J.Neuroendocrinol.* 13:959-966, 2001
387. Kas,MJ, Bruijnzeel,AW, Haanstra,JR, Wiegant,VM, Adan,RA: Differential regulation of agouti-related protein and neuropeptide Y in hypothalamic neurons following a stressful event. *J.Mol.Endocrinol.* 35:159-164, 2005
388. Azzara,AV, Sokolnicki,JP, Schwartz,GJ: Central melanocortin receptor agonist reduces spontaneous and scheduled meal size but does not augment duodenal preload-induced feeding inhibition. *Physiol Behav.* 77:411-416, 2002
389. Glass,MJ, Billington,CJ, Levine,AS: Opioids and food intake: distributed functional neural pathways? *Neuropeptides* 33:360-368, 1999
390. Bendotti,C, Garattini,S, Samanin,R: Eating caused by neuropeptide-Y injection in the paraventricular hypothalamus: response to (+)-fenfluramine and (+)-amphetamine in rats. *J.Pharm.Pharmacol.* 39:900-903, 1987
391. Gillard,ER, Dang,DQ, Stanley,BG: Evidence that neuropeptide Y and dopamine in the perifornical hypothalamus interact antagonistically in the control of food intake. *Brain Res.* 628:128-136, 1993
392. Israel,Y, Kandov,Y, Khaimova,E, Kest,A, Lewis,SR, Pasternak,GW, Pan,YX, Rossi,GC, Bodnar,RJ: NPY-induced feeding: pharmacological characterization using selective opioid antagonists and antisense probes in rats. *Peptides* 26:1167-1175, 2005

393. Kirkham,TC, Blundell,JE: Effects of naloxone and naltrexone on meal patterns of freely-feeding rats. *Pharmacol.Biochem.Behav.* 26:515-520, 1987
394. Pomonis,JD, Levine,AS, Billington,CJ: Interaction of the hypothalamic paraventricular nucleus and central nucleus of the amygdala in naloxone blockade of neuropeptide Y-induced feeding revealed by c-fos expression. *J.Neurosci.* 17:5175-5182, 1997
395. Bi S, Scott KA, Moran TH: Adeno-associated virus-mediated neuropeptide Y overexpression in the dorsomedial hypothalamus increases food intake and body weight (Abstract). *Neuroscience*, 2005
396. Welch,CC, Grace,MK, Billington,CJ, Levine,AS: Preference and diet type affect macronutrient selection after morphine, NPY, norepinephrine, and deprivation. *Am.J.Physiol* 266:R426-R433, 1994
397. Jhanwar-Uniyal,M, Beck,B, Jhanwar,YS, Burlet,C, Leibowitz,SF: Neuropeptide Y projection from arcuate nucleus to parvocellular division of paraventricular nucleus: specific relation to the ingestion of carbohydrate. *Brain Res.* 631:97-106, 1993
398. Shor-Posner,G, Ian,C, Brennan,G, Cohn,T, Moy,H, Ning,A, Leibowitz,SF: Self-selecting albino rats exhibit differential preferences for pure macronutrient diets: characterization of three subpopulations. *Physiol Behav.* 50:1187-1195, 1991
399. Tempel,DL, Leibowitz,SF: Diurnal variations in the feeding responses to norepinephrine, neuropeptide Y and galanin in the PVN. *Brain Res.Bull.* 25:821-825, 1990
400. Glass,MJ, Cleary,JP, Billington,CJ, Levine,AS: Role of carbohydrate type on diet selection in neuropeptide Y-stimulated rats. *Am.J.Physiol* 273:R2040-R2045, 1997
401. Smith,BK, Berthoud,HR, York,DA, Bray,GA: Differential effects of baseline macronutrient preferences on macronutrient selection after galanin, NPY, and an overnight fast. *Peptides* 18:207-211, 1997
402. Akabayashi,A, Levin,N, Paez,X, Alexander,JT, Leibowitz,SF: Hypothalamic neuropeptide Y and its gene expression: relation to light/dark cycle and circulating corticosterone. *Mol.Cell Neurosci.* 5:210-218, 1994
403. Lu,XY, Shieh,KR, Kabbaj,M, Barsh,GS, Akil,H, Watson,SJ: Diurnal rhythm of agouti-related protein and its relation to corticosterone and food intake. *Endocrinology* 143:3905-3915, 2002
404. Steiner,RA, Kabigting,E, Lent,K, Clifton,DK: Diurnal rhythm in proopiomelanocortin mRNA in the arcuate nucleus of the male rat. *J.Neuroendocrinol.* 6:603-608, 1994
405. Xu,B, Kalra,PS, Farmerie,WG, Kalra,SP: Daily changes in hypothalamic gene expression of neuropeptide Y, galanin, proopiomelanocortin, and adipocyte leptin gene expression and secretion: effects of food restriction. *Endocrinology* 140:2868-2875, 1999

406. Jhanwar-Uniyal,M, Beck,B, Burlet,C, Leibowitz,SF: Diurnal rhythm of neuropeptide Y-like immunoreactivity in the suprachiasmatic, arcuate and paraventricular nuclei and other hypothalamic sites. *Brain Res.* 536:331-334, 1990
407. Haynes,AC, Jackson,B, Overend,P, Buckingham,RE, Wilson,S, Tadayyon,M, Arch,JR: Effects of single and chronic intracerebroventricular administration of the orexins on feeding in the rat. *Peptides* 20:1099-1105, 1999
408. Yamanaka,A, Sakurai,T, Katsumoto,T, Yanagisawa,M, Goto,K: Chronic intracerebroventricular administration of orexin-A to rats increases food intake in daytime, but has no effect on body weight. *Brain Res.* 849:248-252, 1999