

Contents

<i>Chapter 1</i>	11
Introduction	
<i>Chapter 2</i>	25
Measuring Health-related Quality of Life in women with urogenital dysfunction: The Urogenital Distress Inventory (UDI) and Incontinence Impact Questionnaire (IIQ) revisited.	
<i>Chapter 3</i>	51
Urinary incontinence and overactive bladder in community-dwelling women aged 20-45 years: Risk factors and quality of life.	
<i>Chapter 4</i>	69
The effect of childbirth on anal incontinence: a population-based, cross-sectional cohort study.	
<i>Chapter 5</i>	87
Differences in urinary incontinence between women scheduled for hysterectomy and women who are not.	
<i>Chapter 6</i>	103
Hysterectomy: A risk factor for urinary incontinence?	
<i>Chapter 7</i>	119
The effect of coping strategies on Health-related Quality of Life (HRQOL) in women with symptoms of pelvic floor dysfunction.	

<i>Chapter 8</i>	139
The relationship between ways of coping with pelvic floor dysfunction and help-seeking behaviour in adult women.	
<i>Chapter 9</i>	159
General discussion	
<i>Summary</i>	173
<i>Samenvatting</i>	181
<i>Dankwoord</i>	187
<i>Curriculum vitae</i>	191

