

References

- Abbott LF, Nelson SB (2000) Synaptic plasticity: taming the beast. *Nat Neurosci* 3 Suppl:1178-83.: 1178-1183.
- Aiba A, Chen C, Herrup K, Rosenmund C, Stevens CF, Tonegawa S (1994) Reduced hippocampal long-term potentiation and context-specific deficit in associative learning in mGluR1 mutant mice. *Cell* 79: 365-375.
- Albright TD, Jessell TM, Kandel ER, Posner MI (2000) Neural science: a century of progress and the mysteries that remain. *Neuron* 25 Suppl: S1-55.
- Artola A, Singer W (1993) Long-term depression of excitatory synaptic transmission and its relationship to long-term potentiation. *Trends Neurosci* 16: 480-487.
- Bailey CH, Giustetto M, Huang YY, Hawkins RD, Kandel ER (2000) Is heterosynaptic modulation essential for stabilizing Hebbian plasticity and memory? *Nat Rev Neurosci* 1: 11-20.
- Baker TL, Foutz AS, McNERNEY V, Mitler MM, Dement WC (1982) Canine model of narcolepsy: genetic and developmental determinants. *Exp Neurol* 75: 729-742.
- Banbury Conference Report (1997) Mutant mice and neuroscience: recommendations concerning genetic background. Banbury Conference on genetic background in mice. *Neuron* 19: 755-759.
- Bannerman DM, Good MA, Butcher SP, Ramsay M, Morris RG (1995) Distinct components of spatial learning revealed by prior training and NMDA receptor blockade. *Nature* 378: 182-186.
- Bear MF, Abraham WC (1996) Long-term depression in hippocampus. *Annu Rev Neurosci* 19:437-62.: 437-462.
- Bennett MK, Calakos N, Scheller RH (1992) Syntaxin: a synaptic protein implicated in docking of synaptic vesicles at presynaptic active zones. *Science* 257: 255-259.
- Bezprozvanny I, Scheller RH, Tsien RW (1995) Functional impact of syntaxin on gating of N-type and Q-type calcium channels. *Nature* 378: 623-626.
- Blasi J, Chapman ER, Yamasaki S, Binz T, Niemann H, Jahn R (1993) Botulinum neurotoxin C1 blocks neurotransmitter release by means of cleaving HPC-1/syntaxin. *EMBO J* 12: 4821-4828.
- Bliss TV, Collingridge GL (1993) A synaptic model of memory: long-term potentiation in the hippocampus. *Nature* 361: 31-39.
- Bolhuis JJ, Reid IC (1992) Effects of intraventricular infusion of the N-methyl-D-aspartate (NMDA) receptor antagonist AP5 on spatial memory of rats in a radial arm maze. *Behav Brain Res* 47: 151-157.
- Bourtchuladze R, Frenguelli B, Blendy J, Cioffi D, Schutz G, Silva AJ (1994) Deficient long-term memory in mice with a targeted mutation of the cAMP- responsive element-binding protein. *Cell* 79: 59-68.
- Brain KL, Bennett MR (1995) Calcium in the nerve terminals of chick ciliary ganglia during facilitation, augmentation and potentiation. *J Physiol (Lond)* 489 (Pt 3): 637-648.
- Cain DP, Saucier D, Hall J, Hargreaves EL, Boon F (1996) Detailed behavioral analysis of water maze acquisition under APV or CNQX: contribution of sensorimotor disturbances to drug-induced acquisition deficits. *Behav Neurosci* 110: 86-102.
- Carroll RC, Nicoll RA, Malenka RC (1998) Effects of PKA and PKC on miniature excitatory postsynaptic currents in CA1 pyramidal cells. *J Neurophysiol* 80: 2797-2800.
- Castillo PE, Janz R, Sudhof TC, Tzounopoulos T, Malenka RC, Nicoll RA (1997) Rab3A is essential for mossy fibre long-term potentiation in the hippocampus. *Nature* 388: 590-593.
- Castillo, P. E., Schoch, S, Malenka, R. C., and Sudhof, T. C. RIM regulates transmitter release and is required for mossy fiber LTP in the hippocampus. *Society for Neuroscience 30th Annual Meeting* . 2000.
- Chen YA, Scheller RH (2001) SNARE-mediated membrane fusion. *Nat Rev Mol Cell Biol* 2: 98-106.
- Churchland PS, Sejnowski TJ (1992) *The computational brain*. Cambridge: MIT Press.
- Conquet F, Bashir ZI, Davies CH, Daniel H, Ferraguti F, Bordi F, Franz-Bacon K, Reggiani A, Matarese V, Conde F (1994) Motor deficit and impairment of synaptic plasticity in mice lacking mGluR1 [see comments]. *Nature* 372: 237-243.
- Crawley JN, Belknap JK, Collins A, Crabbe JC, Frankel W, Henderson N, Hitzemann RJ, Maxson SC, Miner LL, Silva AJ, Wehner JM, Wynshaw-Boris A, Paylor R (1997) Behavioral phenotypes of inbred mouse strains: implications and recommendations for molecular studies. *Psychopharmacology (Berl)* 132: 107-124.

References

- Crusio WE, Schwegler H, Brust I (1993) Covariations between hippocampal mossy fibres and working and reference memory in spatial and non-spatial radial maze tasks in mice. *Eur J Neurosci* 5: 1413-1420.
- Crusio WE, Schwegler H, Lipp HP (1987) Radial-maze performance and structural variation of the hippocampus in mice: a correlation with mossy fibre distribution. *Brain Res* 425: 182-185.
- Czeh B, Seress L, Nadel L, Bures J (1998) Lateralized fascia dentata lesion and blockade of one hippocampus: effect on spatial memory in rats. *Hippocampus* 8: 647-650.
- Danysz W, Wroblewski JT, Costa E (1988) Learning impairment in rats by N-methyl-D-aspartate receptor antagonists. *Neuropharmacology* 27: 653-656.
- Davis S, Bliss TV, Dutrieux G, Laroche S, Errington ML (1997) Induction and duration of long-term potentiation in the hippocampus of the freely moving mouse. *J Neurosci Methods* 75: 75-80.
- de Vries KJ, Geijtenbeek A, Brian EC, de Graan PN, Ghijsen WE, Verhage M (2000) Dynamics of munc18-1 phosphorylation/dephosphorylation in rat brain nerve terminals. *Eur J Neurosci* 12: 385-390.
- Debanne D, Gahwiler BH, Thompson SM (1994) Asynchronous pre- and postsynaptic activity induces associative long-term depression in area CA1 of the rat hippocampus in vitro. *Proc Natl Acad Sci U S A* 91: 1148-1152.
- Debanne D, Guerineau NC, Gahwiler BH, Thompson SM (1996) Paired-pulse facilitation and depression at unitary synapses in rat hippocampus: quantal fluctuation affects subsequent release. *J Physiol* 491: 163-176.
- Delaney KR, Tank DW (1994) A quantitative measurement of the dependence of short-term synaptic enhancement on presynaptic residual calcium. *J Neurosci* 14: 5885-5902.
- Derrick BE, Martinez JL, Jr. (1996) Associative, bidirectional modifications at the hippocampal mossy fibre- CA3 synapse. *Nature* 381: 429-434.
- Derrick BE, York AD, Martinez JL, Jr. (2000) Increased granule cell neurogenesis in the adult dentate gyrus following mossy fiber stimulation sufficient to induce long-term potentiation. *Brain Res* 857: 300-307.
- Dobrunz LE, Stevens CF (1997) Heterogeneity of release probability, facilitation, and depletion at central synapses. *Neuron* 18: 995-1008.
- Dobrunz LE, Stevens CF (1999) Response of hippocampal synapses to natural stimulation patterns. *Neuron* 22: 157-166.
- Dresbach T, Burns ME, O'Connor V, DeBello WM, Betz H, Augustine GJ (1998) A neuronal Sec1 homolog regulates neurotransmitter release at the squid giant synapse. *J Neurosci* 18: 2923-2932.
- Dubnau J, Tully T (1998) Gene discovery in *Drosophila*: new insights for learning and memory. *Annu Rev Neurosci* 21: 407-444.
- Dulubova I, Sugita S, Hill S, Hosaka M, Fernandez I, Sudhof TC, Rizo J (1999) A conformational switch in syntaxin during exocytosis: role of munc18. *EMBO J* 18: 4372-4382.
- Duncan RR, Shipston MJ, Chow RH (2000) Double C2 protein. A review. *Biochimie* 82: 421-426.
- Eichenbaum H, Dudchenko P, Wood E, Shapiro M, Tanila H (1999) The hippocampus, memory, and place cells: is it spatial memory or a memory space? *Neuron* 23: 209-226.
- el Mansari M, Sakai K, Jouvet M (1989) Unitary characteristics of presumptive cholinergic tegmental neurons during the sleep-waking cycle in freely moving cats. *Exp Brain Res* 76: 519-529.
- Elgersma Y, Silva AJ (1999) Molecular mechanisms of synaptic plasticity and memory. *Curr Opin Neurobiol* 9: 209-213.
- Ennaceur A (1994) Effects of amphetamine and medial septal lesions on acquisition and retention of radial maze learning in rats. *Brain Res* 636: 277-285.
- Fanselow MS, Kim JJ, Yipp J, De Oca B (1994) Differential effects of the N-methyl-D-aspartate antagonist DL-2-amino-5-phosphonovalerate on acquisition of fear of auditory and contextual cues. *Behav Neurosci* 108: 235-240.
- Feldman DE (2000) Timing-based LTP and LTD at vertical inputs to layer II/III pyramidal cells in rat barrel cortex. *Neuron* 27: 45-56.
- Fenik V, Davies RO, Pack AI, Kubin L (1998) Differential suppression of upper airway motor activity during carbachol-induced, REM sleep-like atonia. *Am J Physiol* 275: R1013-R1024.
- Fischer TM, Zucker RS, Carew TJ (1997) Activity-dependent potentiation of synaptic transmission from L30 inhibitory interneurons of aplysia depends on residual presynaptic Ca²⁺ but not on postsynaptic Ca²⁺. *J Neurophysiol* 78: 2061-2071.
- Fisher SA, Fischer TM, Carew TJ (1997) Multiple overlapping processes underlying short-term synaptic enhancement. *Trends Neurosci* 20: 170-177.

- Fort P, Luppi PH, Jouvet M (1993) Glycine-immunoreactive neurones in the cat brain stem reticular formation. *Neuroreport* 4: 1123-1126.
- Foster TC, McNaughton BL (1991) Long-term enhancement of CA1 synaptic transmission is due to increased quantal size, not quantal content. *Hippocampus* 1: 79-91.
- Foutz AS, Mitler MM, Cavalli-Sforza LL, Dement WC (1979) Genetic factors in canine narcolepsy. *Sleep* 1: 413-421.
- Fox SE, Ranck JB, Jr. (1975) Localization and anatomical identification of theta and complex spike cells in dorsal hippocampal formation of rats. *Exp Neurol* 49: 299-313.
- Frankland PW, O'Brien C, Ohno M, Kirkwood A, Silva AJ (2001) alpha-CaMKII-dependent plasticity in the cortex is required for permanent memory. *Nature* 411: 309-313.
- Franklin KJ, Paxinos G (1997) *The mouse brain in stereotaxic coordinates*. San Diego: Academic Press.
- Fujita Y, Sasaki T, Fukui K, Kotani H, Kimura T, Hata Y, Sudhof TC, Scheller RH, Takai Y (1996) Phosphorylation of Munc-18/n-Sec1/rbSec1 by protein kinase C: its implication in regulating the interaction of Munc-18/n-Sec1/rbSec1 with syntaxin. *J Biol Chem* 271: 7265-7268.
- Garcia EP, Gatti E, Butler M, Burton J, De Camilli P (1994) A rat brain Sec1 homologue related to Rop and UNC18 interacts with syntaxin. *Proc Natl Acad Sci U S A* 91: 2003-2007.
- Garcia EP, McPherson PS, Chilcote TJ, Takei K, De Camilli P (1995) rbSec1A and B colocalize with syntaxin 1 and SNAP-25 throughout the axon, but are not in a stable complex with syntaxin. *J Cell Biol* 129: 105-120.
- Geppert M, Bolshakov VY, Siegelbaum SA, Takei K, De Camilli P, Hammer RE, Sudhof TC (1994) The role of Rab3A in neurotransmitter release. *Nature* 369: 493-497.
- Geppert M, Goda Y, Stevens CF, Sudhof TC (1997) The small GTP-binding protein Rab3A regulates a late step in synaptic vesicle fusion. *Nature* 387: 810-814.
- Gerlai R (1996) Gene-targeting studies of mammalian behavior: is it the mutation or the background genotype? *Trends Neurosci* 19: 177-181.
- Glassman RB (1999) A working memory "theory of relativity": elasticity in temporal, spatial, and modality dimensions conserves item capacity in radial maze, verbal tasks, and other cognition. *Brain Res Bull* 48: 475-489.
- Goda Y, Sudhof TC (1997) Calcium regulation of neurotransmitter release: reliably unreliable? *Curr Opin Cell Biol* 9: 513-518.
- Gould E, Beylin A, Tanapat P, Reeves A, Shors TJ (1999) Learning enhances adult neurogenesis in the hippocampal formation [see comments]. *Nat Neurosci* 2: 260-265.
- Grant SG, O'Dell TJ, Karl KA, Stein PL, Soriano P, Kandel ER (1992) Impaired long-term potentiation, spatial learning, and hippocampal development in *fyn* mutant mice. *Science* 258: 1903-1910.
- Gustafsson B, Wigstrom H, Abraham WC, Huang YY (1987) Long-term potentiation in the hippocampus using depolarizing current pulses as the conditioning stimulus to single volley synaptic potentials. *J Neurosci* 7: 774-780.
- Hajnik T, Lai YY, Siegel JM (2000) Atonia-related regions in the rodent pons and medulla. *J Neurophysiol* 84: 1942-1948.
- Hampson RE, Simeral JD, Deadwyler SA (1999) Distribution of spatial and nonspatial information in dorsal hippocampus. *Nature* 402: 610-614.
- Harris EW, Cotman CW (1986) Long-term potentiation of guinea pig mossy fiber responses is not blocked by N-methyl D-aspartate antagonists. *Neurosci Lett* 70: 132-137.
- Harrison SD, Broadie K, van de GJ, Rubin GM (1994) Mutations in the *Drosophila* Rop gene suggest a function in general secretion and synaptic transmission. *Neuron* 13: 555-566.
- Hata Y, Slaughter CA, Sudhof TC (1993) Synaptic vesicle fusion complex contains unc-18 homologue bound to syntaxin. *Nature* 366: 347-351.
- Henze DA, Urban NN, Barrionuevo G (2000) The multifarious hippocampal mossy fiber pathway: a review. *Neuroscience* 98: 407-427.
- Hess EJ, Collins KA, Wilson MC (1996) Mouse model of hyperkinesis implicates SNAP-25 in behavioral regulation. *J Neurosci* 16: 3104-3111.
- Hobson JA, Pace-Schott EF, Stickgold R, Kahn D (1998) To dream or not to dream? Relevant data from new neuroimaging and electrophysiological studies. *Curr Opin Neurobiol* 8: 239-244.
- Hollup SA, Molden S, Donnett JG, Moser MB, Moser EI (2001) Place fields of rat hippocampal pyramidal cells and spatial learning in the watermaze. *Eur J Neurosci* 13: 1197-1208.
- Huang YY, Kandel ER (1996) Modulation of both the early and the late phase of mossy fiber LTP by the activation of beta-adrenergic receptors. *Neuron* 16: 611-617.

References

- Huang YY, Kandel ER, Varshavsky L, Brandon EP, Qi M, Idzerda RL, McKnight GS, Bourchouladze R (1995) A genetic test of the effects of mutations in PKA on mossy fiber LTP and its relation to spatial and contextual learning. *Cell* 83: 1211-1222.
- Ishihara K, Mitsuno K, Ishikawa M, Sasa M (1997) Behavioral LTP during learning in rat hippocampal CA3. *Behav Brain Res* 83: 235-238.
- Jaffe D, Johnston D (1990) Induction of long-term potentiation at hippocampal mossy-fiber synapses follows a Hebbian rule. *J Neurophysiol* 64: 948-960.
- Jahn R (2000) Sec1/Munc18 proteins: mediators of membrane fusion moving to center stage. *Neuron* 27: 201-204.
- Jahn R, Niemann H (1994) Molecular mechanisms of clostridial neurotoxins. *Ann N Y Acad Sci* 733: 245-255.
- Jouvet M (1980) Paradoxical sleep and the nature-nurture controversy. *Prog Brain Res* 53: 331-346.
- Jung MW, McNaughton BL (1993) Spatial selectivity of unit activity in the hippocampal granular layer. *Hippocampus* 3: 165-182.
- Kamiya H, Zucker RS (1994) Residual Ca²⁺ and short-term synaptic plasticity. *Nature* 371: 603-606.
- Kanamori N, Sakai K, Jouvet M (1980) Neuronal activity specific to paradoxical sleep in the ventromedial medullary reticular formation of unresdrained cats. *Brain Res* 189: 251-255.
- Kapur A, Yeckel MF, Gray R, Johnston D (1998) L-Type calcium channels are required for one form of hippocampal mossy fiber LTP. *J Neurophysiol* 79: 2181-2190.
- Kawabe K, Ichitani Y, Iwasaki T (1998) Effects of intrahippocampal AP5 treatment on radial-arm maze performance in rats. *Brain Res* 781: 300-306.
- Kayama Y, Ohta M, Jodo E (1992) Firing of 'possibly' cholinergic neurons in the rat laterodorsal tegmental nucleus during sleep and wakefulness. *Brain Res* 569: 210-220.
- Kempermann G, Kuhn HG, Gage FH (1997) More hippocampal neurons in adult mice living in an enriched environment. *Nature* 386: 493-495.
- Kentros C, Hargreaves E, Hawkins RD, Kandel ER, Shapiro M, Muller RV (1998) Abolition of long-term stability of new hippocampal place cell maps by NMDA receptor blockade. *Science* 280: 2121-2126.
- Kobayashi K, Manabe T, Takahashi T (1996) Presynaptic long-term depression at the hippocampal mossy fiber-CA3 synapse. *Science* 273: 648-650.
- Kojima T, Fukuda M, Aruga J, Mikoshiba K (1996) Calcium-dependent phospholipid binding to the C2A domain of a ubiquitous form of double C2 protein (Doc2 beta). *J Biochem (Tokyo)* 120: 671-676.
- Kuzmin A, Johansson B (2000) Reinforcing and neurochemical effects of cocaine: differences among C57, DBA, and 129 mice. *Pharmacol Biochem Behav* 65: 399-406.
- Lassalle JM, Bataille T, Halley H (2000) Reversible inactivation of the hippocampal mossy fiber synapses in mice impairs spatial learning, but neither consolidation nor memory retrieval, in the morris navigation task [In Process Citation]. *Neurobiol Learn Mem* 73: 243-257.
- Lathe R (1996) Mice, gene targeting and behaviour: more than just genetic background. *Trends Neurosci* 19: 183-186.
- Leveque C, el Far O, Martin-Moutot N, Sato K, Kato R, Takahashi M, Seagar MJ (1994) Purification of the N-type calcium channel associated with syntaxin and synaptotagmin. A complex implicated in synaptic vesicle exocytosis. *J Biol Chem* 269: 6306-6312.
- Levy WB, Steward O (1983) Temporal contiguity requirements for long-term associative potentiation/depression in the hippocampus. *Neuroscience* 8: 791-797.
- Li C, Takei K, Geppert M, Daniell L, Stenius K, Chapman ER, Jahn R, De Camilli P, Sudhof TC (1994) Synaptic targeting of rabphilin-3A, a synaptic vesicle Ca²⁺/phospholipid-binding protein, depends on rab3A/3C [published erratum appears in *Neuron* 1995 Jul;15(1):following 239]. *Neuron* 13: 885-898.
- Li HB, Matsumoto K, Yamamoto M, Watanabe H (1997) NMDA but not AMPA receptor antagonists impair the delay-interposed radial maze performance of rats. *Pharmacol Biochem Behav* 58: 249-253.
- Liaw JS, Berger TW (1996) Dynamic synapse: a new concept of neural representation and computation. *Hippocampus* 6: 591-600.
- Lin L, Faraco J, Li R, Kadotani H, Rogers W, Lin X, Qiu X, de Jong PJ, Nishino S, Mignot E (1999) The sleep disorder canine narcolepsy is caused by a mutation in the hypocretin (orexin) receptor 2 gene. *Cell* 98: 365-376.
- Lin RC, Scheller RH (2000) Mechanisms of synaptic vesicle exocytosis. *Annu Rev Cell Dev Biol* 16: 19-49.

- Lin YQ, Brain KL, Bennett MR (1998) Calcium in sympathetic boutons of rat superior cervical ganglion during facilitation, augmentation and potentiation. *J Auton Nerv Syst* 73: 26-37.
- Linden DJ (1999) The return of the spike: postsynaptic action potentials and the induction of LTP and LTD. *Neuron* 22: 661-666.
- Lipp HP, Wolfer DP (1998) Genetically modified mice and cognition. *Curr Opin Neurobiol* 8: 272-280.
- Lisman JE (1997) Bursts as a unit of neural information: making unreliable synapses reliable. *Trends Neurosci* 20: 38-43.
- Loy R, Koziell DA, Lindsey JD, Moore RY (1980) Noradrenergic innervation of the adult rat hippocampal formation. *J Comp Neurol* 189: 699-710.
- Magee JC, Johnston D (1997) A synaptically controlled, associative signal for Hebbian plasticity in hippocampal neurons. *Science* 275: 209-213.
- Majewski H, Iannazzo L (1998) Protein kinase C: a physiological mediator of enhanced transmitter output. *Prog Neurobiol* 55: 463-475.
- Malinow R, Mainen ZF, Hayashi Y (2000) LTP mechanisms: from silence to four-lane traffic. *Curr Opin Neurobiol* 10: 352-357.
- Markram H, Lubke J, Frotscher M, Sakmann B (1997) Regulation of synaptic efficacy by coincidence of postsynaptic APs and EPSPs. *Science* 275: 213-215.
- Mayford M, Kandel ER (1999) Genetic approaches to memory storage. *Trends Genet* 15: 463-470.
- Meiri N, Sun MK, Segal Z, Alkon DL (1998) Memory and long-term potentiation (LTP) dissociated: normal spatial memory despite CA1 LTP elimination with Kv1.4 antisense. *Proc Natl Acad Sci U S A* 95: 15037-15042.
- Milner B, Squire LR, Kandel ER (1998) Cognitive neuroscience and the study of memory. *Neuron* 20: 445-468.
- Miner LL (1997) Cocaine reward and locomotor activity in C57BL/6J and 129/SvJ inbred mice and their F1 cross. *Pharmacol Biochem Behav* 58: 25-30.
- Misura KM, Scheller RH, Weis WI (2000) Three-dimensional structure of the neuronal-Sec1-syntaxin 1a complex. *Nature* 404: 355-362.
- Mitsuno K, Sasa M, Ishihara K, Ishikawa M, Kikuchi H (1994) LTP of mossy fiber-stimulated potentials in CA3 during learning in rats. *Physiol Behav* 55: 633-638.
- Mochida S, Orita S, Sakaguchi G, Sasaki T, Takai Y (1998) Role of the Doc2 alpha-Munc13-1 interaction in the neurotransmitter release process. *Proc Natl Acad Sci U S A* 95: 11418-11422.
- Montagna P, Lugaresi E, Plazzi G (1997) Motor disorders in sleep. *Eur Neurol* 38: 190-197.
- Montecucco C, Schiavo G (1994) Mechanism of action of tetanus and botulinum neurotoxins. *Mol Microbiol* 13: 1-8.
- Morales FR, Boxer P, Chase MH (1987) Behavioral state-specific inhibitory postsynaptic potentials impinge on cat lumbar motoneurons during active sleep. *Exp Neurol* 98: 418-435.
- Morris RG, Anderson E, Lynch GS, Baudry M (1986) Selective impairment of learning and blockade of long-term potentiation by an N-methyl-D-aspartate receptor antagonist, AP5. *Nature* 319: 774-776.
- Morris RG, Garrud P, Rawlins JN, O'Keefe J (1982) Place navigation impaired in rats with hippocampal lesions. *Nature* 297: 681-683.
- Moya KL, Tavitian B, Zahraoui A, Tavitian A (1992) Localization of the ras-like rab3A protein in the adult rat brain. *Brain Res* 590: 118-127.
- Muller RU, Kubie JL, Ranck JB, Jr. (1987) Spatial firing patterns of hippocampal complex-spike cells in a fixed environment. *J Neurosci* 7: 1935-1950.
- Neher E (1998) Vesicle pools and Ca²⁺ microdomains: new tools for understanding their roles in neurotransmitter release. *Neuron* 20: 389-399.
- Nishino S, Ripley B, Overeem S, Lammers GJ, Mignot E (2000) Hypocretin (orexin) deficiency in human narcolepsy. *Lancet* 355: 39-40.
- O'Connor VM, Shamotienko O, Grishin E, Betz H (1993) On the structure of the 'synaptosecretosome'. Evidence for a neurexin/syntaxin/syntaxin/Ca²⁺ channel complex. *FEBS Lett* 326: 255-260.
- O'Keefe J, Dostrovsky J (1971) The hippocampus as a spatial map. Preliminary evidence from unit activity in the freely-moving rat. *Brain Res* 34: 171-175.
- Olson EJ, Boeve BF, Silber MH (2000) Rapid eye movement sleep behaviour disorder: demographic, clinical and laboratory findings in 93 cases. *Brain* 123: 331-339.
- Olton DS (1977) The function of septo-hippocampal connections in spatially organized behaviour. *Ciba Found Symp* 327-349.

References

- Olton DS, Walker JA, Wolf WA (1982) A disconnection analysis of hippocampal function. *Brain Res* 233: 241-253.
- Orita S, Sasaki T, Naito A, Komuro R, Ohtsuka T, Maeda M, Suzuki H, Igarashi H, Takai Y (1995) Doc2: a novel brain protein having two repeated C2-like domains. *Biochem Biophys Res Commun* 206: 439-448.
- Otto T, Eichenbaum H, Wiener SI, Wible CG (1991) Learning-related patterns of CA1 spike trains parallel stimulation parameters optimal for inducing hippocampal long-term potentiation. *Hippocampus* 1: 181-192.
- Owen EH, Logue SF, Rasmussen DL, Wehner JM (1997) Assessment of learning by the Morris water task and fear conditioning in inbred mouse strains and F1 hybrids: implications of genetic background for single gene mutations and quantitative trait loci analyses. *Neuroscience* 80: 1087-1099.
- Pevsner J, Hsu SC, Scheller RH (1994) n-Sec1: a neural-specific syntaxin-binding protein. *Proc Natl Acad Sci U S A* 91: 1445-1449.
- Peyron C, Faraco J, Rogers W, Ripley B, Overeem S, Charnay Y, Nevsimalova S, Aldrich M, Reynolds D, Albin R, Li R, Hungs M, Pedrazzoli M, Padigaru M, Kucherlapati M, Fan J, Maki R, Lammers GJ, Bouras C, Kucherlapati R, Nishino S, Mignot E (2000) A mutation in a case of early onset narcolepsy and a generalized absence of hypocretin peptides in human narcoleptic brains. *Nat Med* 6: 991-997.
- Phillips RG, LeDoux JE (1992) Differential contribution of amygdala and hippocampus to cued and contextual fear conditioning. *Behav Neurosci* 106: 274-285.
- Qi M, Zhuo M, Skalhegg BS, Brandon EP, Kandel ER, McKnight GS, Idzerda RL (1996) Impaired hippocampal plasticity in mice lacking the Cbeta1 catalytic subunit of cAMP-dependent protein kinase. *Proc Natl Acad Sci U S A* 93: 1571-1576.
- Ranck JB, Jr. (1973) Studies on single neurons in dorsal hippocampal formation and septum in unrestrained rats. I. Behavioral correlates and firing repertoires. *Exp Neurol* 41: 461-531.
- Rankin CH, Beck CD, Chiba CM (1990) *Caenorhabditis elegans*: a new model system for the study of learning and memory. *Behav Brain Res* 37: 89-92.
- Sakaguchi G, Manabe T, Kobayashi K, Orita S, Sasaki T, Naito A, Maeda M, Igarashi H, Katsura G, Nishioka H, Mizoguchi A, Itohara S, Takahashi T, Takai Y (1999) Doc2alpha is an activity-dependent modulator of excitatory synaptic transmission. *Eur J Neurosci* 11: 4262-4268.
- Sanes JR, Lichtman JW (1999) Can molecules explain long-term potentiation? *Nat Neurosci* 2: 597-604.
- Saucier D, Cain DP (1995) Spatial learning without NMDA receptor-dependent long-term potentiation. *Nature* 378: 186-189.
- Schenck CH, Bundlie SR, Ettinger MG, Mahowald MW (1986) Chronic behavioral disorders of human REM sleep: a new category of parasomnia. *Sleep* 9: 293-308.
- Schenck CH, Hurwitz TD, Mahowald MW (1993) Symposium: Normal and abnormal REM sleep regulation: REM sleep behaviour disorder: an update on a series of 96 patients and a review of the world literature. *J Sleep Res* 2: 224-231.
- Schenkel E, Siegel JM (1989) REM sleep without atonia after lesions of the medial medulla. *Neurosci Lett* 98: 159-165.
- Schikorski T, Stevens CF (1997) Quantitative ultrastructural analysis of hippocampal excitatory synapses. *J Neurosci* 17: 5858-5867.
- Schulze KL, Littleton JT, Salzberg A, Halachmi N, Stern M, Lev Z, Bellen HJ (1994) rop, a *Drosophila* homolog of yeast Sec1 and vertebrate n-Sec1/Munc-18 proteins, is a negative regulator of neurotransmitter release in vivo. *Neuron* 13: 1099-1108.
- Schwegler H, Crusio WE, Brust I (1990) Hippocampal mossy fibers and radial-maze learning in the mouse: a correlation with spatial working memory but not with non-spatial reference memory. *Neuroscience* 34: 293-298.
- Shapiro ML, O'Connor C (1992) N-methyl-D-aspartate receptor antagonist MK-801 and spatial memory representation: working memory is impaired in an unfamiliar environment but not in a familiar environment. *Behav Neurosci* 106: 604-612.
- Shen J, Kudrimoti HS, McNaughton BL, Barnes CA (1998) Reactivation of neuronal ensembles in hippocampal dentate gyrus during sleep after spatial experience. *J Sleep Res* 7 Suppl 1:6-16.: 6-16.
- Shors TJ, Miesegae G, Beylin A, Zhao M, Rydel T, Gould E (2001) Neurogenesis in the adult is involved in the formation of trace memories. *Nature* 410: 372-376.

- Shouse MN, Siegel JM (1992) Pontine regulation of REM sleep components in cats: integrity of the pedunculopontine tegmentum (PPT) is important for phasic events but unnecessary for atonia during REM sleep. *Brain Res* 571: 50-63.
- Siegel JM, Nienhuis R, Fahringer HM, Paul R, Shiromani P, Dement WC, Mignot E, Chiu C (1991) Neuronal activity in narcolepsy: identification of cataplexy-related cells in the medial medulla. *Science* 252: 1315-1318.
- Silva AJ, Paylor R, Wehner JM, Tonegawa S (1992) Impaired spatial learning in alpha-calcium-calmodulin kinase II mutant mice [see comments]. *Science* 257: 206-211.
- Silva AJ, Rosahl TW, Chapman PF, Marowitz Z, Friedman E, Frankland PW, Cestari V, Cioffi D, Sudhof TC, Bourtchuladze R (1996) Impaired learning in mice with abnormal short-lived plasticity. *Curr Biol* 6: 1509-1518.
- Simpson EM, Linder CC, Sargent EE, Davissou MT, Mobraaten LE, Sharp JJ (1997) Genetic variation among 129 substrains and its importance for targeted mutagenesis in mice. *Nat Genet* 16: 19-27.
- Skaggs WE, McNaughton BL, Wilson MA, Barnes CA (1996) Theta phase precession in hippocampal neuronal populations and the compression of temporal sequences. *Hippocampus* 6: 149-172.
- Solanto MV (1998) Neuropsychopharmacological mechanisms of stimulant drug action in attention-deficit hyperactivity disorder: a review and integration. *Behav Brain Res* 94: 127-152.
- Son H, Carpenter DO (1996) Protein kinase C activation is necessary but not sufficient for induction of long-term potentiation at the synapse of mossy fiber-CA3 in the rat hippocampus. *Neuroscience* 72: 1-13.
- Son H, Madelian V, Carpenter DO (1996) The translocation and involvement of protein kinase C in mossy fiber- CA3 long-term potentiation in hippocampus of the rat brain. *Brain Res* 739: 282-292.
- Stanley EF, Miroznic RR (1997) Cleavage of syntaxin prevents G-protein regulation of presynaptic calcium channels. *Nature* 385: 340-343.
- Staubli U, Larson J, Lynch G (1990) Mossy fiber potentiation and long-term potentiation involve different expression mechanisms. *Synapse* 5: 333-335.
- Steffensen SC, Henriksen SJ, Wilson MC (1999) Transgenic rescue of SNAP-25 restores dopamine-modulated synaptic transmission in the coloboma mutant. *Brain Res* 847: 186-195.
- Steriade M, Pare D, Datta S, Oakson G, Curro DR (1990) Different cellular types in mesopontine cholinergic nuclei related to ponto-geniculo-occipital waves. *J Neurosci* 10: 2560-2579.
- Stettler O, Moya KL, Zahraoui A, Tavitian B (1994) Developmental changes in the localization of the synaptic vesicle protein rab3A in rat brain. *Neuroscience* 62: 587-600.
- Stettler O, Nothias F, Tavitian B, Vernier P (1995) Double in situ hybridization reveals overlapping neuronal populations expressing the low molecular weight GTPases Rab3a and Rab3b in Rat brain. *Eur J Neurosci* 7: 702-713.
- Stevens CF, Sullivan JM (1998) Regulation of the readily releasable vesicle pool by protein kinase C. *Neuron* 21: 885-893.
- Stevens CF, Wang Y (1995) Facilitation and depression at single central synapses. *Neuron* 14: 795-802.
- Stevens CF, Wesseling JF (1998) Activity-dependent modulation of the rate at which synaptic vesicles become available to undergo exocytosis. *Neuron* 21: 415-424.
- Stevens CF, Wesseling JF (1999) Identification of a novel process limiting the rate of synaptic vesicle cycling at hippocampal synapses [In Process Citation]. *Neuron* 24: 1017-1028.
- Sudhof TC (1995) The synaptic vesicle cycle: a cascade of protein-protein interactions. *Nature* 375: 645-653.
- Sudhof TC (1997) Function of Rab3 GDP-GTP exchange. *Neuron* 18: 519-522.
- Sutton KG, McRory JE, Guthrie H, Murphy TH, Snutch TP (1999) P/Q-type calcium channels mediate the activity-dependent feedback of syntaxin-1A. *Nature* 401: 800-804.
- Tang Y, Zucker RS (1997) Mitochondrial involvement in post-tetanic potentiation of synaptic transmission. *Neuron* 18: 483-491.
- Tang YP, Shimizu E, Dube GR, Rampon C, Kerchner GA, Zhuo M, Liu G, Tsien JZ (1999) Genetic enhancement of learning and memory in mice. *Nature* 401: 63-69.
- Thompson LT, Best PJ (1990) Long-term stability of the place-field activity of single units recorded from the dorsal hippocampus of freely behaving rats. *Brain Res* 509: 299-308.
- Thomson AM (2000a) Facilitation, augmentation and potentiation at central synapses. *Trends Neurosci* 23: 305-312.
- Thomson AM (2000b) Molecular frequency filters at central synapses. *Prog Neurobiol* 62: 159-196.
- Tinbergen N (1989) *The study of instinct*. Oxford: Oxford University Press.

References

- Treves A, Rolls ET (1994) Computational analysis of the role of the hippocampus in memory. *Hippocampus* 4: 374-391.
- Tsien JZ, Huerta PT, Tonegawa S (1996) The essential role of hippocampal CA1 NMDA receptor-dependent synaptic plasticity in spatial memory [see comments]. *Cell* 87: 1327-1338.
- Tzounopoulos T, Janz R, Sudhof TC, Nicoll RA, Malenka RC (1998) A role for cAMP in long-term depression at hippocampal mossy fiber synapses. *Neuron* 21: 837-845.
- Urban NN, Barrionuevo G (1996) Induction of hebbian and non-hebbian mossy fiber long-term potentiation by distinct patterns of high-frequency stimulation. *J Neurosci* 16: 4293-4299.
- Vargha-Khadem F, Gadian DG, Watkins KE, Connelly A, Van Paesschen W, Mishkin M (1997) Differential effects of early hippocampal pathology on episodic and semantic memory. *Science* 277: 376-380.
- Verhage M, de Vries KJ, Roshol H, Burbach JP, Gispen WH, Sudhof TC (1997) DOC2 proteins in rat brain: complementary distribution and proposed function as vesicular adapter proteins in early stages of secretion. *Neuron* 18: 453-461.
- Verhage M, Maia AS, Plomp JJ, Brussaard AB, Heeroma JH, Vermeer H, Toonen RF, Hammer RE, van den Berg TK, Missler M, Geuze HJ, Sudhof TC (2000) Synaptic assembly of the brain in the absence of neurotransmitter secretion. *Science* 287: 864-869.
- Villacres EC, Wong ST, Chavkin C, Storm DR (1998) Type I adenylyl cyclase mutant mice have impaired mossy fiber long-term potentiation. *J Neurosci* 18: 3186-3194.
- Voets T, Toonen RF, Brian EC, Wit H, Moser T, Rettig J, Sudhof TC, Neher E, Verhage M (2001) Munc18-1 promotes large dense-core vesicle docking. *Neuron*, in press.
- Walker JA, Olton DS (1979) Spatial memory deficit following fimbria-fornix lesions: independent of time for stimulus processing. *Physiol Behav* 23: 11-15.
- Walsh TJ, Schulz DW, Tilson HA, Schmechel DE (1986) Colchicine-induced granule cell loss in rat hippocampus: selective behavioral and histological alterations. *Brain Res* 398: 23-36.
- Watanabe T, Niki H (1985) Hippocampal unit activity and delayed response in the monkey. *Brain Res* 325: 241-254.
- Weber T, Zemelman BV, McNew JA, Westermann B, Gmachl M, Parlati F, Sollner TH, Rothman JE (1998) SNAREpins: minimal machinery for membrane fusion. *Cell* 92: 759-772.
- Weisskopf MG, Nicoll RA (1995) Presynaptic changes during mossy fibre LTP revealed by NMDA receptor-mediated synaptic responses. *Nature* 376: 256-259.
- Williams S, Johnston D (1989) Long-term potentiation of hippocampal mossy fiber synapses is blocked by postsynaptic injection of calcium chelators. *Neuron* 3: 583-588.
- Wilson MC (2000) Coloboma mouse mutant as an animal model of hyperkinesia and attention deficit hyperactivity disorder. *Neurosci Biobehav Rev* 24: 51-57.
- Wolfer DP, Muller U, Stagliar M, Lipp HP (1997) Assessing the effects of the 129/Sv genetic background on swimming navigation learning in transgenic mutants: a study using mice with a modified beta-amyloid precursor protein gene. *Brain Res* 771: 1-13.
- Wood ER, Dudchenko PA, Eichenbaum H (1999) The global record of memory in hippocampal neuronal activity. *Nature* 397: 613-616.
- Wu MN, Littleton JT, Bhat MA, Prokop A, Bellen HJ (1998) ROP, the *Drosophila* Sec1 homolog, interacts with syntaxin and regulates neurotransmitter release in a dosage-dependent manner. *EMBO J* 17: 127-139.
- Wu ZL, Thomas SA, Villacres EC, Xia Z, Simmons ML, Chavkin C, Palmiter RD, Storm DR (1995) Altered behavior and long-term potentiation in type I adenylyl cyclase mutant mice. *Proc Natl Acad Sci U S A* 92: 220-224.
- Yamamoto C, Matsumoto K, Takagi M (1980) Potentiation of excitatory postsynaptic potentials during and after repetitive stimulation in thin hippocampal sections. *Exp Brain Res* 38: 469-477.
- Yawo H (1999) Protein kinase C potentiates transmitter release from the chick ciliary presynaptic terminal by increasing the exocytotic fusion probability. *J Physiol* 515 (Pt 1): 169-180.
- Yeckel MF, Kapur A, Johnston D (1999) Multiple forms of LTP in hippocampal CA3 neurons use a common postsynaptic mechanism. *Nat Neurosci* 2: 625-633.
- Yokoi M, Kobayashi K, Manabe T, Takahashi T, Sakaguchi I, Katsuura G, Shigemoto R, Ohishi H, Nomura S, Nakamura K, Nakao K, Katsuki M, Nakanishi S (1996) Impairment of hippocampal mossy fiber LTD in mice lacking mGluR2. *Science* 273: 645-647.
- Zalutsky RA, Nicoll RA (1990) Comparison of two forms of long-term potentiation in single hippocampal neurons. *Science* 248: 1619-1624.
- Zamanillo D, Sprengel R, Hvalby O, Jensen V, Burnashev N, Rozov A, Kaiser KM, Koster HJ, Borchardt T, Worley P, Lubke J, Frotscher M, Kelly PH, Sommer B, Andersen P, Seeburg PH,

- Sakmann B (1999) Importance of AMPA receptors for hippocampal synaptic plasticity but not for spatial learning. *Science* 284: 1805-1811.
- Zengel JE, Sosa MA, Poage RE, Mosier DR (1994) Role of intracellular Ca²⁺ in stimulation-induced increases in transmitter release at the frog neuromuscular junction. *J Gen Physiol* 104: 337-355.
- Zhuang X, Oosting RS, Jones SR, Gainetdinov RR, Miller GW, Caron MG, Hen R (2001) Hyperactivity and impaired response habituation in hyperdopaminergic mice. *Proc Natl Acad Sci U S A* 98: 1982-1987.
- Zucker RS (1999) Calcium- and activity-dependent synaptic plasticity. *Curr Opin Neurobiol* 9: 305-313.

