

References

- A.J. BADDELEY AND R.D GILL (1997). Kaplan-Meier estimators for interpoint distance distributions of spatial point processes. *Ann. Statist.* **25** 263–292.
- A.J. BADDELEY (1999a). A crash course in stochastic geometry. In: *Proceedings Seminaire Européen de Statistique, ‘Stochastic geometry, likelihood, and computation’*, O.E. Barndorff-Nielsen, W.S. Kendall and M.N.M. van Lieshout (editors). CRC Press (Chapman and Hall).
- A.J. BADDELEY (1999b). Spatial sampling and censoring. In: *Proceedings Seminaire Européen de Statistique, ‘Stochastic geometry, likelihood, and computation’*, O.E. Barndorff-Nielsen, W.S. Kendall and M.N.M. van Lieshout (editors). CRC Press (Chapman and Hall).
- P.J. BICKEL, C.A.J. KLAASSEN, Y. RITOV AND J.A. WELLNER (1993). *Efficient and Adaptive Estimation for Semiparametric Models*. Johns Hopkins University Press, Baltimore.
- G. CELEUX AND J. DIEBOLT (1986). The SEM algorithm: A probabilistic teacher algorithm derived from the EM algorithm for the mixture problem. *Computational Statistics Quarterly* **2** 73–82.
- A. CHESSA (1995). *Conditional Simulation of Spatial Stochastic Models for Reservoir Heterogeneity*. PhD dissertation, Technische Universiteit Delft.
- C.F. CHUNG (1989a). Confidence bands for residual lifetime under random censorship model. *J. Multiv. Anal.* **29** 94–126.
- C.F. CHUNG (1989b). Confidence bands for quantile function under random censorship. *Ann. Inst. Statist. Math.* **42** 21–36.
- D.R. COX (2000). Some Remarks on Likelihood Factorization. In: *State of the Art in Probability and Statistics*. M.C.M. de Gunst, C.A.J. Klaassen and A.W. van der Vaart (editors). IMS Lecture notes (to appear).
- N.A.C. CRESSIE (1991). *Statistics for Spatial Data*, John Wiley & Sons.

- D. J. DALEY AND D. VERE-JONES (1988). *An Introduction to the Theory of Point Processes*. Springer-Verlag, New York.
- A.P. DEMPSTER, N.M. LAIRD AND D.B. RUBIN (1977). Maximum likelihood from incomplete data via the EM algorithm. *J. Roy. Statist. Soc. Ser. B* **39** 1–38.
- S.A. VAN DE GEER (1993). Hellinger-consistency of certain nonparametric maximum likelihood estimators. *Ann. Statist.* **21** 14–44.
- J.A. FILL AND M. MACHIDA (1998). Stochastic monotonicity and realizable monotonicity. Technical Report # 573, Department of Mathematical Sciences, The Johns Hopkins University. Submitted for publication.
<http://www.mts.jhu.edu/~fill/>
- C.J. GEYER (1999). Likelihood inference for spatial point processes, *Proceedings Séminaire Européen de Statistique, ‘Stochastic geometry, likelihood, and computation’*, O.E. Barndorff-Nielsen, W.S. Kendall and M.N.M. van Lieshout (editors), CRC Press (Chapman and Hall).
- C.J. GEYER AND J. MØLLER (1994). Simulation procedures and likelihood inference for spatial point processes. *Scand. J. Statist.* / **21** 359–373.
- C.J. GEYER AND E.A. THOMPSON (1992). Constrained Monte Carlo maximum likelihood for dependent data (with discussion). *J. Roy. Statist. Soc. Ser. B* **54** 657–699.
- W.R. GILKS, S. RICHARDSON, AND D.J. SPIEGELHALTER (1996). *Markov Chain Monte Carlo in Practice*. Chapman and Hall, London.
- R.D. GILL (1989). Non- and semiparametric maximum likelihood estimators and the von Mises method (part I). *Scand. J. Statist.* **16** 97–128.
- R.D. GILL (1994). *Lectures on Survival Analysis*. In: D. Bakry, R.D. Gill and S. Molchanov, École d’Été de Probabilités de Saint Flour XXII-1992, P. Bernard (editor). Springer Lecture Notes in Mathematics 1581 115–241.
- P. GROENEBOOM AND J.A. WELLNER (1992). *Information Bounds and Nonparametric Maximum Likelihood Estimation*. Birkhäuser Verlag, Basel.
- M.B. HANSEN, A.J. BADDELEY AND R.D. GILL (1996). Kaplan-Meier type estimators for linear contact distributions. *Scand. J. Statist.* **23** 129–155.
- M.B. HANSEN, A.J. BADDELEY AND R.D. GILL (1999). First contact distributions for spatial patterns: Regularity and estimation. *Adv. Appl. Probab.* **31** 15–33.

- Y. HUANG AND C.-H. ZHANG (1994). Estimating a monotone density from censored observations. *Ann. Statist.* **22** 1256–1274.
- J. HUANG AND J.A. WELLNER (1995). Estimation of a monotone density or monotone hazard under random censorship. *Scand. J. Statist.* **22** 3–33.
- W.S. KENDALL (1997). On some weighted Boolean models. In: *Proceedings of the International Symposium on Advances in Theory and Applications of Random Sets*, D. Jeulin (editor), pp. 105–120, World Scientific Publishing.
- W.S. KENDALL AND E. THÖNNES (1998). Perfect simulation in stochastic geometry. University of Warwick Research Report 323.
<http://www.warwick.ac.uk/statsdept/Staff/WSK/ppt.html>
- W.S. KENDALL AND J. MØLLER (1999). Perfect Metropolis-Hastings simulation of locally stable spatial point processes. University of Warwick Research Report 347.
<http://www.warwick.ac.uk/statsdept/Staff/WSK/ppt.html>
- J. KIEFER AND J. WOLFOWITZ (1956). Consistency of the maximum likelihood estimator in the presence of infinitely many incidental parameters. *Ann. Math. Statist.* **27** 887–906.
- M.J. VAN DER LAAN (1993). *Efficient and Inefficient Estimation in Semiparametric models* PhD dissertation, University of Utrecht. Also: CWI tract 114 (1995).
- M.J. VAN DER LAAN (1995). Efficiency of the NPMLE in the line-segment problem. *Scand. J. Statist.* **23** 527–550.
- M.J. VAN DER LAAN (1998). The two-interval line-segment problem. *Scand. J. Statist.* **25** 163–186.
- C. LANTUÉJOU (1997). Conditional simulation of object-based models. In: *Advances in Theory and applications of Random Sets*, D. Jeulin (editor). World Scientific Publishing Company, Singapore, 271–288.
- G.M. LASLETT (1982a). The survival curve under monotone density constraints with applications to two-dimensional line-segment processes. *Biometrika* **69**, 153–160.
- G.M. LASLETT (1982b). Censoring and edge effects in areal and line transect sampling of rock joint traces. *Math. Geol.* **14**, 125–140.
- L. LE CAM AND G.L. YANG (1988). On the preservation of local asymptotic normality under information loss. *Ann. Statist.* **16** 483–520.
- M.N.M. VAN LIESHOUT (1997). On likelihoods for Markov random sets and Boolean models. In: *Proceedings of the International Symposium on*

Advances in Theory and Applications of Random Sets, D. Jeulin (editor). World Scientific Publishing, Singapore.

T. LINDVALL (1992). *Lectures on the Coupling Method*. John Wiley & Sons.

J. LOK (1994). *The NPMLE of the Orientation Distribution and Comparison of Estimators of the Length Distribution in the Line Segment Problem*. Master's dissertation, University of Utrecht.

H. LUM, I. HUANG AND W. MITZNER (1994). Morphological evidence for alveolar recruitment during inflation at high transpulmonary pressure. *J. Appl. Physiol.* **68** 2280–2286.

G. MATHERON (1975). *Random Sets and Integral Geometry*. John Wiley & Sons.

I. MEILIJSSEN (1989). A fast improvement to the EM-algorithm. *J. Roy. Statist. Soc. Ser. B* **51** 127–138.

I.S. MOLCHANOV (1995). Statistics of the Boolean model: From the estimation of means to the estimation of distributions. *Adv. in Appl. Probab.* **27** 63–86.

I.S. MOLCHANOV (1997). *Statistics of the Boolean model for Practitioners and Mathematicians*. John Wiley & Sons.

J. MØLLER (1998). Markov chain Monte Carlo and spatial point processes. In: *Proceedings Séminaire Européen de Statistique, ‘Stochastic geometry, likelihood, and computation’*, O.E. Barndorff-Nielsen, W.S. Kendall and M.N.M. van Lieshout (editors). CRC Press (Chapman and Hall).

S.A. MURPHY (1994). Consistency in a proportional hazards model incorporating a random effect. *Ann. Statist.* **22** 712–731.

X.X. NGUYEN AND H. ZESSIN (1979). Ergodic theorems for spatial processes. *Z. Wahrsch. Verw. Gebiete* **48** 133–158.

S.F. NIELSEN (1997a). The imputation maximization algorithm. Preprint 2, Institute of Mathematical Statistics, University of Copenhagen.
<http://www.math.ku.dk/~feodor/publications/index.html>

S.F. NIELSEN (1997b). On simulated EM algorithms. Preprint 3, Institute of Mathematical Statistics, University of Copenhagen.
<http://www.math.ku.dk/~feodor/publications/index.html>

E.H. OLDMIXON, J.P. BUTLER AND F.G. HOPPIN (1994). Semi-automated measurement of true chord length distributions and moments by video microscopy and image analysis. *J. Microsc.* **175** 60–69.

- C.J. PRESTON (1977). Spatial birth-and-death processes. *Bull. Int. Statist. Inst.* **46** (2) 371–391
- J.G. PROPP AND D.B. WILSON (1996). Exact sampling with coupled Markov chains and applications to statistical mechanics. *Random Structures and Algorithms* **9** 223–252.
- B.D. RIPLEY (1981). *Spatial Statistics*, John Wiley & Sons.
- B.D. RIPLEY (1988). *Statistical Inference for Spatial Processes*. Cambridge University Press.
- F.S. ROSENTHAL (1989). Aerosol recovery following breathholding derived from the distribution of chordlengths in pulmonary tissue. *J. Aerosol. Sci.* **20** 267–277.
- D.A. ROSS (1993). A coherence theorem for ordered families of probability measures on a partially ordered space. Unpublished manuscript.
- J. SERRA (1982). *Image Analysis and Mathematical Morphology*. Academic Press, London.
- F.W. SCHOLZ (1980). Towards a unified definition of maximum likelihood. *Canad. J. Statist.* **8** 193–203.
- D. STONE, D.C. KAMINENI AND A. BROWN (1984). Geology and fracture characteristics of the underground research laboratory near Lac du Bonnet, Manitoba, Tech. Rep. 243, Atomic Energy of Canada Ltd. Research corporation.
- D. STOYAN, W.S. KENDALL, AND J. MECKE (1987). *Stochastic Geometry and its Applications*. Wiley, Chichester.
- A.W. VAN DER VAART (1996). Efficient maximum likelihood estimation in semiparametric mixture models. *Ann. Statist.* **24** 862–878.
- A.W. VAN DER VAART AND J.A. WELLNER (1996). *Weak Convergence and Empirical Processes*. Springer, New York.
- A.W. VAN DER VAART (1998). *Asymptotic Statistics*. Cambridge University Press.
- Y. VARDI (1982). Nonparametric estimation in renewal processes. *Ann. Statist.* **10**, 772–785.
- Y. VARDI AND D. LEE (1993). From image deblurring to optimal investments: maximum likelihood solutions for positive linear inverse problems (with discussion). *J. Roy. Statist. Soc. Ser. B* **55** 569–612.

- G.C.G. WEI AND M.A. TANNER (1990). A Monte Carlo implementation of the EM algorithm and the poor man's data augmentation algorithm. *J. Amer. Statist. Ass.* **85** 699–704.
- E.W. WEIBEL (1979). *Stereological Methods*, Volume 2. Academic Press, London.
- B.J. WIJERS (1995a). *Nonparametric Estimation for a Windowed Line-Segment Process*. PhD dissertation, University of Utrecht. Also: CWI tract 121 (1997).
- B.J. WIJERS (1995b). Consistent non-parametric estimation for a one-dimensional line segment process observed in an interval. *Scand. J. Statist.* **22** 335–360.
- E.W. VAN ZWET (2000). Perfect stochastic EM. In: *State of the Art in Probability and Statistics*. M.C.M. de Gunst, C.A.J. Klaassen and A.W. van der Vaart (editors). IMS Lecture notes (to appear).