

Contents

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Abstract | 11 |
| 1. Introduction | 13 |
| 1.1 Preamble | 13 |
| 1.2 Aims | 15 |
| 1.3 Outline of thesis | 15 |
| 2. Geology of the Arabian Nubian Shield – An overview | 17 |
| 2.1 Introduction | 17 |
| 2.2 Relicts of oceanic crust | 17 |
| 2.3 Island-arc remnants | 17 |
| 2.4 Features related to arc-accretion | 19 |
| 2.5 Gneissic domes | 26 |
| 2.6 Other late orogenic features | 26 |
| 2.7 Proposed models for the Neoproterozoic in the ANS | 30 |
| 3. The Bi'r Umq Complex and Shear Zone: an ophiolitic suture in the Arabian-Nubian Shield | 37 |
| Abstract | 37 |
| 3.1 Introduction | 37 |
| 3.2 Geological Background | 39 |
| 3.2.1 Lithology | 40 |
| 3.2.2 Metamorphism | 42 |
| 3.2.3 Origin of igneous rocks | 43 |
| 3.2.4 Geochronology | 43 |
| 3.3 Structural Geology | 44 |
| 3.3.1 Introduction | 44 |
| 3.3.2 Previous studies | 44 |
| 3.3.3 Shear Zone related structures | 44 |
| 3.3.4 Structures outside the shear zones | 56 |
| 3.4 Discussion and conclusions | 57 |
| 3.4.1 Review of new data for the Bi'r Umq Complex | 57 |
| 3.4.2 A tectonic model for the Bi'r Umq Complex | 60 |
| 4. Structural, geochemical and geochronological constraints on the tectonic evolution of the Tabalah and Wadi Tarj areas, central Asir, western Saudi Arabia | 67 |
| Abstract | 67 |

| | |
|------------------------------------------------------------|------------|
| 4.1 Introduction | 67 |
| 4.2 Geological Background | 70 |
| 4.2.1 Lithology | 70 |
| 4.2.2 Metamorphism | 73 |
| 4.3 Structural Geology | 73 |
| 4.3.1 Introduction | 73 |
| 4.3.2 Foliations | 74 |
| 4.3.3 Lineations | 74 |
| 4.3.4 Evidence for non-coaxial deformation | 76 |
| 4.3.5 Conclusions on structural geology | 77 |
| 4.4 Geochemistry | 78 |
| 4.4.1 Introduction | 78 |
| 4.4.2 Samples | 79 |
| 4.4.3 Techniques | 80 |
| 4.4.4 Major elements | 80 |
| 4.4.4 Trace elements | 81 |
| 4.5 Geochronology | 86 |
| 4.5.1 Introduction | 86 |
| 4.5.2 Previous geochronology studies | 87 |
| 4.5.3 Description of samples | 87 |
| 4.5.4 Results | 88 |
| 4.5.5 Summary of geochronological studies | 88 |
| 4.6 Discussion and conclusions | 97 |
| 4.6.1 Summary of geological evidence | 97 |
| 4.6.2 Tectonic model for the Tabalah and Wadi Tarj Complex | 98 |
| 4.6.3 Conclusions | 100 |
| | |
| 5. A Pan-African core complex in the Sinai, Egypt | 103 |
| | |
| Abstract | 103 |
| 5.1 Introduction | 103 |
| 5.2 Geological background | 104 |
| 5.2.1 Introduction | 104 |
| 5.2.2 Lithology | 104 |
| 5.2.3 Metamorphism | 107 |
| 5.2.4 Geochronology | 108 |
| 5.3 The structural geology | 108 |
| 5.3.1 Introduction | 108 |
| 5.3.2 D1 structures | 108 |
| 5.3.3 D2 structures | 109 |
| 5.3.4 Evidence of non-coaxial strains during D2 | 111 |
| 5.4. Discussion | 120 |
| 5.4.1 Interpretation of regional structural data | 120 |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 5.4.2 A core-complex model for the Wadi Kid area | 121 |
| 5.4.3 Reversal in the sense of shear and coaxial overprint in core complexes | 123 |
| 5.4.4 A model for the tectonic history of the Wadi Kid area | 126 |
| 5.5 Conclusions | 126 |
| 6. A new geodynamic model for the Neoproterozoic of the Arabian-Nubian Shield | 129 |
| 6.1 Introduction | 129 |
| 6.2 Summary of newly obtained data for the three main tectonic phases in the Arabian-Nubian Shield | 129 |
| 6.2.1 Introduction | 129 |
| 6.2.2 The Bi'r Umq Complex: Relicts of the oceanic stage and the arc-accretion stage | 129 |
| 6.2.3 The Tabalah and Wadi Tarj Complex: Relicts of the oceanic stage and the arc-accretion stage | 130 |
| 6.2.4 The Wadi Kid Complex: A core complex | 131 |
| 6.3 A synthesis of the newly obtained data from the Bi'r Umq area, the Tabalah and Wadi Tarj area and the Wadi Kid area | 136 |
| 6.4 A model for the tectonic evolution of the Arabian-Nubian Shield based on the Bi'r Umq Complex, the Tabalah and Tarj Complex and the Wadi Kid area | 138 |
| 6.4.1 The oceanic/island-arc phase in the ANS | 138 |
| 6.4.2 Arc-accretion phase in the ANS | 139 |
| 6.4.3 Extensional features in the ANS | 142 |
| 6.4.4 The transition from compression to extension in the ANS | 143 |
| 6.5 Summary of a new tectonic scenario for the Arabian-Nubian Shield | 148 |
| 6.6 Conclusions | 150 |
| 6.7 Recommendations for future research | 150 |
| References | 153 |
| Samenvatting (Summary in Dutch) | 163 |
| Acknowledgements | 167 |
| Curriculum Vitae | 169 |
| Appendices | 171 |
| A1 Additional geological data for the Wadi Kid area, Sinai, Egypt | 173 |
| Abstract | 173 |
| A1.1 Introduction | 173 |
| A1.2 Geological background | 173 |
| A1.3 Geochemistry of undeformed igneous rocks in the Wadi Kid Complex | 177 |

| | |
|---------------------------------------------------------------------------------|-----|
| A1.4 Geochronology: Ar-Ar dating for the main lower-crustal amphibolite | 179 |
| A1.5 Conclusions | 184 |
| A.2 Geothermobarometric evidence for a metamorphic core-complex in Sinai, Egypt | 187 |
| Abstract | 187 |
| A.2.1 Introduction | 187 |
| A.2.2 Lithology | 188 |
| A.2.3 Structures | 192 |
| A.2.4 Petrology | 193 |
| A.2.5 Mineral composition | 194 |
| A.2.6 Evidence from PT-data for a core complex in the Wadi Kid Area | 210 |
| A.2.7 Conclusions | 213 |