

References

- Abdelsalam, M.G. 1994. The Oko Shear Zone, Sudan: post-accretionary deformation in the Arabian-Nubian Shield. *Journal of the Geological Society, London*, 151: 767-776.
- Abdelsalam, M.G. and Stern, R.J. 1996. Sutures and shear zones in the Arabian Nubian Shield. *Journal of African Earth Sciences*, 23: 289-310.
- Abdelsalam, M.G. and Stern, R.J., 1993, Structure of the late Proterozoic Nakasib suture, Sudan. *Journal of the Geological Society*, 150: 1065-1074.
- Abdelsalam, M.G., Abdeen, M.M., Dowaidar, H.M., Stern, R.J. and Abdelghaffar, A.A., 2003a. Structural evolution of the Neoproterozoic Western Allaqi–Heiani suture, southeastern Egypt, *Precambrian Research*, 124: 87-104.
- Abdelsalam, M.G., Abdel-Rahman, E.M., El-Faki, E.M., Al-Hur, B., El-Bashier, F.M., Stern, R.J. and Thurmond, A.K., 2003b. Neoproterozoic deformation in the northeastern part of the Saharan Metacraton, northern Sudan. *Precambrian Research*, 123: 203-221.
- Abu El-Ela, FF., 1999. Neoproterozoic tholeiitic arc plutonism: petrology of gabbroic intrusions in the El-Aradiya area, Eastern Desert, Egypt. *Journal of African Earth Sciences*, 28: 721-741.
- Agar, R.A., 1985. Stratigraphy and palaeogeography of the Siham group: direct evidence for a Neoproterozoic continental microplate and active continental margin in the Saudi Arabian Shield. *Journal of the Geological Society*, 142: 1205-1220.
- Agar, R.A., 1986. The Bani Ghavy Group; sedimentation and volcanism in pull-apart grabens of the Najd strike-slip orogen, Saudi Arabian shield. *Precambrian Research*, 31: 259-274.
- Ahmed, A.M., El Sheshtawi Y.L., and El Tokhi, M.M., 1993. Origin and geochemistry of Egyptian granitoid rocks in Nuweiba area, eastern Sinai. *Journal of African Earth Sciences* 17: 399-413.
- Al-Husseini, M.I., 2000. Origin of the Arabian Plate structures: Amar Collision and Najd Rift. *Geoarabia*, 5: 527-542.
- Al-Rehaili, M.H., 1980, Geology of the mafic-ultramafic complex of the Bir Umq area: Jiddah, King Abdulaziz University, Faculty of Earth Sciences, M.Sc. thesis, 160 p.
- Al-Saleh, A.M. and Boyle, A.P., 2001. Neoproterozoic ensialic back-arc spreading in the eastern Arabian Shield: geochemical evidence from the Halaban Ophiolite. *Journal of African Earth Sciences*, 33: 1-15.
- Al-Saleh, A.M. and Boyle, A.P., 2001. Neoproterozoic ensialic back-arc spreading in the eastern Arabian Shield: geochemical evidence from the Halaban Ophiolite. *Journal of African Earth Sciences*, 33: 1-15.
- Al-Saleh, A.M., Boyle, A.P. and Musset, A.E., 1998. Metamorphism and $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Halaban Ophiolite and associated units: evidence for two-stage orogenesis in the Arabian Shield. *Journal of the Geological Society, London*, 155: 165-175.
- Anderson, E.M., 1952. The dynamics of faulting and dyke formation with applications to Britain. Oliver & Boyd, 206 pp.
- Anderson, J.L. and Cullers, R.L., 1990. Middle to upper crustal plutonic construction of a magmatic arc; An example from the Whipple Mountains metamorphic core complex. In: J.L. Anderson (ed.) *The nature and origin of Cordilleran magmatism*. Geological Society of America Memoir 174: 47-69.
- Ayalon, A., Steinitz G., and Starinsky, A., 1987. K-Ar and Rb - Sr whole rock ages reset during Pan-African event in the Sinai Peninsula (Ataqa Area). *Precambrian Research* 37: 191-197.
- Bailo, T., Schandlmeier, H., Franz, G., Sun, C.H. and Stern, R.J., 2003. Plutonic and metamorphic rocks from the Kerat Suture (NE Sudan): a glimpse of Neoproterozoic tectonic evolution on the NE margin of W. Gondwana. *Precambrian Research*, 123: 67-80.
- Bakor, A. R., Gass, I. G. and Neary, C. R., 1976. Jabal a1 Wask, northwest Saudi Arabia: An Eocambrian back-arc ophiolite. *Earth and planetary science letters*, 30: 1-9.
- Barton, M.D., 1990. Cretaceous magmatism, metamorphism and metallogeny in the east-central Great Basin. In: J.L. Anderson (ed.) *The nature and origin of Cordilleran Magmatism*. Geological Society of America Memoir 174: 283-302.
- Beard, L.S. 1996. Paleogeography of the Horse Spring Formation in relation to the Lake Mead fault system, Virgin Mountains, Nevada and Arizona. In Beratan, K.K. (ed.) *Reconstructing the history of the Basin and Range extension using sedimentology and stratigraphy*. Geological Society of America Special Paper, 303: 27-59.
- Bell, T.H. and Hammond, R.L., 1984. On the internal geometry of mylonite zones. *Journal of Geology* 92: 667-686.
- Bentor, Y.K., 1985 The crustal evolution of the Arabo-Nubian Massif with special reference to the Sinai Peninsula. *Precambrian Research* 28: 1-74.
- Berman, R.G., 1990. Mixing properties of Ca-Mg-Fe-Mn garnets. *American Mineralogy* 75: 328-344.
- Beyth, M., Avigad, D., Wetzel, H.-U., Matthews A. and S. M. Berhe, 2003. Crustal exhumation and indications for Snowball Earth in the East African Orogen: north Ethiopia and east Eritrea. *Precambrian Research*, 123: 187-201
- Beyth, M., Stern, R.J., Altherr, R. and Kröner, A., 1994. The late Precambrian Timna igneous Complex, Southern Israel: Evidence for comagmatic-type sanukitoid monzodiorite and alkali granite magma. *Lithos* 31: 103-124.
- Bielski, M., 1982. Stages in the Arabian-Nubian Massif in Sinai (unpublished Ph.D. Thesis) - Hebrew University, Jerusalem. 155 pp
- Blasband B., White, S., Brooijmans, P., De Boorder, H., and Visser, W., 2000, Neoproterozoic extensional collapse in the Arabian-Nubian Shield: *Journal of the Geological Society*, 157, 615-628.
- Blasband, B., Brooijmans, P., Dirks, P., Visser, W. & White, S., 1997. A Pan-African core complex in the Sinai, Egypt. *Geologie en Mijnbouw*, 73: 247-266.
- Bogoch, R., Avigad, D and Weissbrod, T., 2002. Geochemistry of the quartz-diorite – granite association, Roded area, southern Israel. *Journal of African Earth Sciences*, 35: 51-60.

- Bowden, R.A., Smith, G.H., and Hopwood, T., 1981, Reconnaissance geological map of the Jabal Sayid District: : Saudi Arabian Deputy Ministry for Mineral Resources Open File Report RF-OF-01-8.
- Bregar, M., Bauernhofer, A., Pelz, K., Kloetzli, U., Fritz, H. and Neumayr, P., 2002. A late Neoproterozoic magmatic core complex in the Eastern Desert: emplacement of granitoids in a wrench-tectonic setting. *Precambrian Research*, 118: 59-82.
- Brooijmans, P., Blasband, B., White, S. H., Visser, W. J. and Dirks, P., 2003. Geothermobarometric evidence for a metamorphic core complex in Sinai, Egypt. *Precambrian Research*, 123: 249-268.
- Brown, G.F., Schmidt, D.L. and Huffman, A.C. Jr., 1989. Geology of the Arabian Peninsula; shield area of Western Saudi Arabia. USGS Professional Paper, 560-A.
- Buick, I.S. and Holland, T.J.B., 1989. The P-T-t path associated with crustal extension, Naxos, Cyclades, Greece. In: Daly, J.S., Cliff, R.A., Yardley, B.W.D. (Eds.), *Evolution of Metamorphic Belts*. Geological Society London Special Publication 43: 365-369.
- Burchfiel, B.C., Cowan, D.S., and Davis, G.A., 1992. Tectonic overview of the Cordilleran orogen in the western United States. In Burchfiel, B.C., Lipman, P.W. and Zoback, M.I., (eds.), *The Cordilleran orogen: conterminous U.S. (The Geology of North America – G.3)*: 407-479.
- Burke, K. and Sengor, C., 1986. Tectonic escape in the evolution of the continental crust. *American Geophysical Union Geodynamics Series*, 14: 41-53.
- Calvez, J.Y and Kemp, J., 1982, Geochronological investigations in the Mahd adh Dhahab quadrangle, central Arabian Shield: Saudi Arabian Deputy Ministry for Mineral Resources Technical Record BRGM-TR-02-5, 41 p.
- Chardon, D., Andronicos, C.L., and Hollister, L.S., 1999. Large-scale transpressive shear zone patterns and displacements within magmatic arcs: The Coast Plutonic Complex, British Columbia. *Tectonics*, 18: 278-292.
- Choukroune, P., Gapais, D. and Merle, O. 1987. Shear criteria and structural symmetry. *Journal of Structural Geology* 9: 525-530.
- Claeson, S., Pallister, J.S. and Tatsumoto, M., 1984. Samarium-Neodymium data on two Neoproterozoic ophiolites of Saudi Arabia and implications for crustal and mantle evolution. *Contributions to Mineralogy and Petrology*, 85: 244-252.
- Clark, M.D., 1985. Late Proterozoic crustal evolution of the Midyan region, northwestern Saudi Arabia. *Geology*, 13: 611-615.
- Cloos, M., 1993. Lithospheric buoyancy and collisional orogenesis: Subduction of oceanic plateaus, continental margins, island arcs, spreading ridges, and seamounts. *Geological Society of America Bulletin*, 105: 715-737.
- Cobbold, P.R. and Gapais, D., 1987. Shear criteria in rocks: an introductory review. *Journal of Structural Geology* 9: 521-523.
- Cole, R.B., Ridgway, K.D., Layer, P.W. and Drake, J., 1999, Kinematics of basin development during the transition from terrane accretion to strike-slip tectonics, Late Cretaceous-early Tertiary Cantwell Formation, south central Alaska: *Tectonics*, 18 1224-1244.
- Coney, P.J. and Harms, T.A., 1984. Cordilleran metamorphic core complexes: Cenozoic relicts of Mesozoic compression. *Geology*, 12: 550-554.
- Coney, P.J., 1989. Structural aspects of suspect and accretionary tectonics in western North America. *Journal of Structural Geology*, 11: 107-125.
- Corti, G., Carminati, G., Mazzarini, F. and Garcia, M.O., 2005, Active strike-slip faulting in El Salvador, Central America. *Geology*, 33: 989-992.
- Davis, G.A. and Lister G.S., 1988. Detachment faulting in continental extension; Perspectives from the Southwestern U.S. Cordillera. *Geological Society of America, Special Paper* 218: 133-159.
- Davis, G.A., 1980. Structural characteristics of metamorphic core complexes, southern Arizona. *Geological Society of America Memoir* 153: 35-77.
- Davis, G.A., 1987. A shear-zone model for the structural evolution of metamorphic core complexes in southeastern Arizona. In: Coward, M.P., Dewey, J.F., Hancock, P.L. (Eds.), *Continental Extensional Tectonics*. Geological Society London Special Publication 28: 247-266.
- Davis, G.H., 1980. Structural characteristics of metamorphic core complexes, southern Arizona. In: Crittenden, M.D., Coney, P.J. and Davis, G.H. (eds) *Cordilleran Core Complexes*. Geological Society of America Memoir 153: 35-77.
- Davis, G.H., 1984, Structural geology of rocks and regions. John Wiley and sons, 492 pp.
- De Souza Filho, C.R., Drury S.A., 1998. A Neoproterozoic supra-subduction terrane in northern Eritrea, NE Africa. *Journal of the Geological Society*, 155: 551-566.
- De Yoreo, J.J., Lux, D.R. and Guidotti, C.V., 1991. Thermal modeling in low-pressure/high-temperature metamorphic belts. *Tectonophysics* 188: 209-238.
- Dewey, J.F., 1988. Extensional collapse of orogens. *Tectonics* 7: 1123-1139.
- Dick, H.J.B and Bullen, T., , 1984, Chromian spinel as a petrogenetic indicator in abyssal and alpine peridotites and spatially associated lavas: *Contributions to mineralogy and Petrology*, v.86, p. 54-76.
- Dilek, Y. and Ahmed, Z., 2003. Proterozoic ophiolites of the Arabian Shield and their significance in Precambrian tectonics. In Dilek, Y. and Robinson, P.T., 2003 (eds) *Ophiolites in earth history*. Geological Society Special Publications, 218: 685-700.
- Dilek, Y., 2003. Ophiolite concept and its evolution. In Dilek, Y and Newcomb, S., (eds) *Ophiolite concept and the evolution of geological thought*. Geological Society of America Special Paper, 373: 1-16.
- Dixon, T.H., Stern, R.J. and Hussein, I.M., 1987. Control of Red Sea rift geometry by Precambrian structures. *Tectonics*, 6: 551-571.
- Dodge, F.C.W., 1979. The Uyajah ring structure, Kingdom of Saudi Arabia. U.S. Geological Survey Professional Paper, 774-E.
- Dunlop, H.M., Kemp, J., and Calvez, J.Y, 1986, Geochronology and isotope geochemistry of the Bir Umq mafic-ultramafic complex and Arj-group volcanic rocks, Mahd adh Dhahab quadrangle, central Arabian Shield: Saudi Arabian Deputy Ministry for Mineral Resources Open-File Record BRGM-OF-07-7, 38 p.

References

- Dunnet, D., 1969. A technique of finite strain analysis using elliptical particles. *Tectonophysics* 7: 117-136.
- El Akhal, H., 1993. Transect of a tectonic melange to an island-arc in the Pan-African of SE Egypt (Wadi Ghadir area). Scientific series of the International Bureau/Forschungszentrum Jülich GmbH, 20.
- El Akhal, H., 1993. Transect of a tectonic melange to an island-arc in the Pan-African of SE Egypt (Wadi Ghadir area). Scientific series of the International Bureau/Forschungszentrum Jülich GmbH, 20.
- El Din, G.M.K., 1993. Geochemistry and tectonic significance of the Pan-African El Sibai Window, Central Eastern Desert, Egypt. Scientific series of the International Bureau/Forschungszentrum Jülich GmbH, 19.
- El Din, K.G.M., Khudeir, A.A. and Greiling, R.O., 1991. Tectonic evolution of a Pan-African gneiss culmination, Gabal El Sibai area, Central Eastern Desert, Egypt. *Zentralblatt fuer Geologie und Palaeontologie*, Teil I, 11: 2637-2640.
- El Gaby, S., El Nady, O. and Khudeir, A., 1984. Tectonic evolution of the basement complex in the Central Eastern Desert of Egypt. *Geologische Rundschau*, 73: 1019-1036.
- El Shazly, S.M. and El Sayad, M.M., 2000. Petrogenesis of the Pan-African El-Bula suite, central Eastern Desert, Egypt. *Journal of African Earth Sciences*, 31: 317-336.
- Ellis, M. and Watkinson, A.J., 1987. Orogen-parallel extension and oblique tectonics: the relation between stretching lineations and relative plate motions. *Geology*, 15: 1022-1026.
- El-Nisr, S. A., El-Sayed, M. M. and Saleh, G. M., 2001. Geochemistry and petrogenesis of Pan-African late- to post-orogenic younger granitoids at Shalatin-Halaib, south Eastern Desert, Egypt. *Journal of African Earth Sciences*, 33: 261-282
- El-Sayed, M.M. and El-Nisr, S.A., 1999. Petrogenesis and evolution of the Dineibit El-Quleib hyperaluminous leucogranite, Southeastern Egypt: petrological and geochemical constraints. *Journal of African Earth Sciences*, 28: 703-720.
- Ernest Anderson, R., 1977. Geology of the Wadi Tarj Quadrangle, Sheet 19/42 A, Kingdom of Saudi Arabia: Saudi Arabian Directorate General of Mineral Resources Geologic Map GM-24, 24p. Scale 1:100.000.
- Ernst, W.G., 2003. High-pressure and ultrahigh-pressure metamorphic belts – Subduction, recrystallization, exhumation, and significance for ophiolite study. In Dilek, Y and Newcomb, S., (eds) Ophiolite concept and the evolution of geological thought. Geological Society of America Special Paper, 373: 365-384.
- Eyal, E., Eyal, M. and Kroner, A., 1991. The geochronology of the Elat terrain, metamorphic basement, and its implication for crustal evolution of the NE part of the Arabian-Nubian Shield. *Israel Journal Earth Sciences* 40: 5-16.
- Faulds, J.E. and Stewart, J.H. 1998. Accommodation zones and transfer zones: The regional segmentation of the Basin and Range Province, Geological Society of America Special Paper, 323.
- Fisher, D. M., Gardner, T.M., Marshall, J.S. and Montero, W. P., 1994. Kinematics associated with late Cenozoic deformation in central Costa Rica: Western boundary of the Panama microplate. *Geology* 22: 263–266.
- Fleck, R.J., Greenwood, W.R., Hadley, D.G., Anderson, R.E and Schmidt, D.L., 1980. Rubidium-strontium geochronology and plate-tectonic evolution of the southern part of the Arabian Shield. U.S. Geological Survey Professional Paper, 1131.
- Flower, M.F.J. 2003. Ophiolites, historical contingency, and the Wilson cycle. In Dilek, Y and Newcomb, S., (eds) Ophiolite concept and the evolution of geological thought. Geological Society of America Special Paper, 373, 111-135.
- Folkman, Y. and Assael, R., 1980b. Aeromagnetic map of Sinai; 1:500 000. Survey of Israel, Jerusalem.
- Folkman, Y. and Assael, R., 1980a. Gravity map of Sinai (relative Bouguer anomalies); 1:500 000. Survey of Israel, Jerusalem.
- Fowler, T. J. and Osman, A. F., 2001. Gneiss-cored interference dome associated with two phases of late Pan-African thrusting in the Central Eastern Desert, Egypt. *Precambrian Research*, 108: 17-43
- Fritz, H., Dallmeyer, D.R., Wallbrecher, E., Loizenbauer, J., Hoinkes, G., Neumayer, P. and Khudeir, A.A., 2002. Neoproterozoic tectonothermal evolution of the Central Eastern Desert, Egypt: a slow velocity tectonic process of core complex exhumation. *Journal of African Earth Sciences*, 34: 137-155.
- Fritz, H., Wallbrecher, E., Khudeir, A.A., Abu El Ela, F. and Dallmeyer, D.R., 1996. Formation of Neoproterozoic metamorphic core complexes during oblique convergence (Eastern Desert, Egypt). *Journal of African Earth Sciences*, 23: 311-329.
- Fueten, F., Robin, P-Y.F. and Stephens R., 1991. A model for the development of a dominal quartz c-axis fabric in a coarse-grained gneiss. *Journal of Structural Geology* 13: 1111-1124.
- Furnes, H., Shimron, A.E. & and. Roberts, 1985. Geochemistry of Pan-African volcanic arc sequences in southeastern Sinai Peninsula and plate tectonic implications. *Precambrian Research*. 29: 359-382.
- Gans, P.B., Mahood, G.A. and Schermer, E., 1989. Synextensional magmatism in the Basin and Range Province; a case study from the eastern Great Basin. *Geological Society of America Special Paper* 233.
- Garson, M. S. and Shalaby, I. M., 1976. Precambrian-Lower Paleozoic plate tectonics and metallogenesis in the Red Sea region. *Geol. Assoc. Canada, Special Paper*, 14: 573-96.
- Gass, I. G., 1977. The evolution of the Pan African crystalline basement in NE Africa and Arabia. *Journal of the Geological Society*, 134:129-138.
- Gautier, P. and Brun, J.P., 1994. Ductile crust and exhumation and extensional detachments in the central Aegean (Cyclades and Evvia Islands). *Geodinamica Acta* 7: 57-85.
- Ghazala, H.H., 1995. Structural interpretation of the Bouguer and aeromagnetic anomalies in the central Sinai. *Journal. of African Earth Sciences* 19: 35-42.
- Ghebreab, W., 1999. Tectono-metamorphic history of Neoproterozoic rocks in eastern Eritrea. *Precambrian Research*, 98: 83-105.
- Ghent, E.D. and Stout, M.Z., 1981. Geobarometry and geothermometry of Plagioclase-Biotite-Garnet-Muscovite assemblages. *Contributions to Mineralogy and Petrology* 76: 92-97.
- Gibson, R.L., 1992. Sequential, syndeformational porphyroblast growth during Hercynian low-pressure/high-temperature metamorphism in the Canigou massif, Pyrenees. *Journal of metamorphic Geology* 10: 637-650.

- Green, T.H., 1982. Anatexis of mafic crust and high pressure crystallization of andesite: *in* Thorpe, R.S., (ed.) Andesites; Orogenic andesites and related rocks, John Wiley and Sons: 465-488.
- Greene, R.C., 1982. Reconnaissance geology of the Thaniyah Quadrangle, Sheet 20/42 C, Kingdom of Saudi Arabia, Saudi Arabian Deputy Ministry for Mineral Resources Open-File Report USGS-OF-02-84, 22p., scale 1: 100.000.
- Greenwood, W. R., Jackson, R.O. and Johnson, P.R., 1986. Geologic Map of the Jabal Hasir Quadrangle, sheet 19 F, Kingdom of Saudi Arabia: Saudi Arabian Deputy Ministry for Mineral Resources Map GM 94-C, 31p., scale 1: 250.000.
- Greiling, R.O., Abdeen, M.M., Dardir, A.A., El Akhal, H., El Ramly, M.F., Kmal El Din, G.M., Osman, A.F., Rahwan A.A., Rice, A.A. and Sadek, M.F., 1994. A structural synthesis of the Proterozoic Arabian-Nubian Shield in Egypt. *Geologisches Rundschau*, 83: 484-501.
- Greiling, R.O., El Ramly, M.F., El Akhal, H. and Stern, R.J., 1988. Tectonic evolution of the northwestern Red Sea magin as related to basement structure. *Tectonophysics*, 153: 179-191.
- Greiling, R.O., Kröner, A. and El Ramly, M.F., 1984. Structural interference patterns and their origin in the Pan-African basement of the southeastern Desert of Egypt. In Greiling, R. and Kröner, A. (eds) Precambrian Tectonics Illustrated: 401-413.
- Grothaus, B., Eppler, D. and Ehrlich, R., 1979. Depositional environment and structural implications of the Hammamat Formation. *Annals of the Geological Survey of Egypt*, 9: 564-590.
- Habib, M.E., Ahmed, A.A. and El Nady, O.M., 1985. Tectonic evolution of the Meatiq infrastructure, Central Eastern Desert. *Tectonics*, 7: 613-627.
- Hadley, D.G. and Schmidt, L.S., 1980. Sedimentary rocks of the Arabian Shield and their evolution. *I.A.G. Bulletin*, 3: 26-50.
- Halpern, M. and Tristan N., 1981. Geochronology of the Arabian-Nubian Shield in southern Israel and eastern Sinai. *Journal of Geology* 89: 639-648.
- Halpern, M., 1980. "Pan-African" isochron ages of Sinai igneous rocks. *Geology* 8: 639-648.
- Hanmer, S., 1986. Asymmetrical pull-aparts and foliation fish as kinematic indicators. *Journal of Structural Geology* 8: 111-112.
- Harms, U., Darbyshire, D.B.F., Denkler, T., Hengst, M. and Schandlmeier, H., 1994. Evolution of the Neoproterozoic Delgo suture zone and crustal growth in Northern Sudan,: geochemical and radiogenic isotope constraints. *Geologisches Rundschau*, 83: 591-603.
- Harrel, J.A. and Brown, V.M., 1992. The world's oldest geological map: the 1150 B.C. Turin Papyrus from Egypt. *Journal of Geology*, 100: 3-18.
- Harris, N.B.W., Hawkesworth, C.J. and Tindle, A.G., 1993. The growth of continental crust during the Neoproterozoic: geochemical evidence from the Arabian Shield: *in* Prichard, H.M., Harris, N.B.W. and Neary, C.R. (eds.), Magmatic processes and plate tectonics, Geological Society Special Publication, 76: 363-371.
- Hassanen, M. A. , El-Nisr, S.A. and Mohammed, F.H., 1996. Geochemistry and petrogenesis of Pan-African I-type granitoids at Gabal Igla Ahmar, Eastern Desert, Egypt. *Journal of African Earth Sciences*, 22: 29-42.
- Hassanen, M.A., 1997. Post-collisional A-type granites of Homrit Wagat Complex, Egypt: Petrological and geochemical constraints on its origin. *Precambrian Research*, 82: 211-236.
- Hawkins, J.W., 2003. Geology of supra-subduction zones – Implications for the origin ophiolites. In Dilek, Y and Newcomb, S., (eds) Ophiolite concept and the evolution of geological thought. Geological Society of America Special Paper, 373: 227-268.
- Hazlett, R.W., 1990. Extension related Miocene volcanism in the Mopah Range volcanic field, southeastern California. In Anderson, J.L.(ed.) The nature and origin of Cordilleran magmatism Geological of Society of America Memoir 174: 133-145
- Hildreth, W. and Moorbath, S., 1988. Crustal contribution to arc magmatism in the Andes and central Chile. *Contributions to Mineralogy and Petrology*, 98: 455-489.
- Holland, T.J.B. and Blundy, J., 1994. Non-ideal interactions in calcic amphiboles and their bearing on amphibole-plagioclase thermometry. *Contributions to Mineralogy and Petrology* 116: 433-447.
- Holland, T.J.B. and Powell, R., 1992. Plagioclase feldspars: activity-composition relations based upon Darken's Quadratic Formalism and Landau theory. *American Mineralogy* 77: 53-61.
- Hopwood, T., An exploration study of metal deposits in the Jabal Sayid region: Saudi Arabian Directorate General of Mineral Resources RFO-1979-9, 169 p.
- House, M.A., Hodges, K.V. and Bowring, S.A., 1997. Petrological and geochronological constraints on regional metamorphism along the northern border of the Bitterroot batholith. *Journal of metamorphic Geology* 15: 753-764.
- Husseini, M.I. and Husseini, S.I., 1990. Origin of the Infracambrian salt basins of the Middle East. In: Brooks, J., (ed) Classic Petroleum Provinces. Geological Society London Special Publications, 50: 279-292.
- Husseini, M.I., 1988. The Arabian Infracambrian extensional system. *Tectonophysics* 148: 93-143.
- Husseini, M.I., 1989. Tectonic and deposition model of Late Precambrian-Cambrian Arabian and adjoining plates. *The American Association of Petroleum Geologists Bulletin*, 73: 1117-1131.
- Jackson, J.N. and Ramsay, C.R., 1984. Time-space relationships of Upper Precambrian volcanic and sedimentary units in the Central Arabian Shield. *Journal of the Geological Society*, 140: 617-628.
- Jackson, N.J., 1986. Petrogenesis and evolution of Arabian felsic plutonic rocks. *Journal of African Earth Sciences*, 4, 47-59.
- Jarar, G., Stern, R.J., Saffarini, G. and Al-Zubi, H., 2003. Late- and post orogenic Neoproterozoic intrusions of Jordan: implications for crustal growth in the northernmost segment of the East African Orogen. *Precambrian Research*, 123: 295-319.
- Jarrar, G., Wachendorf, H. and Saffarini, G., 1992. A Neoproterozoic bimodal volcanic/subvolcanic suite from the Wadi Araba, southwest Jordan. *Precambrian Research*, 56: 51-72.
- Jarrar, G., Wachendorf, H. and Zellmer, H., 1991. The Saramuj Conglomerate: Evolution of a Pan-African molasse sequence from southwest Jordan. *Neues Jahrbuch Geologie Paläontologie Mh.*, 6: 335-356.
- Jessel, M.W. and Lister, G.S., 1990. A simulation of temperature dependence of quartz fabrics. In: Knipe, R.J. & E.H. Rutter

References

- (eds) Deformation mechanisms, rheology and tectonics. Geological Society Special Publication 54: 335-352.
- Johnson, P.R. 1999. Tectonic development of the Arabian Shield. Contribution to IUGS/UNESCO Deposit Modelling Workshop, p.1
- Johnson, P.R. and Kattan, F. 1999a, The timing and kinematics of a suturing event in the northeastern part of the Arabian Shield, Kingdom of Saudi Arabia: Saudi Arabian Deputy Ministry for Mineral Resources Open File Report USGS-OF-99-3, 29p.
- Johnson, P.R. and Kattan, F. 1999b, The Ruwah, Ar Rika, and Halaban-Zarghat fault zones: northwest-trending Neoproterozoic brittle-ductile shear zones in west-central Saudi Arabia: In De Wall, H. & Greiling, R.O. (eds) Aspects of Pan-African Tectonics Proceedings of a discussion meeting at Heidelberg, October 1998. Series International Cooperation, Bilateral Seminars, Forschungszentrum Jülich, 32, 75-79.
- Johnson, P.R. and Kattan, F., 2001. Oblique sinistral transpression in the Arabian shield: the timing and kinematics of a Neoproterozoic suture zone. *Precambrian Research*, 107: 117-138.
- Johnson, P.R. and Stewart, I.C.F., 1995. Magnetically inferred basement structure in central Saudi Arabia. *Tectonophysics*, 245: 37-52.
- Johnson, P.R., 1996. Geochronologic and isotopic data for rocks in the east-central part of the Arabian Shield: stratigraphic and tectonic implications. Saudi Arabian Deputy for Mineral Resources, Open-File Report USGS-OF-3.
- Johnson, P.R., 1998. The structural geology of the Samran-Shayban area, Kingdom of Saudi Arabia: Saudi Arabian Deputy Ministry for Mineral Resources Open File Report USGS-OF-98-2, 45p.
- Johnson, P.R., 2003. Post-amalgamation basins of the NE Arabian shield and implications for Neoproterozoic III tectonism in the northern East African orogen. *Precambrian Research*, 123: 321-337.
- Johnson, P.R., Abdelsalam, M. and Stern, R.J., 2002, The Bir Umq-Nakasib fault zone: Geology and structure of a Neoproterozoic suture, Kingdom of Saudi Arabia and Sudan: Saudi Geological Survey Open-File Report SG-OF-2002-1.
- Johnson, P.R., Kattan, F.H. and Wooden, J.L., 2001. Implications of SHRIMP and Microstructural Data on the Age and Kinematics of Shearing in the Asir Terrane, Southern Arabian Shield, Saudi Arabia. *Gondwana Research*, 4: 172-173
- Johnson, P.R., Scheibner, E and Alan Smith, E. 1987, Basement fragments, accreted tectonostratigraphic terranes, and overlap sequences: elements in the tectonic evolution of the Arabian Shield. In: Kröner, A.(ed.) Proterozoic lithospheric evolution. American Geophysical Union Geodynamics Series, 17, 235-257.
- Johnson, P.R., Kattan, F. and A-Salah, A., 2004. Neoproterozoic ophiolites in the Arabian-Shield: field relations and structures. In ed: Kusky, T. 2004. Precambrian ophiolites, 13
- Kay, S.M., Mpodozis, C, Ramos, V.A. and Munizaga, F., 1991. Magma source variations for mid-late Tertiary magmatic rocks associated with a shallowing subduction zone and a thickening crust in the central Andes (28 to 33°). In: Harmon, R.S. and Rapela, C.W., eds. Andean magmatism and its tectonic setting, Geological Society of America Special Paper 265, 113-137.
- Kemp, J., 1996. The Kuara Formation (northern Arabian Shield); definition and interpretation: a probable fault-trough sedimentary succession. *Journal of African Earth Sciences*, 22: 507-523.
- Kemp, J., Pellaton, C. and Calvez, J.Y., 1980. Geochronological investigations and geological history in the Precambrian of northwestern Saudi Arabia. Saudi Arabian Deputy Ministry for Mineral Resources Open-File Report, BRGGM-OF-01-1.
- Kessel, R., Stein, M. and Navon, O., 1998. Petrogenesis of Late Neoproterozoic dikes in the Northern Arabian-Nubian Shield. Implications for the origin of A-type granites. *Precambrian Research*, 92: 195-213.
- Kleemann, U. and Reinhardt, J., 1994. Garnet-biotite thermometry revisited: The effect of AlVI and Ti in biotite. *European Journal of Mineralogy* 6: 925-941.
- Kohn, B.P. and Eyal, M., 1981. History of the uplift of the crystalline basement of Sinai and its relation to the opening of the Red Sea as revealed by fission track dating of apatites. *Earth and Planetary Science Letters* 52: 129-141.
- Kröner, A., 1985. Ophiolites, and the evolution of tectonic boundaries in the Neoproterozoic Arabian-Nubian Shield of Northeast Africa and Arabia. *Precambrian Research*, 27: 235-257.
- Kröner, A., Greiling, R., Reischman, T., Hussein, I.M., Stern, R.J., Durr, S., Kruger, J. and Zimmer, M., 1987. Pan-African crustal evolution in the Nubian segment of northeast Africa. In: Kröner, A.(ed.) Proterozoic lithospheric evolution. American Geophysical Union Geodynamics Series, 17: 235-257.
- Kröner, A., Todt, W., Hussein, I.M., Mansour, M. and Rashwan, A.A., 1992. Dating of Neoproterozoic ophiolites in Egypt and the Sudan using the single grain zircon evaporation technique. *Precambrian Research*, 59: 15-32.
- Kuster, D. and Harms, U., 1998. Post-collisional potassic granitoids from the southern and northwestern parts of the Late Neoproterozoic East African Orogen: a review. *Lithos*, 45: 177-195
- Küster, D. and Liégeois, J.P., 2001. Sr, Nd isotopes and geochemistry of the Bayuda Desert high-grade metamorphic basement (Sudan): an early Pan-African oceanic convergent margin, not the edge of the East Saharan ghost craton? *Precambrian Research*, 109: 1-23.
- Laird, J. and Albee, A.L., 1981. Pressure, temperature and time indicators in mafic schists: their application to reconstructing the polymetamorphic history of Vermont. *American Journal of Science* 281: 127-175.
- Law, R.D. 1990 Crystallographic fabrics: a selective review of their applications to research in structural geology. In: Knipe, R.J. & E.H. Rutter (eds) Deformation mechanisms, rheology and tectonics. Geological Society Special Publication 54: 335-352.
- Le Bel, L and Laval, M., 1986. Felsic plutonism in the Al Amar-Idsas area, Kingdom of Saudi Arabia. *Journal of African Earth Sciences*, 4: 87-98.
- Le Metour, J., Johan, V., and Tegvey, M., 1982, Relationships between ultramafic-mafic complexes and volcanosedimentary rocks in the Precambrian Arabian Shield: Saudi Arabian Deputy Ministry for Mineral Resources Open File Report BRGM-OF-02-15, 108 p.
- Le Theoff, B., 1979. Non-coaxial deformation of elliptical particles. *Tectonophysics* 53: T7-T13.
- Leake, B.E., 1978. Nomenclature of amphiboles. *American Mineralogy* 63: 1023-1052.

- Lisle, R.J., 1977. Estimation of the tectonic strain ratio from the mean shape of deformed elliptical markers. *Tectonophysics* 56: 140-144.
- Lisle, R.J., 1985. Geological Strain Analysis: A Manual for the Rf/ Φ Technique. Pergamon, Oxford, 99 pp.
- Lister, G.S. and Baldwin, S.L., 1993. Plutonism and the origin of metamorphic core complexes. *Geology* 21: 607-610.
- Lister, G.S. and Hobbs, B.E., 1980. The simulation of fabric development during plastic deformation and its application to quartzite: the influence of the deformation history. *Journal of Structural Geology* 2: 355-370.
- Lister, G.S., Banga, G. and Feenstra, A., 1984. Metamorphic core complexes of the Cordilleran type in the Cyclades, Aegean Sea, Greece. *Geology* 12: 221-225.
- Lister, G.S., Etheridge M.A. and Symonds P.A., 1986. Detachment faulting and the evolution of passive continental margins. *Geology*, 14: 246-250.
- Liu, M. and Furlong, K.P., 1993. Crustal Shortening and Eocene extension in the southeastern Canadian Cordillera: Some thermal and rheological considerations. *Tectonics* 12: 776-786.
- Loizenbauer, J., Wallbrecher, E., Fritz, H., Neumayer, P., Khudeir, A.A. and Kloetzli, U., 2001. Structural geology, single zircon ages and fluid inclusion studies of the Meatiq metamorphic core complex: Implications for Neoproterozoic tectonics in the Eastern Desert of Egypt. *Precambrian Research*, 110: 357-383.
- Lucchitta, I. and Suneson, N.H. 1996. Timing and character of deformation along the margin of a metamorphic core complex, west-central Arizona. In Beratan, K.K. (ed.) Reconstructing the history of the Basin and Range extension using sedimentology and stratigraphy, Geological Society of America Special Paper, 303: 27-59.
- Mahar, E.M., Baker, J.M., Powell, R., Holland, T.J.B. and Howell, N., 1997. The effect of Mn on mineral stability in metapelites. *Journal of metamorphic Geology* 15: 223-238.
- Malavieille, J. 1993 Late orogenic extension in mountain belts: Insights from the Basin and Range and the Late Paleozoic Variscan Belt. *Tectonics* 12: 1115—1130.
- Malavieille, J., 1987. Kinematics of compressional and extensional ductile shearing deformation in a metamorphic core of the northern Basin and Range. *Journal of Structural Geology* 9: 541-554.
- Marzouki, F. and Divi, R., 1989. Geology, petrology and geochemistry of Jabal Afaf, western Arabian Shield, Kingdom of Saudi Arabia. *N. Jb. Geol. Paläont. Mh.*, 1989, 11: 656-670.
- McDougall, I. and Harisson, T.M., 1999. Geochronology and thermochronology by the $^{40}\text{Ar}/^{39}\text{Ar}$ Method. Oxford University Press, 269pp.
- Means, W.D., 1994. Rotational quantities in homogeneous flow and the development of small scale structures. *Journal of Structural Geology* 16: 437-445.
- Meissner, R. and Mooney, M., 1998. Weakness of the lower continental crust: a condition for delamination, uplift, and escape. *Tectonophysics*, 296: 47-60.
- Liu, M., 2001. Cenozoic extension and magmatism in the North America Cordillera: the role of gravitational collapse. *Tectonophysics*, 342: 407-433.
- Merrihue, C and Turner, G., 1966. Potassium-argon dating by activation with fast neutrons. *Journal of Geophysical Research*, 71: 2852-2857.
- Miller M.M. and Dixon T.H., 1992. Neoproterozoic evolution of the northern part of the Hamisana zone, northeast Sudan: constraints on Pan-African accretionary tectonics. *Journal of the Geological Society*, 5: 743-750.
- Miller, M.M. and Dixon, T.H., 1992. Proterozoic evolution of the northern part of the Hamisana zone, northeast Sudan: Constraints on Pan-African accretionary tectonics. *Journal of the Geological Society*, 149: 743-750.
- Miyashiro, A., 1994. Metamorphic Petrology: UCL Press, 404p.
- Moghazi, A.M., Mohamed, F.H. and Kanisawa, F., 1999. Geochemical and petrological evidence of calc-alkaline magmatism in the Homrit Wagat and El-Yatima areas of eastern Egypt. *Journal of African Earth Sciences*, 29: 535-549.
- Moghazi, A.M., 2003. Geochemistry and petrogenesis of a high-K calc-alkaline Dokhan Volcanic suite, South Safaga area, Egypt: the role of late Neoproterozoic crustal extension. *Precambrian Research*, 125: 161-178.
- Moghazi, A.M., Andersen, T., Oweiss, G.A. and El Bouseily, A.M., 1998. Geochemical and Sr-Nd-Pb isotopic data bearing on the origin of Pan-African granitoids in the Kid area, southeast Sinai, Egypt. *Journal of the Geological Society*, 155: 697-710.
- Mohammed, F.H. and Hassanen, M.A., 1996. Geochemical evolution of arc-related mafic plutonism in the Umm Naghat district, Eastern Desert of Egypt. *Journal of African Earth Sciences*, 3: 269-283.
- Monger, J.W.H., Price, R.A. and Tempelman-Kluit, D.J., 1982. Tectonic accretion and origin of two major metamorphic and plutonic wels in the Canadian Cordillera. *Geology*, 10: 71-75.
- Moore, J.M., 1979. Tectonics of the Najd Transcurrent Fault System, Saudi Arabia. *Journal of the Geological Society*, London, 136: 441-454.
- Moore, J.M., 1979. Tectonics of the Najd Transcurrent Fault System, Saudi Arabia. *Journal of the Geological Society*, London, 136: 441-454.
- Nelson Eby, G., 1990. The A-type granitoids: a review of their occurrence and chemical characteristics and speculations on their petrogenesis. *Lithos*, 26: 115-134.
- Oldow, J.S., Bally, A., W., Avé Lallement, H.G., and Leeman, W.P., 1989, Phanerozoic evolution of the North American Cordillera; United States and Canada, In Bally A.W. and A.R. Palmer, eds., *The Geology of North America-An overview*. The Geological Society of America., p. 139-232,
- Pallister, J.S., Stacey, J.S., Fischer, L.B. and Premo, W.R., 1988. Precambrian ophiolites of Arabia: geologic settings, U-Pb geochronology, Pb-isotope characteristics, and implications for continental accretion. *Precambrian Research*, 38: 1-54.
- Pallister, J.S., Stacey, J.S., Fischer, L.B. and Premo, W.R., 1988. Precambrian ophiolites of Arabia: geologic settings, U-Pb geochronology, Pb-isotope characteristics, and implications for continental accretion. *Precambrian Research*, 38: 1-54.
- Passchier, C.W. and Trouw, R.A.J., 1996. *Microtectonics*: Springer, 289p.

References

- Pearce, J.A. and Parkinson, I.J., 1993. Trace element models for mantle melting: application to volcanic arc petrogenesis. In Prichard, H.M., Harris, N.B.W. and Neary, C.R. (eds.), *Magmatic processes and plate tectonics*, Geological Society Special Publication, 76: 373-403.
- Pearce, J.A., 2003. Supra-subduction zone ophiolites: The search for modern analogues. In Dilek, Y and Newcomb, S., (eds) *Ophiolite concept and the evolution of geological thought*. Geological Society of America Special Paper, 373: 269-293.
- Pearce, J.A., 2003. Supra-subduction zone ophiolites: The search for modern analogues. In Dilek, Y and Newcomb, S., (eds) *Ophiolite concept and the evolution of geological thought*. Geological Society of America Special Paper, 373: 269-293.
- Pearce, J.A., Harris, N.B and Tindle, A.G., 1984. Trace element discrimination diagrams for the tectonic interpretation of granitic rocks. *Journal of Petrology*, 25: 956-983.
- Platt, J.P. & Vissers, R.L.M., 1980. Extensional structures in anisotropic rocks. *Journal of Structural Geology* 2: 397-410.
- Powell, R. and Holland, T.J.B., 1988. An internally consistent dataset with uncertainties and correlations: 3. Applications to geobarometry, worked examples and a computer program. *Journal of metamorphic Geology* 6: 173-204.
- Price, G.P., 1985. Preferred orientation in quartzites. In: Wenk, H.R. (ed.) *Preferred orientation in deformed metals and rocks*. Academic Press. Orlando: 385-406.
- Price, N.J. and Cosgrove, J.W., 1990. Analysis of geological structures. Cambridge University Press, 502 pp
- Priem, H.N.A., Eyal, M., Hebeda, E.H. and Verdurmen, E.A.Th., 1984. U-Pb zircon dating in the Precambrian basement of the Arabo-Nubian Shield of the Sinai Peninsula. A progress report, ECOG VIII. *Terra Cognita* 4: 30-31.
- Pudlo, D. and Franz, G., 1994. Dike rock and magma interactions in the Bir Safsaf igneous complex, south-west Egypt: Implications for the Pan-African evolution in north-east Africa. *Geologisches Rundschau*, 83: 523-536.
- Quick, J.E., 1991. Neoproterozoic transpression on the Nabatih fault system - implications for the assembly of the Arabian Shield. *Precambrian Research*, 53: 119-147.
- Ragab, A.I., 1993. A geodynamic model for the distribution of the oceanic plate slivers within a Pan-African orogenic belt, Eastern Desert, Egypt. *Journal of Geodynamics* 17: 21-26.
- Ramsey, J.G. and Huber, M.I., 1983. The techniques of modern structural geology. 700 pages.
- Ranalli, G., Brown, R.L. and Bosdachin, R., 1989. A geodynamic model for extension in the Shuswap core complex, southeastern Canadian Cordillera. *Canadian Journal of Earth Sciences*, 26: 1647-1653.
- Rashwan, A.A., 1991. Petrography, geochemistry and petrogenesis of the Migif-Hafifit at Hafifit Mine area, Egypt. Scientific series of the International Bureau/Forschungszentrum Jülich GmbH, 5.
- Reymer, A.P.S., 1983. Metamorphism and tectonics of a Pan-African terrain in southeastern Sinai. *Precambrian Research* 19: 225-238.
- Reymer, A.P.S., 1984a. Metamorphism and tectonics of a Pan-African terrain in Southeastern Sinai - a reply. *Precambrian Research* 24: 189-197.
- Reymer, A.P.S., Matthews, A. and Navon, O., 1984. Pressure-temperature conditions in the Wadi Kid metamorphic Complex: implications for the Pan-African event in SE Sinai. *Contributions Mineralogy Petrology* 85: 336-345.
- Reynolds, S.J. and Lister, G.S., 1990. Folding of mylonitic zones in Cordilleran core complexes: Evidence from near the mylonitic front. *Geology* 18: 216-219.
- Rice, A.H.N., Greiling, R.O., Dardir, A.A., Rashwan, A.A. and Sadek, M.F., 1991. Pan-African extensional structures in the area south of the Hafifit Antiform, Eastern Desert of Egypt. *Zentralblatt für Geologie und Paläontologie*, Teil 1, 11: 2461-2651.
- Ries, A.C., Shackleton, R.M., Graham, R.H. and Fitches, W.R., 1983. Pan-African structures, ophiolites and melanges in the Eastern Desert of Egypt: a traverse at 26°N. *Journal of the Geological Society, London*, 140: 75-95.
- Rogers, J.J.W., Unrug, R. and Sultan, M., 1995. Tectonic assembly of Gondwana. *Journal of Geodynamics*, 19: 1-34
- Saleeby, J.B., 1982. Polygenetic Ophiolite Belt of the California Sierra Nevada: geochronological and tectonostrigraphic development: *Journal of Geophysical Research*, 87, B3, 1803-1824.
- Samson, S.D. and Patchett, P.J., 1991. The Canadian Cordillera as a modern analogue of Proterozoic crustal growth. *Australian Journal of Earth Sciences*, 38: 595-611.
- Schandlmeier, H., Abdel Rahman, E.M., Wipfler, E., Küster, D., Utke, A. and Matthejs, G., 1994. Neoproterozoic magmatism in the Nakasib suture, Red Sea Hills, Sudan. *Journal of the Geological Society*, 151: 485-497.
- Schmid, S.M. and Casey, M., 1986. Complete fabric analysis of some commonly observed quartz c-axis patterns. American Geophysical Union, Geophysical monograph 36: 263-286.
- Schmidt, D.L., Hadley, D.G. and Stoeser, D.B. 1980. Neoproterozoic crustal history of the Arabian Shield, Southern Najd Province, Kingdom of Saudi Arabia. I.A.G. Bulletin, 3: 41-58.
- Schürmann, H.M.E., 1966. The Pre-Cambrian along the Gulf of Suez and the Northern part of the Red Sea. Brill, Leiden.
- Sengupta, P., Dasgupta, S., Bhattacharya, P.K. and Mukherjee, M., 1990. An orthopyroxene-biotite geothermometer and its application in crustal granulites and mantle derived rocks. *Journal of metamorphic Geology* 8: 191-197.
- Shackleton, R. M., 1996. The final collision zone between East and West Gondwana: where is it? *Journal of African Earth Sciences*, 23: 271-287
- Shackleton, R.M., Ries, A.C., Graham, R.H., and Fitches, W.R., 1980. Late Precambrian ophiolitic melange in the eastern desert of Egypt. *Nature* 285: 472-474.
- Shalaby, A., Stüwe, K., Makroum, F., Fritz, H., Kebede, T. and Klötzli, U., 2005. The Wadi Mubarak belt, Eastern Desert of Egypt: a Neoproterozoic conjugate shear system in the Arabian-Nubian Shield. *Precambrian Research*, 136: 27-50
- Shervais, J.W., Murchey, B. L., Kimbrough, D. L., Renne, P. R. and Hanan, B, 2005. Radioisotopic and biostratigraphic age relations in the Coast Range Ophiolite, northern California: Implications for the tectonic evolution of the Western Cordillera. *Geological Society of America Bulletin*, 117: 633-653.
- Shantie, M. And Roobol, M.J., 1979. A late Neoproterozoic ophiolite complex at Jebel Ess in northern Saudi Arabia. *Nature*, 279: 488-491.

- Shimron, A.E., 1980. Proterozoic island arc volcanism and sedimentation in Sinai. *Precambrian Research* 12: 437-458.
- Shimron, A.E., 1983. The Tarr Complex revisited. The Tarr Complex: folding, thrusts and melanges in the southern Wadi Kid region, Sinai Peninsula. *Israel Journal of Earth Sciences* 32: 123-148.
- Shimron, A.E., 1984. Metamorphism and tectonics of a Pan-African terrain in southeastern Sinai. A discussion. *Precambrian Research* 24:173-188.
- Shimron, A.E., 1987. Pan-African metamorphism and deformation in the Wadi Kid Region, Sinai Peninsula: Evidence from porphyroblasts in the Umm Zariq Formation. *Israel Journal of Earth Science* 36: 173-193.
- Siender, G., Pringle, J.R. and Shimron, A.E., 1974. Age of relationships in basement rocks of the Sinai Peninsula. *Proceedings, International Meetings Geochronology, Cosmochronology and Isotope Geology*, Paris.
- Simpson, C. and Schmid, S.M., 1983. An evaluation of criteria to deduce the sense of movement in sheared rocks. *Geological Society of America Bulletin* 94: 1281-1288.
- Spear, F.S. and Cheney, J.T., 1989. A petrogenetic grid for pelitic schists in the system $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-FeO-MgO-K}_2\text{O-H}_2\text{O}$. *Contributions to Mineralogy and Petrology* 101: 149-164.
- Spear, F.S., 1991. On the interpretation of peak metamorphic temperatures in the light of garnet diffusion during cooling. *Journal of Metamorphic Geology* 9: 379-388.
- Spencer, J.E., 1984. Role of tectonic denudation in warping and uplift of low-angle normal faults. *Geology* 12: 95-98.
- Stern, R.J. and Bloomer, S.H., 1992. Subduction zone infancy; examples from the Eocene Izu-Bonin-Mariana and Jurassic California arcs. *Geological Society of America Bulletin*, 104: 1621-1636.
- Stern, R.J. and Hedge, C.E., 1985. Geochronologic and isotopic constraints on Late Precambrian crustal evolution in the Eastern Desert of Egypt. *American Journal of Science*, 285: 97-127.
- Stern, R.J. and Manton, W.I., 1987. Age of Feiran basement rocks, Sinai: implications for late Precambrian crustal evolution in the northern Arabian-Nubian Shield. *Journal of the Geological Society* 144: 569-575.
- Stern, R.J., 1985. The Najd fault system, Saudi Arabia and Egypt: A late Precambrian rift related transform system? *Tectonics* 4: 497-511.
- Stern, R.J., 1985. The Najd fault system, Saudi Arabia, and Egypt: A late Precambrian rift-related transform system? *Tectonics*, 4: 497-511.
- Stern, R.J., 1994. Arc assembly and continental collision in the Neoproterozoic East African Orogen: Implications for the consolidation of Gondwanaland. *Annual Reviews of Earth and Planetary Sciences*, 22: 319-351.
- Stern, R.J., 2005. Evidence from ophiolites, blueschists, and ultrahigh-pressure metamorphic terranes that the modern episode of subduction tectonics began in Neoproterozoic time. *Geology*, 33: 557-560.
- Stern, R.J., Gottfried, D. and Hedge, C.E., 1984. Late Precambrian rifting and crustal evolution in the Northeastern Desert of Egypt. *Geology*, 12: 168-172.
- Stern, R.J., Nielsen, K.C., Best, E., Sultan, M., Arvidson, R.E. and Kröner, A., 1990. Orientation of late Precambrian sutures in the Arabian-Shield shield. *Geology*, 18: 1103-1106.
- Stern, R.J., Johnson, P.R., Kröner, A. and Yibas, B., 2004. Neoproterozoic ophiolites of the Arabian-Nubian Shield. In *ed: Kusky, T. 2004. Precambrian ophiolites*, 13
- Stewart, J. H., and J. C. Crowell, 1992. Strike-slip tectonics in the Cordilleran region, western United States. In Burchfiel, B.C., Lipman, P.W. and Zoback, M.L., (eds.), *The Cordilleran orogen: conterminous U.S. (The Geology of North America – G.3)*: 609-628.
- Stoeser, D.B. and Stacey, J.S., 1988. Evolution, U-Pb geochronology, and isotope geology of the Pan-African Nabatih orogenic belt of the Saudi Arabian Shield, in S. El-Gaby and R.O. Greiling, eds., *The Pan-African belt of Northeast Africa and adjacent areas: Braunschweig/Wiesbaden, Vieweg and Shn*, 227-288.
- Stoeser, D.B. and Camp, V.E. 1985. Pan-African microplate accretion of the Arabian Shield: *Geological Society of America Bulletin*, 96, 817-826.
- Stoeser, D.B., 1986. Distribution and tectonic setting of plutonic rocks of the Arabian Shield. *Journal of African Earth Sciences*, 4: 21-46.
- Sturchio, N.C., Sultan, M. and Batiza, R., 1983. Geology and origin of Meatiq Dome, Egypt: A Precambrian metamorphic core complex? *Geology*, 11: 72-76.
- Sultan, M., Arvidson, R.E., Duncan, I.J., Stern, R.J. and El Kalioushy, B., 1988. Extension of the Najd Shear System from Saudi Arabia to the Central Eastern Desert of Egypt based on integrated field and Landsat observations. *Tectonics*, 7: 1291-1306.
- Sylvester, P.J., 1989. Post-collisional alkaline granites. *Journal of Geology*, 97: 261-280.
- Symmes, G.H. and Ferry, J.M., 1992. The effect of whole-rock MnO content on the stability of garnet in pelitic schists during metamorphism. *Journal of Metamorphic Geology* 10: 221-237.
- Teklay, M., Kröner, A. and Mezger, K., 2002. Enrichment from plume interaction in the generation of Neoproterozoic arc rocks in northern Eritrea: implications for crustal accretion in the southern Arabian-Nubian Shield. *Chemical Geology*, 184: 167-184.
- Ten Brink, C. E., 1996. Development of porphyroblast geometries during non-coaxial flow: An experimental and analytical investigation. *Geologica Ultrajectina* 142, 163 pp.
- Thompson, P.H., 1989. Moderate overthickening of thinned sialic crust and the origin of granitic magmatism and regional metamorphism in low-P-high-T terranes. *Geology* 17: 520-523.
- Tormey, D.R., Hickey-Vargas, R., Frey, F.A. and Lopez-Escobar, L., 1991. Recent lavas from the Andean volcanic front (33 to 42°): Interpretations of along-arc compositional variations. In Harmon, R.S. and Rapela, C.W., eds. *Andean magmatism and its tectonic setting*, *Geological Society of America Special Paper*, 265: 57-77.
- Tullis, J., Christie, J.M. and Griggs, D.T., 1973. Microstructures and preferred orientations of experimentally deformed quartzites. *Geological Society of America Bulletin* 84: 297-314.
- Twiss, R.J. and Moores, E.M. 1992. *Structural Geology*. Freeman, 532 pp.

References

- Unrug, R., 1996. The assembly of Gondwanaland, *Episodes*, 19: 11-20.
- Vail, J.R., 1985. Pan-African (Late Precambrian) tectonic terrains and the reconstruction of the Arabian-Nubian Shield. *Geology*, 13: 839-842.
- Van der Heyden, P., 1992. A middle Jurassic to early Tertiary Andean-Sierran arc model for the coast belt of British Columbia. *Tectonics*, 11: 82-97.
- Vanderhaeghe, O. and Teyssier, C., 2001. Crustal-scale rheological transitions during late-orogenic collapse. *Tectonophysics*, 335: 211-228.
- Wakabayashi, J., and Dilek, Y., 2003. What constitutes "emplacement" of an ophiolite?: mechanisms and relationship to subduction initiation and formation of metamorphic soles: In Dilek, Y., and Robinson, P.T., (eds), *Ophiolites in earth history*, Geological Society of London Special Publication 218: 427-447.
- Wallace, L.M., McCaffrey, R., Beavan, J. and Ellis, S., 2005. Rapid microplate rotations and backarc rifting at the transition between collision and subduction. *Geology*, 33: 857-860.
- Wallace, W.K., Hanks, L.C. and Rogers, J.F., 1989. The southern Kahiltna terrane: Implications for the tectonic evolution of southwestern Alaska. *Geological Society of America Bulletin*, 101: 1389-1407.
- Wernicke, B. and Axen, G.J., 1988. On the role of isostasy in the evolution of normal fault systems. *Geology*, 16: 848-851.
- Wernicke, B., 1985. Uniform-sense normal simple shear of the continental lithosphere. *Canadian Journal of Earth Sciences* 22: 108-125.
- Wijbrans, J.R., Pringle, M.S., Koppers, A.A.P., and Scheveers, R., 1995. Argon geochronology of small samples using the Vulkaan argon laserprobe. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen*, 98: 185-218.
- Willis, K.M., Stern, R.J. and Clauer, R.F., 1988. Age and geochemistry of late Precambrian sediments of the Hammamat series from Northeastern Desert of Egypt. *Precambrian Research*, 42: 173-187.
- Wilson, M., 1989. Igneous Petrogenesis. 450 pages
- Wipfler, E.P., 1996. Transpressive structures in the Neoproterozoic Ariab-Nakasib Belt, northeast Sudan: evidence for suturing by oblique collision. *Journal of African Earth Sciences*: 23, 347-362.
- Wolf, M.B. and Saleeby, J.B., 1992. Jurassic Cordilleran dike swarm-shear zones: Implications for the Nevadan orogeny and North American plate motion. *Geology*, 20: 745-748.
- Worthing, M.A., 1984. Rotated boudins associated with Caledonian thrusting from Seiland, North Norway. *Norsk Geologisk Tidsskrift* 64: 275-285.
- Yardley, B.H.W., 1989. An Introduction to Metamorphic Petrology - Longman Essex 248pp
- Yin, A., 2004. Gneiss domes and gneiss dome systems. In Whitney, D.L., Teyssier, C., Siddoway, C.S., eds., *Gneiss domes in orogeny*, Geological Society of America Special Paper, 380: 1-14.
- Zimmer, M., Kröner, A., Jochum, K. P., Reischmann, T. and Todt, W., 1995. The Gabal Gerf complex: A precambrian N-MORB ophiolite in the Nubian Shield, NE Africa . *Chemical Geology*, 123: 29-51

