

References

- Abe, M., Goto, T., Kosaka, M., Wolfenbarger, D., Weiss, D.T. and Solomon, A. (1998) Differences in kappa to lambda (kappa:lambda) ratios of serum and urinary free light chains. *Clin Exp Immunol* 111, 457-62.
- Adams, D.O., Johnson, W.J. and Marino, P.A. (1982) Mechanisms of target recognition and destruction in macrophage-mediated tumor cytotoxicity. *Fed Proc* 41, 2212-21.
- Agarwal, S. and Sohal, R.S. (1994) Aging and protein oxidative damage. *Mech Ageing Dev* 75, 11-9.
- Aillaud, M.F., Pignol, F., Alessi, M.C., Harle, J.R., Escande, M., Mongin, M. and Juhan-Vague, I. (1986) Increase in plasma concentration of plasminogen activator inhibitor, fibrinogen, von Willebrand factor, factor VIII:C and in erythrocyte sedimentation rate with age. *Thromb Haemost* 55, 330-2.
- Alban, A., David, S.O., Bjorkesten, L., Andersson, C., Sloge, E., Lewis, S. and Currie, I. (2003) A novel experimental design for comparative two-dimensional gel analysis: two-dimensional difference gel electrophoresis incorporating a pooled internal standard. *Proteomics* 3, 36-44.
- Allsopp, R.C., Vaziri, H., Patterson, C., Goldstein, S., Younglai, E.V., Futcher, A.B., Greider, C.W. and Harley, C.B. (1992) Telomere length predicts replicative capacity of human fibroblasts. *Proc Natl Acad Sci U S A* 89, 10114-8.
- Amoura, Z., Koutouzov, S., Chabre, H., Cacoub, P., Amoura, I., Musset, L., Bach, J.F. and Piette, J.C. (2000) Presence of antinucleosome autoantibodies in a restricted set of connective tissue diseases: antinucleosome antibodies of the IgG3 subclass are markers of renal pathogenicity in systemic lupus erythematosus. *Arthritis Rheum* 43, 76-84.
- Amstutz, P., Forrer, P., Zahnd, C. and Pluckthun, A. (2001) *In vitro* display technologies: novel developments and applications. *Curr Opin Biotechnol* 12, 400-5.
- Anderson, L. (2005) Candidate-based proteomics in the search for biomarkers of cardiovascular disease. *J Physiol* 563, 23-60.
- Angenendt, P. (2005) Progress in protein and antibody microarray technology. *Drug Discov Today* 10, 503-11.
- Antropova, Y.G., Bryantsev, A.L., Kalinina, N.I., Il'inskaya, O.P. and Tararak, E.M. (2002) Proliferative activity and expression of cyclin-dependent kinase inhibitor p21WAF1 and p53 protein in endothelial cells of human aorta during replicative aging *in vitro*. *Bull Exp Biol Med* 134, 81-3.
- Anversa, P., Rota, M., Urbanek, K., Hosoda, T., Sonnenblick, E.H., Leri, A., Kajstura, J. and Bolli, R. (2005) Myocardial aging--a stem cell problem. *Basic Res Cardiol* 100, 482-93.
- Arvas, M., Pakula, T., Lanthaler, K., Saloheimo, M., Valkonen, M., Suortti, T., Robson, G. and Penttila, M. (2006) Common features and interesting differences in transcriptional responses to secretion stress in the fungi *Trichoderma reesei* and *Saccharomyces cerevisiae*. *BMC Genomics* 7, 32.
- Austad, S.N. (1997) Comparative aging and life histories in mammals. *Exp Gerontol* 32, 23-38.
- Baynes, J.W. (2001) The role of AGEs in aging: causation or correlation. *Exp Gerontol* 36, 1527-37.
- Beckman, K.B. and Ames, B.N. (1998) The free radical theory of aging matures. *Physiol Rev* 78, 547-81.
- Bellavia, D., Frada, G., Di Franco, P., Feo, S., Franceschi, C., Sansoni, P. and Brai, M. (1999) C4, BF, C3 allele distribution and complement activity in healthy aged people and centenarians. *J Gerontol A Biol Sci Med Sci* 54, B150-3.
- Bender, M.M., Potocki, L. and Metry, D.W. (2003) What syndrome is this? Cockayne syndrome. *Pediatr Dermatol* 20, 538-40.
- Benham, A.M., Cabibbo, A., Fassio, A., Bulleid, N., Sitia, R. and Braakman, I. (2000) The CXXCXC motif determines the folding, structure and stability of human Ero1-Lalpha. *Embo J* 19, 4493-502.
- Bertolotti, A., Zhang, Y., Hendershot, L.M., Harding, H.P. and Ron, D. (2000) Dynamic interaction of BiP and ER stress transducers in the unfolded-protein response. *Nat Cell Biol* 2, 326-32.
- Boder, E.T. and Wittrup, K.D. (1997) Yeast surface display for screening combinatorial polypeptide libraries. *Nat Biotechnol* 15, 553-7.

- Boonstra, J. and Post, J.A. (2004) Molecular events associated with reactive oxygen species and cell cycle progression in mammalian cells. *Gene* 337, 1-13.
- Boveris, A. and Chance, B. (1973) The mitochondrial generation of hydrogen peroxide. General properties and effect of hyperbaric oxygen. *Biochem J* 134, 707-16.
- Bruunsgaard, H., Andersen-Ranberg, K., Hjelmborg, J.B., Pedersen, B.K. and Jeune, B. (2003) Elevated levels of tumor necrosis factor alpha and mortality in centenarians. *Am J Med* 115, 278-83.
- Campisi, J. (2000) Cancer, aging and cellular senescence. *In Vivo* 14, 183-8.
- Campisi, J. (2005) Senescent cells, tumor suppression, and organismal aging: good citizens, bad neighbors. *Cell* 120, 513-22.
- Caplan, B.A. and Schwartz, C.J. (1973) Increased endothelial cell turnover in areas of *in vivo* Evans Blue uptake in the pig aorta. *Atherosclerosis* 17, 401-17.
- Carrard, G., Bulteau, A.L., Petropoulos, I. and Friguet, B. (2002) Impairment of proteasome structure and function in aging. *Int J Biochem Cell Biol* 34, 1461-74.
- Castle, S.C. (2000a) Clinical relevance of age-related immune dysfunction. *Clin Infect Dis* 31, 578-85.
- Castle, S.C. (2000b) Impact of age-related immune dysfunction on risk of infections. *Z Gerontol Geriatr* 33, 341-9.
- Cerutti, P.A. (1985) Prooxidant states and tumor promotion. *Science* 227, 375-81.
- Chance, B., Schoener, B., Oshino, R., Itshak, F. and Nakase, Y. (1979) Oxidation-reduction ratio studies of mitochondria in freeze-trapped samples. NADH and flavoprotein fluorescence signals. *J Biol Chem* 254, 4764-71.
- Chang, E. and Harley, C.B. (1995) Telomere length and replicative aging in human vascular tissues. *Proc Natl Acad Sci U S A* 92, 11190-4.
- Chen, C., Boylan, M.T., Evans, C.A., Whetton, A.D. and Wright, E.G. (2005) Application of two-dimensional difference gel electrophoresis to studying bone marrow macrophages and their *in vivo* responses to ionizing radiation. *J Proteome Res* 4, 1371-80.
- Chen, J., Huang, X., Halicka, D., Brodsky, S., Avram, A., Eskander, J., Bloomgarden, N.A., Darzynkiewicz, Z. and Goligorsky, M.S. (2006) Contribution of p16INK4a and p21CIP1 pathways to induction of premature senescence of human endothelial cells: permissive role of p53. *Am J Physiol Heart Circ Physiol* 290, H1575-86.
- Chen, L., Huang, S., Lee, L., Davalos, A., Schiestl, R.H., Campisi, J. and Oshima, J. (2003a) WRN, the protein deficient in Werner syndrome, plays a critical structural role in optimizing DNA repair. *Aging Cell* 2, 191-9.
- Chen, L., Lee, L., Kudlow, B.A., Dos Santos, H.G., Sletvold, O., Shafeeghati, Y., Botha, E.G., Garg, A., Hanson, N.B., Martin, G.M., Mian, I.S., Kennedy, B.K. and Oshima, J. (2003b) LMNA mutations in atypical Werner's syndrome. *Lancet* 362, 440-5.
- Chiu, C.P. and Harley, C.B. (1997) Replicative senescence and cell immortality: the role of telomeres and telomerase. *Proc Soc Exp Biol Med* 214, 99-106.
- Clackson, T., Hoogenboom, H.R., Griffiths, A.D. and Winter, G. (1991) Making antibody fragments using phage display libraries. *Nature* 352, 624-8.
- Clackson, T.P. (1991) Genetically engineered monoclonal antibodies. *Br J Rheumatol* 30 Suppl 2, 36-9.
- Colotti, C., Cavallini, G., Vitale, R.L., Donati, A., Maltinti, M., Del Ry, S., Bergamini, E. and Giannessi, D. (2005) Effects of aging and anti-aging caloric restrictions on carbonyl and heat shock protein levels and expression. *Biogerontology* 6, 397-406.
- Cordeiro-Stone, M., Makhov, A.M., Zaritskaya, L.S. and Griffith, J.D. (1999) Analysis of DNA replication forks encountering a pyrimidine dimer in the template to the leading strand. *J Mol Biol* 289, 1207-18.
- Cosgrove, J.P., Borish, E.T., Church, D.F. and Pryor, W.A. (1985) The metal-mediated formation of hydroxyl radical by aqueous extracts of cigarette tar. *Biochem Biophys Res Commun* 132, 390-6.
- Cottrell, D.A. and Turnbull, D.M. (2000) Mitochondria and ageing. *Curr Opin Clin Nutr Metab Care* 3, 473-8.

- Coviello-McLaughlin, G.M. and Prowse, K.R. (1997) Telomere length regulation during postnatal development and ageing in *Mus spretus*. *Nucleic Acids Res* 25, 3051-8.
- Cox, J.S., Chapman, R.E. and Walter, P. (1997) The unfolded protein response coordinates the production of endoplasmic reticulum protein and endoplasmic reticulum membrane. *Mol Biol Cell* 8, 1805-14.
- Cristofalo, V.J., Lorenzini, A., Allen, R.G., Torres, C. and Tresini, M. (2004) Replicative senescence: a critical review. *Mech Ageing Dev* 125, 827-48.
- Cuervo, A.M. (2004) Autophagy: many paths to the same end. *Mol Cell Biochem* 263, 55-72.
- Cuervo, A.M. and Dice, J.F. (2000) Age-related decline in chaperone-mediated autophagy. *J Biol Chem* 275, 31505-13.
- Dahl, B., Schiodt, F.V., Kiaer, T., Ott, P., Bondesen, S. and Tygstrup, N. (1998) Serum Gc-globulin in the early course of multiple trauma. *Crit Care Med* 26, 285-9.
- Davies, K.J. (1995) Oxidative stress: the paradox of aerobic life. *Biochem Soc Symp* 61, 1-31.
- Davies, K.J. (2000) Oxidative stress, antioxidant defenses, and damage removal, repair, and replacement systems. *IUBMB Life* 50, 279-89.
- De Haard, H.J., Bezemer, S., Ledeboer, A.M., Muller, W.H., Boender, P.J., Moineau, S., Coppelmann, M.C., Verkleij, A.J., Frenken, L.G. and Verrrips, C.T. (2005) Llama antibodies against a lactococcal protein located at the tip of the phage tail prevent phage infection. *J Bacteriol* 187, 4531-41.
- de Haard, H.J., van Neer, N., Reurs, A., Hufton, S.E., Roovers, R.C., Henderikx, P., de Bruine, A.P., Arends, J.W. and Hoogenboom, H.R. (1999) A large non-immunized human Fab fragment phage library that permits rapid isolation and kinetic analysis of high affinity antibodies. *J Biol Chem* 274, 18218-30.
- de Vries, A., van Oostrom, C.T., Hofhuis, F.M., Dортант, P.M., Berg, R.J., de Gruijl, F.R., Wester, P.W., van Kreijl, C.F., Capel, P.J., van Steeg, H. and et al. (1995) Increased susceptibility to ultraviolet-B and carcinogens of mice lacking the DNA excision repair gene XPA. *Nature* 377, 169-73.
- Dolk, E., van der Vaart, M., Lutje Hulsik, D., Vriend, G., de Haard, H., Spinelli, S., Cambillau, C., Frenken, L. and Verrrips, T. (2005a) Isolation of llama antibody fragments for prevention of dandruff by phage display in shampoo. *Appl Environ Microbiol* 71, 442-50.
- Dolk, E., van Vliet, C., Perez, J.M., Vriend, G., Darbon, H., Ferrat, G., Cambillau, C., Frenken, L.G. and Verrrips, T. (2005b) Induced refolding of a temperature denatured llama heavy-chain antibody fragment by its antigen. *Proteins* 59, 555-64.
- Dueland, S., Blomhoff, R. and Pedersen, J.I. (1990) Uptake and degradation of vitamin D binding protein and vitamin D binding protein-actin complex *in vivo* in the rat. *Biochem J* 267, 721-5.
- Eliasson, M., Olsson, A., Palmcrantz, E., Wiberg, K., Inganas, M., Guss, B., Lindberg, M. and Uhlen, M. (1988) Chimeric IgG-binding receptors engineered from staphylococcal protein A and streptococcal protein G. *J Biol Chem* 263, 4323-7.
- ElKhattabi, M., Adams, H., Heezius, E., Hermans, P., Detmers, F., Maassen, B., van der Ley, P., Tommassen, J., Verrrips, T. and Stam, J. ((Submitted)) Llama single-chain antibody that blocks lipopolysaccharide binding and signaling: prospects for therapeutic applications.
- Eman, M.R., Regan-Klapisz, E., Pinkse, M.W., Koop, I.M., Haverkamp, J., Heck, A.J., Verkleij, A.J. and Post, J.A. (2006) Protein expression dynamics during replicative senescence of endothelial cells studied by 2-D difference in-gel electrophoresis. *Electrophoresis* 27, 1669-82.
- Engelward, B.P., Weeda, G., Wyatt, M.D., Broekhof, J.L., de Wit, J., Donker, I., Allan, J.M., Gold, B., Hoeijmakers, J.H. and Samson, L.D. (1997) Base excision repair deficient mice lacking the Aag alkyladenine DNA glycosylase. *Proc Natl Acad Sci U S A* 94, 13087-92.
- Ernst, E. and Resch, K.L. (1993) Fibrinogen as a cardiovascular risk factor: a meta-analysis and review of the literature. *Ann Intern Med* 118, 956-63.
- Ershler, W.B., Sun, W.H., Binkley, N., Gravenstein, S., Volk, M.J., Kamoske, G., Klopp, R.G., Roecker, E.B., Daynes, R.A. and Weindruch, R. (1993) Interleukin-6 and

- aging: blood levels and mononuclear cell production increase with advancing age and *in vitro* production is modifiable by dietary restriction. *Lymphokine Cytokine Res* 12, 225-30.
- Fagiolo, U., Cossarizza, A., Scala, E., Fanales-Belasio, E., Ortolani, C., Cozzi, E., Monti, D., Franceschi, C. and Paganelli, R. (1993) Increased cytokine production in mononuclear cells of healthy elderly people. *Eur J Immunol* 23, 2375-8.
- Farre, J.C. and Subramani, S. (2004) Peroxisome turnover by micropexophagy: an autophagy-related process. *Trends Cell Biol* 14, 515-23.
- Fassina, G., Ruvo, M., Palombo, G., Verdoliva, A. and Marino, M. (2001) Novel ligands for the affinity-chromatographic purification of antibodies. *J Biochem Biophys Methods* 49, 481-90.
- Ferrucci, L., Corsi, A., Lauretani, F., Bandinelli, S., Bartali, B., Taub, D.D., Guralnik, J.M. and Longo, D.L. (2005) The origins of age-related proinflammatory state. *Blood* 105, 2294-9.
- Finkel, T. and Holbrook, N.J. (2000) Oxidants, oxidative stress and the biology of ageing. *Nature* 408, 239-47.
- Foreman, K.E. and Tang, J. (2003) Molecular mechanisms of replicative senescence in endothelial cells. *Exp Gerontol* 38, 1251-7.
- Fountoulakis, M., Takacs, M.F. and Takacs, B. (1999) Enrichment of low-copy-number gene products by hydrophobic interaction chromatography. *J Chromatogr A* 833, 157-68.
- Francisco, J.A., Campbell, R., Iverson, B.L. and Georgiou, G. (1993) Production and fluorescence-activated cell sorting of *Escherichia coli* expressing a functional antibody fragment on the external surface. *Proc Natl Acad Sci U S A* 90, 10444-8.
- Franzen, B., Linder, S., Okuzawa, K., Kato, H. and Auer, G. (1993) Nonenzymatic extraction of cells from clinical tumor material for analysis of gene expression by two-dimensional polyacrylamide gel electrophoresis. *Electrophoresis* 14, 1045-53.
- Frenck, R.W., Jr., Blackburn, E.H. and Shannon, K.M. (1998) The rate of telomere sequence loss in human leukocytes varies with age. *Proc Natl Acad Sci U S A* 95, 5607-10.
- Frenken, L.G., van der Linden, R.H., Hermans, P.W., Bos, J.W., Ruuls, R.C., de Geus, B. and Verrips, C.T. (2000) Isolation of antigen specific llama VHH antibody fragments and their high level secretion by *Saccharomyces cerevisiae*. *J Biotechnol* 78, 11-21.
- Fridovich, I. (2004) Mitochondria: are they the seat of senescence? *Aging Cell* 3, 13-6.
- Friedlander, R., Jarosch, E., Urban, J., Volkwein, C. and Sommer, T. (2000) A regulatory link between ER-associated protein degradation and the unfolded-protein response. *Nat Cell Biol* 2, 379-84.
- Fulop, T., Larbi, A., Douziech, N., Fortin, C., Guerard, K.P., Lesur, O., Khalil, A. and Dupuis, G. (2004) Signal transduction and functional changes in neutrophils with aging. *Aging Cell* 3, 217-26.
- Fulop, T., Larbi, A., Wikby, A., Mocchegiani, E., Hirokawa, K. and Pawelec, G. (2005) Dysregulation of T-cell function in the elderly : scientific basis and clinical implications. *Drugs Aging* 22, 589-603.
- Futcher, B., Latter, G.I., Monardo, P., McLaughlin, C.S. and Garrels, J.I. (1999) A sampling of the yeast proteome. *Mol Cell Biol* 19, 7357-68.
- Gami, M.S. and Wolkow, C.A. (2006) Studies of *Caenorhabditis elegans* DAF-2/insulin signaling reveal targets for pharmacological manipulation of lifespan. *Aging Cell* 5, 31-7.
- Garland, D., Russell, P. and Zigler, J.S., Jr. (1988) The oxidative modification of lens proteins. *Basic Life Sci* 49, 347-52.
- Garrard, L.J., Yang, M., O'Connell, M.P., Kelley, R.F. and Henner, D.J. (1991) Fab assembly and enrichment in a monovalent phage display system. *Biotechnology (N Y)* 9, 1373-7.
- Gianazza, E. and Arnaud, P. (1982) A general method for fractionation of plasma proteins. Dye-ligand affinity chromatography on immobilized Cibacron blue F3-GA. *Biochem J* 201, 129-36.

- Gillis, S., Kozak, R., Durante, M. and Weksler, M.E. (1981) Immunological studies of aging. Decreased production of and response to T cell growth factor by lymphocytes from aged humans. *J Clin Invest* 67, 937-42.
- Glass, C.K. and Witztum, J.L. (2001) Atherosclerosis. the road ahead. *Cell* 104, 503-16.
- Gold, L.S., Slone, T.H., Stern, B.R., Manley, N.B. and Ames, B.N. (1992) Rodent carcinogens: setting priorities. *Science* 258, 261-5.
- Gomez, C.R., Boehmer, E.D. and Kovacs, E.J. (2005) The aging innate immune system. *Curr Opin Immunol* 17, 457-62.
- Gomez-Lazaro, M., Fernandez-Gomez, F.J. and Jordan, J. (2004) p53: twenty five years understanding the mechanism of genome protection. *J Physiol Biochem* 60, 287-307.
- Goswami, K. and Koner, B.C. (2002) Level of sialic acid residues in platelet proteins in diabetes, aging, and Hodgkin's lymphoma: a potential role of free radicals in desialylation. *Biochem Biophys Res Commun* 297, 502-5.
- Greider, C.W. and Blackburn, E.H. (1985) Identification of a specific telomere terminal transferase activity in Tetrahymena extracts. *Cell* 43, 405-13.
- Gronborg, M., Kristiansen, T.Z., Stensballe, A., Andersen, J.S., Ohara, O., Mann, M., Jensen, O.N. and Pandey, A. (2002) A mass spectrometry-based proteomic approach for identification of serine/threonine-phosphorylated proteins by enrichment with phospho-specific antibodies: identification of a novel protein, Frigg, as a protein kinase A substrate. *Mol Cell Proteomics* 1, 517-27.
- Grubeck-Loebenstein, B. and Wick, G. (2002) The aging of the immune system. *Adv Immunol* 80, 243-84.
- Grune, T., Reinheckel, T. and Davies, K.J. (1997) Degradation of oxidized proteins in mammalian cells. *Faseb J* 11, 526-34.
- Haab, B.B., Dunham, M.J. and Brown, P.O. (2001) Protein microarrays for highly parallel detection and quantitation of specific proteins and antibodies in complex solutions. *Genome Biol* 2, RESEARCH0004.
- Hage, D.S. (1999) Affinity chromatography: a review of clinical applications. *Clin Chem* 45, 593-615.
- Halliwell, B. and Gutteridge, J.M. (1990) Role of free radicals and catalytic metal ions in human disease: an overview. *Methods Enzymol* 186, 1-85.
- Hamers-Casterman, C., Atarhouch, T., Muyllydermans, S., Robinson, G., Hamers, C., Songa, E.B., Bendahman, N. and Hamers, R. (1993) Naturally occurring antibodies devoid of light chains. *Nature* 363, 446-8.
- Hanes, J. and Pluckthun, A. (1997) *In vitro* selection and evolution of functional proteins by using ribosome display. *Proc Natl Acad Sci U S A* 94, 4937-42.
- Hannam-Harris, A.C. and Smith, J.L. (1981) Free immunoglobulin light chain synthesis by human foetal liver and cord blood lymphocytes. *Immunology* 43, 417-23.
- Harding, H.P., Zhang, Y. and Ron, D. (1999) Protein translation and folding are coupled by an endoplasmic-reticulum-resident kinase. *Nature* 397, 271-4.
- Harley, C.B., Futcher, A.B. and Greider, C.W. (1990) Telomeres shorten during ageing of human fibroblasts. *Nature* 345, 458-60.
- Harman, D. (1956) Aging: a theory based on free radical and radiation chemistry. *J Gerontol* 11, 298-300.
- Hastie, N.D., Dempster, M., Dunlop, M.G., Thompson, A.M., Green, D.K. and Allshire, R.C. (1990) Telomere reduction in human colorectal carcinoma and with ageing. *Nature* 346, 866-8.
- Hasty, P., Campisi, J., Hoeijmakers, J., van Steeg, H. and Vijg, J. (2003) Aging and genome maintenance: lessons from the mouse? *Science* 299, 1355-9.
- Haussmann, M.F., Winkler, D.W., O'Reilly, K.M., Huntington, C.E., Nisbet, I.C. and Vleck, C.M. (2003) Telomeres shorten more slowly in long-lived birds and mammals than in short-lived ones. *Proc Biol Sci* 270, 1387-92.
- Haverkate, F., Thompson, S.G. and Duckert, F. (1995) Haemostasis factors in angina pectoris; relation to gender, age and acute-phase reaction. Results of the ECAT Angina Pectoris Study Group. *Thromb Haemost* 73, 561-7.
- Hayflick, L. (2000) The future of ageing. *Nature* 408, 267-9.
- Hayflick, L. and Moorhead, P.S. (1961) The serial cultivation of human diploid cell strains. *Exp Cell Res* 25, 585-621.

- Head, E., Liu, J., Hagen, T.M., Muggenburg, B.A., Milgram, N.W., Ames, B.N. and Cotman, C.W. (2002) Oxidative damage increases with age in a canine model of human brain aging. *J Neurochem* 82, 375-81.
- Heilbronn, L.K. and Ravussin, E. (2003) Calorie restriction and aging: review of the literature and implications for studies in humans. *Am J Clin Nutr* 78, 361-9.
- Helfand, S.L. and Rogina, B. (2003) Genetics of aging in the fruit fly, *Drosophila melanogaster*. *Annu Rev Genet* 37, 329-48.
- Hermanson (1993), Bioconjugate techniques, Academic press San Diego.
- Hobbs, H.H., Brown, M.S. and Goldstein, J.L. (1992) Molecular genetics of the LDL receptor gene in familial hypercholesterolemia. *Hum Mutat* 1, 445-66.
- Hoeijmakers, J.H. (2001) DNA repair mechanisms. *Maturitas* 38, 17-22; discussion 22-3.
- Hoogenboom, H.R., Griffiths, A.D., Johnson, K.S., Chiswell, D.J., Hudson, P. and Winter, G. (1991) Multi-subunit proteins on the surface of filamentous phage: methodologies for displaying antibody (Fab) heavy and light chains. *Nucleic Acids Res* 19, 4133-7.
- Hoozemans, J.J., Veerhuis, R., Van Haastert, E.S., Rozemuller, J.M., Baas, F., Eikelenboom, P. and Schepers, W. (2005) The unfolded protein response is activated in Alzheimer's disease. *Acta Neuropathol (Berl)* 110, 165-72.
- Hsieh, R.H., Hou, J.H., Hsu, H.S. and Wei, Y.H. (1994) Age-dependent respiratory function decline and DNA deletions in human muscle mitochondria. *Biochem Mol Biol Int* 32, 1009-22.
- Hwang, C., Sinskey, A.J. and Lodish, H.F. (1992) Oxidized redox state of glutathione in the endoplasmic reticulum. *Science* 257, 1496-502.
- Ishikawa, Y., Akasaka, Y., Ishii, T., Komiyama, K., Masuda, S., Asuwa, N., Choi-Miura, N.H. and Tomita, M. (1998) Distribution and synthesis of apolipoprotein J in the atherosclerotic aorta. *Arterioscler Thromb Vasc Biol* 18, 665-72.
- Jana, C.K., Das, N. and Sohal, R.S. (2002) Specificity of age-related carbonylation of plasma proteins in the mouse and rat. *Arch Biochem Biophys* 397, 433-9.
- Ji, H., Ohmura, K., Mahmood, U., Lee, D.M., Hofhuis, F.M., Boackle, S.A., Takahashi, K., Holers, V.M., Walport, M., Gerard, C., Ezekowitz, A., Carroll, M.C., Brenner, M., Weissleder, R., Verbeek, J.S., Duchatelle, V., Degott, C., Benoist, C. and Mathis, D. (2002) Arthritis critically dependent on innate immune system players. *Immunity* 16, 157-68.
- Kammenga, L.M. and de Haan, G. (2006) Cellular memory and hematopoietic stem cell aging. *Stem Cells* 24, 1143-9.
- Katic, M. and Kahn, C.R. (2005) The role of insulin and IGF-1 signaling in longevity. *Cell Mol Life Sci* 62, 320-43.
- Kim, P.S. and Arvan, P. (1998) Endocrinopathies in the family of endoplasmic reticulum (ER) storage diseases: disorders of protein trafficking and the role of ER molecular chaperones. *Endocr Rev* 19, 173-202.
- Kirkwood, T.B. (2005) Understanding the odd science of aging. *Cell* 120, 437-47.
- Kirkwood, T.B., Boys, R.J., Gillespie, C.S., Proctor, C.J., Shanley, D.P. and Wilkinson, D.J. (2003) Towards an e-biology of ageing: integrating theory and data. *Nat Rev Mol Cell Biol* 4, 243-9.
- Kirkwood, T.B., Feder, M., Finch, C.E., Franceschi, C., Globerson, A., Klingenberg, C.P., LaMarco, K., Omholt, S. and Westendorp, R.G. (2005) What accounts for the wide variation in life span of genetically identical organisms reared in a constant environment? *Mech Ageing Dev* 126, 439-43.
- Klionsky, D.J. (2005) Autophagy. *Curr Biol* 15, R282-3.
- Klooster, R., H., M.B.T., Stam, J.C., Hermans, P.W., ten Haaft, M.R., Detmers, F.J.M., de Haard, H.J., Post, J.A. and Verrrips, C.T. ((Submitted)-a) Improved anti-IgG and HSA affinity ligands: Clinical application of VHH antibody technology.
- Klooster, R., le Duc, Q., Eman, M.R., Roovers, R.C., Post, J.A. and Verrrips, C.T. ((Submitted)-b) Selection and characterization of KDEL-specific VHH antibody fragments and their application in studying ER resident protein expression during ER stress.
- Kohler, G. and Milstein, C. (1975) Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature* 256, 495-7.

- Kolkman, A., Olsthoorn, M.M., Heeremans, C.E., Heck, A.J. and Slijper, M. (2005) Comparative proteome analysis of *Saccharomyces cerevisiae* grown in chemostat cultures limited for glucose or ethanol. *Mol Cell Proteomics* 4, 1-11.
- Koubova, J. and Guarente, L. (2003) How does calorie restriction work? *Genes Dev* 17, 313-21.
- Kozutsumi, Y., Segal, M., Normington, K., Gething, M.J. and Sambrook, J. (1988) The presence of malfolded proteins in the endoplasmic reticulum signals the induction of glucose-regulated proteins. *Nature* 332, 462-4.
- Kragh-Hansen, U., Chuang, V.T. and Otagiri, M. (2002) Practical aspects of the ligand-binding and enzymatic properties of human serum albumin. *Biol Pharm Bull* 25, 695-704.
- Lebrin, F., Deckers, M., Bertolino, P. and Ten Dijke, P. (2005) TGF-beta receptor function in the endothelium. *Cardiovasc Res* 65, 599-608.
- Lebrin, F., Goumans, M.J., Jonker, L., Carvalho, R.L., Valdimarsdottir, G., Thorikay, M., Mummary, C., Arthur, H.M. and ten Dijke, P. (2004) Endoglin promotes endothelial cell proliferation and TGF-beta/ALK1 signal transduction. *Embo J* 23, 4018-28.
- Lee, C.K., Klopp, R.G., Weindruch, R. and Prolla, T.A. (1999) Gene expression profile of aging and its retardation by caloric restriction. *Science* 285, 1390-3.
- Lee, C.K., Weindruch, R. and Prolla, T.A. (2000) Gene-expression profile of the ageing brain in mice. *Nat Genet* 25, 294-7.
- Levine, R.L. (2002) Carbonyl modified proteins in cellular regulation, aging, and disease. *Free Radic Biol Med* 32, 790-6.
- Li, J. and Holbrook, N.J. (2004) Elevated gadd153/chop expression and enhanced c-Jun N-terminal protein kinase activation sensitizes aged cells to ER stress. *Exp Gerontol* 39, 735-44.
- Lilley, K.S. and Friedman, D.B. (2004) All about DIGE: quantification technology for differential-display 2D-gel proteomics. *Expert Rev Proteomics* 1, 401-9.
- Livingstone, S.D. and Kuehn, L.A. (1979) Similarity in the number of lifespan heartbeats among non-hibernating homeothermic animals. *Aviat Space Environ Med* 50, 1037-9.
- Lukacs, G.L., Mohamed, A., Kartner, N., Chang, X.B., Riordan, J.R. and Grinstein, S. (1994) Conformational maturation of CFTR but not its mutant counterpart (Δ F508) occurs in the endoplasmic reticulum and requires ATP. *Embo J* 13, 6076-86.
- Mackaness, G.B. (1970) The monocyte in cellular immunity. *Semin Hematol* 7, 172-84.
- Mackness, B., Hunt, R., Durrington, P.N. and Mackness, M.I. (1997) Increased immunolocalization of paraoxonase, clusterin, and apolipoprotein A-I in the human artery wall with the progression of atherosclerosis. *Arterioscler Thromb Vasc Biol* 17, 1233-8.
- Maguire, P.B., Wynne, K.J., Harney, D.F., O'Donoghue, N.M., Stephens, G. and Fitzgerald, D.J. (2002) Identification of the phosphotyrosine proteome from thrombin activated platelets. *Proteomics* 2, 642-8.
- Majoul, I., Sohn, K., Wieland, F.T., Pepperkok, R., Pizza, M., Hillemann, J. and Soling, H.D. (1998) KDEL receptor (Erd2p)-mediated retrograde transport of the cholera toxin A subunit from the Golgi involves COPI, p23, and the COOH terminus of Erd2p. *J Cell Biol* 143, 601-12.
- Marcinek, D.J., Schenkman, K.A., Ciesielski, W.A., Lee, D. and Conley, K.E. (2005) Reduced mitochondrial coupling *in vivo* alters cellular energetics in aged mouse skeletal muscle. *J Physiol* 569, 467-73.
- Marks, J.D., Hoogenboom, H.R., Bonnert, T.P., McCafferty, J., Griffiths, A.D. and Winter, G. (1991) By-passing immunization. Human antibodies from V-gene libraries displayed on phage. *J Mol Biol* 222, 581-97.
- Martinez, I.M. and Chrispeels, M.J. (2003) Genomic analysis of the unfolded protein response in *Arabidopsis* shows its connection to important cellular processes. *Plant Cell* 15, 561-76.
- Martinez-Vicente, M., Sovak, G. and Cuervo, A.M. (2005) Protein degradation and aging. *Exp Gerontol* 40, 622-33.
- McCormick, T.S., McColl, K.S. and Distelhorst, C.W. (1997) Mouse lymphoma cells destined to undergo apoptosis in response to thapsigargin treatment fail to

- generate a calcium-mediated grp78/grp94 stress response. *J Biol Chem* 272, 6087-92.
- McDonald, S.R., Sohal, R.S. and Forster, M.J. (2005) Concurrent administration of coenzyme Q10 and alpha-tocopherol improves learning in aged mice. *Free Radic Biol Med* 38, 729-36.
- Melov, S., Ravenscroft, J., Malik, S., Gill, M.S., Walker, D.W., Clayton, P.E., Wallace, D.C., Malfroy, B., Doctrow, S.R. and Lithgow, G.J. (2000) Extension of life-span with superoxide dismutase/catalase mimetics. *Science* 289, 1567-9.
- Minamino, T., Miyauchi, H., Yoshida, T., Tateno, K. and Komuro, I. (2004) The role of vascular cell senescence in atherosclerosis: antisenescence as a novel therapeutic strategy for vascular aging. *Curr Vasc Pharmacol* 2, 141-8.
- Misek, D.E., Kuick, R., Wang, H., Galchev, V., Deng, B., Zhao, R., Tra, J., Pisano, M.R., Amunugama, R., Allen, D., Walker, A.K., Strahler, J.R., Andrews, P., Omenn, G.S. and Hanash, S.M. (2005) A wide range of protein isoforms in serum and plasma uncovered by a quantitative intact protein analysis system. *Proteomics* 5, 3343-52.
- Munro, S. and Pelham, H.R. (1987) A C-terminal signal prevents secretion of luminal ER proteins. *Cell* 48, 899-907.
- Muyldermans, S. (2001) Single domain camel antibodies: current status. *J Biotechnol* 74, 277-302.
- Nagaki, K., Hiramatsu, S., Inai, S. and Sasaki, A. (1980) The effect of aging on complement activity (CH50) and complement protein levels. *J Clin Lab Immunol* 3, 45-50.
- Narita, M., Nunez, S., Heard, E., Lin, A.W., Hearn, S.A., Spector, D.L., Hannon, G.J. and Lowe, S.W. (2003) Rb-mediated heterochromatin formation and silencing of E2F target genes during cellular senescence. *Cell* 113, 703-16.
- Odetti, P., Pronzato, M.A., Noberasco, G., Cossio, L., Traverso, N., Cottalasso, D. and Marinari, U.M. (1994) Relationships between glycation and oxidation related fluorescences in rat collagen during aging. An *in vivo* and *in vitro* study. *Lab Invest* 70, 61-7.
- Okamura, K., Kimata, Y., Higashio, H., Tsuru, A. and Kohno, K. (2000) Dissociation of Kar2p/BiP from an ER sensory molecule, Ire1p, triggers the unfolded protein response in yeast. *Biochem Biophys Res Commun* 279, 445-50.
- Okuda, K., Khan, M.Y., Skurnick, J., Kimura, M., Aviv, H. and Aviv, A. (2000) Telomere attrition of the human abdominal aorta: relationships with age and atherosclerosis. *Atherosclerosis* 152, 391-8.
- Olovnikov, A.M. (1973) A theory of marginotomy. The incomplete copying of template margin in enzymic synthesis of polynucleotides and biological significance of the phenomenon. *J Theor Biol* 41, 181-90.
- Op den Buijs, J., Musters, M., Verrips, T., Post, J.A., Braam, B. and van Riel, N. (2004) Mathematical modeling of vascular endothelial layer maintenance: the role of endothelial cell division, progenitor cell homing, and telomere shortening. *Am J Physiol Heart Circ Physiol* 287, H2651-8.
- Orrenius, S., Zhivotovsky, B. and Nicotera, P. (2003) Regulation of cell death: the calcium-apoptosis link. *Nat Rev Mol Cell Biol* 4, 552-65.
- Otagiri, M. (2005) A molecular functional study on the interactions of drugs with plasma proteins. *Drug Metab Pharmacokinet* 20, 309-23.
- Oyeyinka, G.O. and Salimonu, L.S. (1999) Levels of complement components, immunoglobulins and acute phase proteins in plasma during aging in Nigeria. *Afr J Med Med Sci* 28, 177-80.
- Ozawa, T. (1998) Mitochondrial DNA mutations and age. *Ann N Y Acad Sci* 854, 128-54.
- Pakula, T.M., Laxell, M., Huuskonen, A., Uusitalo, J., Saloheimo, M. and Penttila, M. (2003) The effects of drugs inhibiting protein secretion in the filamentous fungus *Trichoderma reesei*. Evidence for down-regulation of genes that encode secreted proteins in the stressed cells. *J Biol Chem* 278, 45011-20.
- Patton, W.F. (2002) Detection technologies in proteome analysis. *J Chromatogr B Analyt Technol Biomed Life Sci* 771, 3-31.
- Pedersen, B.K., Bruunsgaard, H., Ostrowski, K., Krabbe, K., Hansen, H., Krzywkowski, K., Toft, A., Sondergaard, S.R., Petersen, E.W., Ibfelt, T. and Schjerling, P. (2000) Cytokines in aging and exercise. *Int J Sports Med* 21 Suppl 1, S4-9.

- Perkins, D.N., Pappin, D.J., Creasy, D.M. and Cottrell, J.S. (1999) Probability-based protein identification by searching sequence databases using mass spectrometry data. *Electrophoresis* 20, 3551-67.
- Pieper, R., Gatlin, C.L., Makusky, A.J., Russo, P.S., Schatz, C.R., Miller, S.S., Su, Q., McGrath, A.M., Estock, M.A., Parmar, P.P., Zhao, M., Huang, S.T., Zhou, J., Wang, F., Esquer-Blasco, R., Anderson, N.L., Taylor, J. and Steiner, S. (2003a) The human serum proteome: display of nearly 3700 chromatographically separated protein spots on two-dimensional electrophoresis gels and identification of 325 distinct proteins. *Proteomics* 3, 1345-64.
- Pieper, R., Su, Q., Gatlin, C.L., Huang, S.T., Anderson, N.L. and Steiner, S. (2003b) Multi-component immunoaffinity subtraction chromatography: an innovative step towards a comprehensive survey of the human plasma proteome. *Proteomics* 3, 422-32.
- Plackett, T.P., Boehmer, E.D., Faunce, D.E. and Kovacs, E.J. (2004) Aging and innate immune cells. *J Leukoc Biol* 76, 291-9.
- Pollycove, M. and Feinendegen, L.E. (2003) Radiation-induced versus endogenous DNA damage: possible effect of inducible protective responses in mitigating endogenous damage. *Hum Exp Toxicol* 22, 290-306; discussion 307, 315-7, 319-23.
- Promislow, D.E. (1994) DNA repair and the evolution of longevity: a critical analysis. *J Theor Biol* 170, 291-300.
- Quarto, R., Thomas, D. and Liang, C.T. (1995) Bone progenitor cell deficits and the age-associated decline in bone repair capacity. *Calcif Tissue Int* 56, 123-9.
- Rabek, J.P., Boylston, W.H., 3rd and Papaconstantinou, J. (2003) Carbonylation of ER chaperone proteins in aged mouse liver. *Biochem Biophys Res Commun* 305, 566-72.
- Rice-Evans, C. and Burdon, R. (1993) Free radical-lipid interactions and their pathological consequences. *Prog Lipid Res* 32, 71-110.
- Richter, C. (1987) Biophysical consequences of lipid peroxidation in membranes. *Chem Phys Lipids* 44, 175-89.
- Richter, T., Munch, G., Luth, H.J., Arendt, T., Kientsch-Engel, R., Stahl, P., Fengler, D. and Kuhla, B. (2005) Immunochemical crossreactivity of antibodies specific for "advanced glycation endproducts" with "advanced lipoxidation endproducts". *Neurobiol Aging* 26, 465-74.
- Riezman, H. (2004) Why do cells require heat shock proteins to survive heat stress? *Cell Cycle* 3, 61-3.
- Righetti, P.G., Castagna, A., Antonucci, F., Piubelli, C., Cecconi, D., Campostrini, N., Rustichelli, C., Antonioli, P., Zanuso, G., Monaco, S., Lomas, L. and Boschetti, E. (2005) Proteome analysis in the clinical chemistry laboratory: myth or reality? *Clin Chim Acta* 357, 123-39.
- Rigopoulou, E.I., Davies, E.T., Pares, A., Zachou, K., Liaskos, C., Bogdanos, D.P., Rodes, J., Dalekos, G.N. and Vergani, D. (2005) Prevalence and clinical significance of isotype specific antinuclear antibodies in primary biliary cirrhosis. *Gut* 54, 528-32.
- Ritchie, R.F., Palomaki, G.E., Neveux, L.M., Navolotskaia, O., Ledue, T.B. and Craig, W.Y. (1998) Reference distributions for immunoglobulins A, G, and M: a practical, simple, and clinically relevant approach in a large cohort. *J Clin Lab Anal* 12, 363-70.
- Ritchie, R.F., Palomaki, G.E., Neveux, L.M., Navolotskaia, O., Ledue, T.B. and Craig, W.Y. (1999) Reference distributions for the negative acute-phase serum proteins, albumin, transferrin and transthyretin: a practical, simple and clinically relevant approach in a large cohort. *J Clin Lab Anal* 13, 273-9.
- Ritchie, R.F., Palomaki, G.E., Neveux, L.M., Navolotskaia, O., Ledue, T.B. and Craig, W.Y. (2000) Reference distributions for the positive acute phase serum proteins, alpha1-acid glycoprotein (orosomucoid), alpha1-antitrypsin, and haptoglobin: a practical, simple, and clinically relevant approach in a large cohort. *J Clin Lab Anal* 14, 284-92.
- Ritchie, R.F., Palomaki, G.E., Neveux, L.M., Navolotskaia, O., Ledue, T.B. and Craig, W.Y. (2004a) Reference distributions for alpha2-macroglobulin: a practical,

- simple and clinically relevant approach in a large cohort. *J Clin Lab Anal* 18, 139-47.
- Ritchie, R.F., Palomaki, G.E., Neveux, L.M., Navolotskaia, O., Ledue, T.B. and Craig, W.Y. (2004b) Reference distributions for complement proteins C3 and C4: a practical, simple and clinically relevant approach in a large cohort. *J Clin Lab Anal* 18, 1-8.
- Ritz, P. and Berrut, G. (2005) Mitochondrial function, energy expenditure, aging and insulin resistance. *Diabetes Metab* 31 Spec No 2, 5S67-5S73.
- Rothenmund, D.L., Locke, V.L., Liew, A., Thomas, T.M., Wasinger, V. and Rylatt, D.B. (2003) Depletion of the highly abundant protein albumin from human plasma using the Gradiflow. *Proteomics* 3, 279-87.
- Ruminy, P., Gangneux, C., ClaeysSENS, S., Scotte, M., Daveau, M. and Salier, J.P. (2001) Gene transcription in hepatocytes during the acute phase of a systemic inflammation: from transcription factors to target genes. *Inflamm Res* 50, 383-90.
- Rutishauser, J. and Spiess, M. (2002) Endoplasmic reticulum storage diseases. *Swiss Med Wkly* 132, 211-22.
- Sahu, A. and Lambris, J.D. (2001) Structure and biology of complement protein C3, a connecting link between innate and acquired immunity. *Immunol Rev* 180, 35-48.
- Samson, F.E. and Nelson, S.R. (2000) The aging brain, metals and oxygen free radicals. *Cell Mol Biol (Noisy-le-grand)* 46, 699-707.
- Sanger, F., Nicklen, S. and Coulson, A.R. (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* 74, 5463-7.
- Scheel, A.A. and Pelham, H.R. (1996) Purification and characterization of the human KDEL receptor. *Biochemistry* 35, 10203-9.
- Schioldt, F.V., Ott, P., Bondesen, S. and Tygstrup, N. (1997) Reduced serum Gc-globulin concentrations in patients with fulminant hepatic failure: association with multiple organ failure. *Crit Care Med* 25, 1366-70.
- Schreuder, M.P., Mooren, A.T., Toschka, H.Y., Verrips, C.T. and Klis, F.M. (1996) Immobilizing proteins on the surface of yeast cells. *Trends Biotechnol* 14, 115-20.
- Schroder, M. and Kaufman, R.J. (2005) ER stress and the unfolded protein response. *Mutat Res* 569, 29-63.
- Schuchard, M., Melm, C., A., Chapman, H., Cockrill, S., Ray, K., Mehigh, R., Chen, D. and Scott, G. (2005) Specific depletion of twenty high abundance proteins from human plasma. In, NCI Proteomic Technologies Reagents Resource Workshop.
- Seehafer, S.S. and Pearce, D.A. (2006) You say lipofuscin, we say ceroid: defining autofluorescent storage material. *Neurobiol Aging* 27, 576-88.
- Seidman, M.D. (2000) Effects of dietary restriction and antioxidants on presbycusis. *Laryngoscope* 110, 727-38.
- Seifert, P.S., Hugo, F., Tranum-Jensen, J., Zahringer, U., Muhly, M. and Bhakdi, S. (1990) Isolation and characterization of a complement-activating lipid extracted from human atherosclerotic lesions. *J Exp Med* 172, 547-57.
- Serrano, M. and Blasco, M.A. (2001) Putting the stress on senescence. *Curr Opin Cell Biol* 13, 748-53.
- Shelton, D.N., Chang, E., Whittier, P.S., Choi, D. and Funk, W.D. (1999) Microarray analysis of replicative senescence. *Curr Biol* 9, 939-45.
- Shen, J., Chen, X., Hendershot, L. and Prywes, R. (2002) ER stress regulation of ATF6 localization by dissociation of BiP/GRP78 binding and unmasking of Golgi localization signals. *Dev Cell* 3, 99-111.
- Shevchenko, A., Wilm, M., Vorm, O. and Mann, M. (1996) Mass spectrometric sequencing of proteins silver-stained polyacrylamide gels. *Anal Chem* 68, 850-8.
- Shintani, T. and Klionsky, D.J. (2004) Autophagy in health and disease: a double-edged sword. *Science* 306, 990-5.
- Sitte, N., Merker, K. and Grune, T. (1998) Proteasome-dependent degradation of oxidized proteins in MRC-5 fibroblasts. *FEBS Lett* 440, 399-402.
- Smith, C.D., Carney, J.M., Starke-Reed, P.E., Oliver, C.N., Stadtman, E.R., Floyd, R.A. and Markesberry, W.R. (1991) Excess brain protein oxidation and enzyme

- dysfunction in normal aging and in Alzheimer disease. *Proc Natl Acad Sci U S A* 88, 10540-3.
- Smith, G.P. (1985) Filamentous fusion phage: novel expression vectors that display cloned antigens on the virion surface. *Science* 228, 1315-7.
- Smogorzewska, A. and de Lange, T. (2002) Different telomere damage signaling pathways in human and mouse cells. *Embo J* 21, 4338-48.
- Snape, S., Simpson, R.J. and Peters, T.J. (1990) Subcellular localization of recently-absorbed iron in mouse duodenal enterocytes: identification of a basolateral membrane iron-binding site. *Cell Biochem Funct* 8, 107-15.
- Socci, D.J., Crandall, B.M. and Arendash, G.W. (1995) Chronic antioxidant treatment improves the cognitive performance of aged rats. *Brain Res* 693, 88-94.
- Sohal, R.S., Ku, H.H., Agarwal, S., Forster, M.J. and Lal, H. (1994) Oxidative damage, mitochondrial oxidant generation and antioxidant defenses during aging and in response to food restriction in the mouse. *Mech Ageing Dev* 74, 121-33.
- Sohal, R.S. and Weindruch, R. (1996) Oxidative stress, caloric restriction, and aging. *Science* 273, 59-63.
- Soti, C. and Csermely, P. (2003) Aging and molecular chaperones. *Exp Gerontol* 38, 1037-40.
- Squier, T.C. (2001) Oxidative stress and protein aggregation during biological aging. *Exp Gerontol* 36, 1539-50.
- Stadtman, E.R. (2001) Protein oxidation in aging and age-related diseases. *Ann N Y Acad Sci* 928, 22-38.
- Stadtman, E.R., Moskovitz, J. and Levine, R.L. (2003) Oxidation of methionine residues of proteins: biological consequences. *Antioxid Redox Signal* 5, 577-82.
- Starke-Reed, P.E. and Oliver, C.N. (1989) Protein oxidation and proteolysis during aging and oxidative stress. *Arch Biochem Biophys* 275, 559-67.
- Staudt, A., Bohm, M., Knebel, F., Grosse, Y., Bischoff, C., Hummel, A., Dahm, J.B., Borges, A., Jochmann, N., Wernecke, K.D., Wallukat, G., Baumann, G. and Felix, S.B. (2002) Potential role of autoantibodies belonging to the immunoglobulin G-3 subclass in cardiac dysfunction among patients with dilated cardiomyopathy. *Circulation* 106, 2448-53.
- Steel, L.F., Trotter, M.G., Nakajima, P.B., Mattu, T.S., Gonye, G. and Block, T. (2003) Efficient and specific removal of albumin from human serum samples. *Mol Cell Proteomics* 2, 262-70.
- Stefansson, S. and Lawrence, D.A. (1996) The serpin PAI-1 inhibits cell migration by blocking integrin alpha V beta 3 binding to vitronectin. *Nature* 383, 441-3.
- Stefansson, S., Petitclerc, E., Wong, M.K., McMahon, G.A., Brooks, P.C. and Lawrence, D.A. (2001) Inhibition of angiogenesis *in vivo* by plasminogen activator inhibitor-1. *J Biol Chem* 276, 8135-41.
- Stevens, C., Goldblatt, M.J. and Freedman, J.C. (1975) Lack of erythrocyte superoxide dismutase change during human senescence. *Mech Ageing Dev* 4, 415-21.
- Stone, K. and Pryor, W.A. (1994) Cigarettes: then and now. *J Lab Clin Med* 124, 313-4.
- Sugiyama, S., Takasawa, M., Hayakawa, M. and Ozawa, T. (1993) Changes in skeletal muscle, heart and liver mitochondrial electron transport activities in rats and dogs of various ages. *Biochem Mol Biol Int* 30, 937-44.
- Tebbs, R.S., Flannery, M.L., Meneses, J.J., Hartmann, A., Tucker, J.D., Thompson, L.H., Cleaver, J.E. and Pedersen, R.A. (1999) Requirement for the Xrcc1 DNA base excision repair gene during early mouse development. *Dev Biol* 208, 513-29.
- Terman, A. and Brunk, U.T. (2004) Lipofuscin. *Int J Biochem Cell Biol* 36, 1400-4.
- Thomassen, Y.E., Verkleij, A.J., Boonstra, J. and Verrips, C.T. (2005) Specific production rate of VHH antibody fragments by *Saccharomyces cerevisiae* is correlated with growth rate, independent of nutrient limitation. *J Biotechnol* 118, 270-7.
- Thompson, S.G., Kienast, J., Pyke, S.D., Haverkate, F. and van de Loo, J.C. (1995) Hemostatic factors and the risk of myocardial infarction or sudden death in patients with angina pectoris. European Concerted Action on Thrombosis and Disabilities Angina Pectoris Study Group. *N Engl J Med* 332, 635-41.
- Tofler, G.H., Massaro, J., Levy, D., Mittleman, M., Sutherland, P., Lipinska, I., Muller, J.E. and D'Agostino, R.B. (2005) Relation of the prothrombotic state to increasing age (from the Framingham Offspring Study). *Am J Cardiol* 96, 1280-3.

- Travers, K.J., Patil, C.K., Wodicka, L., Lockhart, D.J., Weissman, J.S. and Walter, P. (2000) Functional and genomic analyses reveal an essential coordination between the unfolded protein response and ER-associated degradation. *Cell* 101, 249-58.
- Travis, J. and Pannell, R. (1973) Selective removal of albumin from plasma by affinity chromatography. *Clin Chim Acta* 49, 49-52.
- Trougakos, I.P. and Gonos, E.S. (2002) Clusterin/apolipoprotein J in human aging and cancer. *Int J Biochem Cell Biol* 34, 1430-48.
- Turrens, J.F. and Boveris, A. (1980) Generation of superoxide anion by the NADH dehydrogenase of bovine heart mitochondria. *Biochem J* 191, 421-7.
- Tyner, S.D., Venkatachalam, S., Choi, J., Jones, S., Ghebranious, N., Igelmann, H., Lu, X., Soron, G., Cooper, B., Brayton, C., Hee Park, S., Thompson, T., Karsenty, G., Bradley, A. and Donehower, L.A. (2002) p53 mutant mice that display early ageing-associated phenotypes. *Nature* 415, 45-53.
- van den Berg, J.J., Op den Kamp, J.A., Lubin, B.H. and Kuypers, F.A. (1993) Conformational changes in oxidized phospholipids and their preferential hydrolysis by phospholipase A2: a monolayer study. *Biochemistry* 32, 4962-7.
- van der Linden, R.H., Frenken, L.G., de Geus, B., Harmsen, M.M., Ruuls, R.C., Stok, W., de Ron, L., Wilson, S., Davis, P. and Verrrips, C.T. (1999) Comparison of physical chemical properties of llama VHH antibody fragments and mouse monoclonal antibodies. *Biochim Biophys Acta* 1431, 37-46.
- van der Vlies, D., Pap, E.H., Post, J.A., Celis, J.E. and Wirtz, K.W. (2002) Endoplasmic reticulum resident proteins of normal human dermal fibroblasts are the major targets for oxidative stress induced by hydrogen peroxide. *Biochem J* 366, 825-30.
- van Koningsbruggen, S., de Haard, H., de Kievit, P., Dirks, R.W., van Remoortere, A., Groot, A.J., van Engelen, B.G., den Dunnen, J.T., Verrrips, C.T., Frants, R.R. and van der Maarel, S.M. (2003) Llama-derived phage display antibodies in the dissection of the human disease oculopharyngeal muscular dystrophy. *J Immunol Methods* 279, 149-61.
- van Rossum, G.S., Drummen, G.P., Verkleij, A.J., Post, J.A. and Boonstra, J. (2004) Activation of cytosolic phospholipase A2 in Her14 fibroblasts by hydrogen peroxide: a p42/44(MAPK)-dependent and phosphorylation-independent mechanism. *Biochim Biophys Acta* 1636, 183-95.
- van Steensel, B., Smogorzewska, A. and de Lange, T. (1998) TRF2 protects human telomeres from end-to-end fusions. *Cell* 92, 401-13.
- Vasconcellos, C.A. and Lind, S.E. (1993) Coordinated inhibition of actin-induced platelet aggregation by plasma gelsolin and vitamin D-binding protein. *Blood* 82, 3648-57.
- Vasile, E., Tomita, Y., Brown, L.F., Kocher, O. and Dvorak, H.F. (2001) Differential expression of thymosin beta-10 by early passage and senescent vascular endothelium is modulated by VPF/VEGF: evidence for senescent endothelial cells *in vivo* at sites of atherosclerosis. *Faseb J* 15, 458-66.
- Vattemi, G., Engel, W.K., McFerrin, J. and Askanas, V. (2004) Endoplasmic reticulum stress and unfolded protein response in inclusion body myositis muscle. *Am J Pathol* 164, 1-7.
- Vaziri, H. and Benchimol, S. (1996) From telomere loss to p53 induction and activation of a DNA-damage pathway at senescence: the telomere loss/DNA damage model of cell aging. *Exp Gerontol* 31, 295-301.
- Verheesen, P., ten Haaf, M.R., Lindner, N., Verrrips, C.T. and de Haard, J.J. (2003) Beneficial properties of single-domain antibody fragments for application in immunoaffinity purification and immuno-perfusion chromatography. *Biochim Biophys Acta* 1624, 21-8.
- Vleck, C.M., Haussmann, M.F. and Vleck, D. (2003) The natural history of telomeres: tools for aging animals and exploring the aging process. *Exp Gerontol* 38, 791-5.
- von Zglinicki, T. (1998) Telomeres: influencing the rate of aging. *Ann N Y Acad Sci* 854, 318-27.
- von Zglinicki, T. (2000) Role of oxidative stress in telomere length regulation and replicative senescence. *Ann N Y Acad Sci* 908, 99-110.

- Watabe, T., Nishihara, A., Mishima, K., Yamashita, J., Shimizu, K., Miyazawa, K., Nishikawa, S. and Miyazono, K. (2003) TGF-beta receptor kinase inhibitor enhances growth and integrity of embryonic stem cell-derived endothelial cells. *J Cell Biol* 163, 1303-11.
- Wautier, J.L. and Schmidt, A.M. (2004) Protein glycation: a firm link to endothelial cell dysfunction. *Circ Res* 95, 233-8.
- Wei, Y., Scholes, C.P. and King, T.E. (1981) Ubisemiquinone radicals from the cytochrome b-c₁ complex of the mitochondrial electron transport chain--demonstration of QP-S radical formation. *Biochem Biophys Res Commun* 99, 1411-9.
- Wei, Y.H. (1998) Oxidative stress and mitochondrial DNA mutations in human aging. *Proc Soc Exp Biol Med* 217, 53-63.
- Wick, G. (2000) Atherosclerosis--an autoimmune disease due to an immune reaction against heat-shock protein 60. *Herz* 25, 87-90.
- Wilson, D.W., Lewis, M.J. and Pelham, H.R. (1993) pH-dependent binding of KDEL to its receptor *in vitro*. *J Biol Chem* 268, 7465-8.
- Winchurch, R.A., Birmingham, W., Hilberg, C. and Munster, A. (1982) Effects of endotoxin on immunity in aging mice. *Cell Immunol* 67, 384-9.
- Winter, G., Griffiths, A.D., Hawkins, R.E. and Hoogenboom, H.R. (1994) Making antibodies by phage display technology. *Annu Rev Immunol* 12, 433-55.
- Witte, D.P., Aronow, B.J., Stauderman, M.L., Stuart, W.D., Clay, M.A., Gruppo, R.A., Jenkins, S.H. and Harmony, J.A. (1993) Platelet activation releases megakaryocyte-synthesized apolipoprotein J, a highly abundant protein in atheromatous lesions. *Am J Pathol* 143, 763-73.
- Yen, T.C., Chen, Y.S., King, K.L., Yeh, S.H. and Wei, Y.H. (1989) Liver mitochondrial respiratory functions decline with age. *Biochem Biophys Res Commun* 165, 944-1003.
- Yoneda, T., Imaizumi, K., Oono, K., Yui, D., Gomi, F., Katayama, T. and Tohyama, M. (2001) Activation of caspase-12, an endoplasmic reticulum (ER) resident caspase, through tumor necrosis factor receptor-associated factor 2-dependent mechanism in response to the ER stress. *J Biol Chem* 276, 13935-40.
- Zecca, L., Youdim, M.B., Riederer, P., Connor, J.R. and Crichton, R.R. (2004) Iron, brain ageing and neurodegenerative disorders. *Nat Rev Neurosci* 5, 863-73.
- Zheng, J., Mutcherson, R., 2nd and Helfand, S.L. (2005) Calorie restriction delays lipid oxidative damage in *Drosophila melanogaster*. *Aging Cell* 4, 209-16.
- Zimmermann, M., Busch, K., Kuhn, S. and Zeppezauer, M. (1999) Endotoxin adsorbent based on immobilized human serum albumin. *Clin Chem Lab Med* 37, 373-9.
- Zou, S., Meadows, S., Sharp, L., Jan, L.Y. and Jan, Y.N. (2000) Genome-wide study of aging and oxidative stress response in *Drosophila melanogaster*. *Proc Natl Acad Sci U S A* 97, 13726-31.