

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/319965312>

Multiscale scenarios for nature futures

Article · September 2017

DOI: 10.1038/s41559-017-0273-9

CITATIONS

0

READS

458

44 authors, including:



Isabel Rosa

German Centre for Integrative Biodiversity Res...

23 PUBLICATIONS 236 CITATIONS

SEE PROFILE



Carsten Meyer

German Centre for Integrative Biodiversity Res...

25 PUBLICATIONS 134 CITATIONS

SEE PROFILE



Carsten Nesshoever

Helmholtz-Zentrum für Umweltforschung

61 PUBLICATIONS 931 CITATIONS

SEE PROFILE



Josef Settele

Helmholtz-Zentrum für Umweltforschung

550 PUBLICATIONS 12,246 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



Earthworm Watch [View project](#)



EKLIPSE [View project](#)

All content following this page was uploaded by [Carsten Meyer](#) on 05 October 2017.

The user has requested enhancement of the downloaded file.

Multiscale scenarios for nature futures

Targets for human development are increasingly connected with targets for nature, however, existing scenarios do not explicitly address this relationship. Here, we outline a strategy to generate scenarios centred on our relationship with nature to inform decision-making at multiple scales.

Isabel M. D. Rosa, Henrique M. Pereira, Simon Ferrier, Rob Alkemade, Lilibeth A. Acosta, H. Resit Akcakaya, Eefje den Belder, Asghar M. Fazel, Shinichiro Fujimori, Mike Harfoot, Khaled A. Harhash, Paula A. Harrison, Jennifer Hauck, Rob J. J. Hendriks, Gladys Hernández, Walter Jetz, Sylvia I. Karlsson-Vinkhuyzen, HyeJin Kim, Nicholas King, Marcel T. J. Kok, Grygoriy O. Kolomytsev, Tanya Lazarova, Paul Leadley, Carolyn J. Lundquist, Jaime García Márquez, Carsten Meyer, Laetitia M. Navarro, Carsten Nesshöver, Hien T. Ngo, Karachepone N. Ninan, Maria G. Palomo, Laura M. Pereira, Garry D. Peterson, Ramon Pichs, Alexander Popp, Andy Purvis, Federica Ravera, Carlo Rondinini, Jyothis Sathyapalan, Aafke M. Schipper, Ralf Seppelt, Josef Settele, Nadia Sitas and Detlef van Vuuren

Scenarios are powerful tools to envision how nature might respond to different pathways of future human development and policy choices¹. Most scenarios developed for global environmental assessments have explored impacts of society on nature, such as biodiversity loss, but have not included nature as a component of socioeconomic development². They ignore policy objectives related to nature protection and neglect nature's role in underpinning development and human well-being. This approach is becoming untenable because targets for human development are increasingly connected with targets for nature, such as in the United Nations' Sustainable Development Goals. The next generation of scenarios should explore alternative pathways to reach these intertwined targets, including potential synergies and trade-offs between nature conservation and other development goals, as well as address feedbacks between nature, nature's contributions to people, and human well-being. The development of these scenarios would benefit from the use of participatory approaches, integrating stakeholders from multiple sectors (for example, fisheries, agriculture, forestry) and should address decision-makers from the local to the global scale³, thereby supporting assessments being undertaken by the Intergovernmental Platform on Biodiversity and Ecosystem Services (IPBES).

A strategy for IPBES-tailored scenarios

Changes in nature, including biodiversity loss, emerge from interactions between drivers operating across a wide range of spatial scales, from local to global. Consequences of these changes, such as loss of ecosystem services supply, also play out across multiple scales. However, the recent IPBES methodological assessment of scenarios and models of biodiversity and ecosystem services showed that scenarios used in global assessments rarely integrate values and processes from sub-regional scales, while scenarios used at local scale are usually developed for specific contexts, hampering their comparison across regions¹. Furthermore, existing global socioeconomic and climate change scenarios, being used by the Intergovernmental Panel on Climate Change⁴, do not adequately consider nature and its contributions to people. Scenarios generated by past initiatives informing global environmental assessments, such as the Millennium Ecosystem Assessment⁵, placed a stronger emphasis on nature, yet the socioeconomic pathways explored were similar to those in climate scenarios, and hence included no consideration of social-ecological feedbacks, and limited consideration of multiscale processes.

Here, we outline a two-step strategy to develop a new generation of scenarios that overcome these limitations, in accordance with guidance provided by IPBES¹, which encouraged close collaboration with the wider scientific community “to develop a

flexible and adaptable suite of multiscaled scenarios specifically tailored to its [IPBES's] objectives”¹. The steps are as follows: (i) extend existing global scenarios developed by the climate-science community, by modelling impacts on biodiversity and ecosystem services (Fig. 1a); and (ii) make an ambitious effort to create a set of multiscale scenarios of desirable ‘nature futures’, based on the perspectives of different stakeholders, taking into account goals for both human development and nature stewardship (Fig. 1b).

Global biodiversity scenarios

Potential global trajectories for drivers of ecosystem change have been recently explored by the climate-science community⁶. Although targeting long-term analyses, with low sensitivity to short-term and local/regional dynamics, the shared socioeconomic pathways (SSPs) explore a wide range of human development pathways, from slow to fast rates of population growth, economic growth, technological development, trade development and implementation of environmental policies. The SSPs can be used in combination with representative concentration pathways (RCPs), which describe pathways of greenhouse gas emissions resulting in different climate change scenarios.

Integrated assessment models and global climate models can translate relevant combinations of SSPs/RCPs into land-use change and climate change projections.




Fig. 1 | Strategy to develop the next generation of biodiversity and ecosystem services scenarios supporting the Intergovernmental Platform on Biodiversity and Ecosystem Services. **a**, Extension of global scenarios developed by the climate-science community, by analysing the impacts on biodiversity and ecosystem services. **b**, A novel approach based on participatory nature futures, which are transformed into scenarios using three working groups (WGs): interactions between biodiversity and ecosystem services (WG 1), social-ecological feedbacks and impact on human well-being (WG 2); and trajectories of indirect (for example, socioeconomic changes) and direct drivers (for example, land-use change) (WG 3). Note: biodiversity and nature, and ecosystem services and nature's contributions to people, are used interchangeably throughout the text.

Existing biodiversity and ecosystem services models¹ can then be used to translate these projections into potential impacts on nature, nature's contributions to people, and good quality of life (Fig. 1a). Although this approach does not account for drivers of change in biodiversity and ecosystem services operating at regional and sub-regional scales, it enables an assessment of impacts from projected changes in land use and climate at the global scale. In contrast with previous analyses, we propose the use of multiple models assessing impacts across diverse dimensions of biodiversity (for example, species richness, abundance, and composition) and ecosystem services (provisioning, regulating, and cultural services). Comparable metrics for biodiversity and ecosystem services (such as essential biodiversity variables) will be needed to harmonize outputs from models addressing each of these dimensions^{1,2}.

Although this use of scenarios based on combinations of SSPs/RCPs will continue the tradition of viewing nature as the endpoint in a linear cascade of models (Fig. 1a), there is little choice but to retain this approach for informing the IPBES global assessment, given its scheduled delivery in 2019. However, this approach will inform the more ambitious and longer-term component of this two-step strategy. The second component places our relationship with nature at the centre of scenario development and addresses the full range of social-ecological feedbacks (Fig. 1b). Scenarios developed by this long-term

endeavour will underpin future rounds of IPBES regional and global assessments.

Visioning nature futures

The process of developing nature futures will produce multiple, stakeholder-defined endpoints and then explore various pathways for reaching those (Fig. 1b). These desirable nature futures should represent a wide range of human-nature interactions, based on the perspectives of different stakeholders, and include a variety of different types of human-modified ecosystems encompassing different degrees of human intervention. As in other visioning exercises (Fig. 2a), futures may range from seascapes and landscapes managed for multiple purposes (that is, multifunctional landscapes) to intensely managed, highly productive regions co-existing with wilderness and minimally exploited marine and freshwater ecosystems.

We propose an iterative, participatory and creative process, to identify these nature futures (Fig. 2b). This process will bring together key stakeholders from different sectors, at multiple spatial scales, including public administration agencies, intergovernmental organizations, non-governmental organizations, businesses, civil society, indigenous peoples and local communities, as well as the scientific community. The articulation of nature futures between stakeholders, and spatial scales, will use visualization techniques and other facilitation tools to enrich existing statements of such futures. These visioning exercises will build on emerging efforts at

multiple scales (for example, the European Nature Outlook⁷, Fig. 2a). Tools such as scenario archetypes, that is, grouping scenarios together as classes based on similarities in underlying assumptions, storylines, and characteristics, can then be used to integrate visions, thus highlighting conflicts and convergences across scales⁸.

At the global scale, nature futures could, for example, explore pathways to achieve the 2050 strategic vision of the Convention on Biological Diversity⁹, and work in collaboration with ongoing efforts across other sectors developing visions for the array of Sustainable Development Goals. At the regional scale, nature futures can be informed by the ongoing IPBES regional assessments, which are collecting information on trends of biodiversity and ecosystem services, as well as by national and regional biodiversity targets (for example, national biodiversity strategies and action plans). Local studies, on the other hand, can provide knowledge on how to link nature futures to decision-making, while being inclusive of the diversity of nature values held by different local communities⁹.

Once the alternative nature futures have been identified, qualitative and quantitative approaches (for example, modelling, empirical studies and expert knowledge) can be used to identify potential pathways for reaching these endpoints, including specific policy alternatives, and feedbacks between nature, nature's contributions to people, quality of life and decision-making. These analyses could be carried out in working groups, focusing on three topics (Fig. 1b): (1) models of interactions between biodiversity and ecosystem services; (2) social-ecological feedbacks, such as individual and institutional behavioural responses to changes in nature and their impact on human well-being; and (3) trajectories of indirect (for example, socioeconomic changes) and direct (for example, land-use change) drivers of change and their impacts on nature.

Biodiversity and ecosystem services

Explicit consideration of links between biodiversity and ecosystem services is limited in most models, and therefore impacts of direct drivers on nature are usually modelled independently of their impacts on nature's contributions to people². However, our knowledge about the relationships between biodiversity and ecosystem functioning, and therefore services, has improved greatly^{10,11}. Much of this ecological knowledge, acquired at very small scales (for example, experimental plots) is still to be incorporated into models at larger scales. Accounting for




Fig. 2 | Constructing multiscale, multisectoral visions for nature futures. **a**, Examples of futures for European nature from the Nature Outlook project. The Nature Outlook project aimed to capture the benefits that nature offers to people by engaging citizens and businesses of multiple sectors in the development of future visions for nature in the European Union. As a result of the participatory process, which included dialogues with stakeholders and a citizens' survey, four different nature futures were designed. **b**, Expansion to a multiscale, multisector approach to produce alternative nature futures. Panel a adapted with permission from ref. 7, PBL Netherlands Environmental Assessment Agency.

the role of biodiversity in the delivery of ecosystem services¹¹ in each nature future can be accomplished by a combination of appropriate scale choice and application of the most recent empirical, experimental and modelling knowledge. When indicators that are robust across scales are available, methods that work at multiple spatiotemporal scales can be integrated (empirical studies, remote sensing and ecosystem modelling)¹².

Recent work has started to explore how to map at continental scales the spatial distribution of these benefits based on the presence of species with particular traits¹³, opening the door to assessments of how regional and global scenarios of indirect and direct drivers of biodiversity change would affect ecosystem services, mediated by changes in species distributions and abundances. Such scenarios are likely to demonstrate that nature's contributions to people depend both on natural and human capital¹⁴, although their relative importance may vary across ecosystem services. Furthermore, scenarios could highlight that the perceived relationship between nature and nature's contributions to people may differ among stakeholder groups, that is, landscape management preferences of farmers, hunters, and tourists differ because they expect different combinations of services. Inclusion of indigenous and local knowledge and practices is critical to guarantee that diverse values of nature are captured and integrated.

Social-ecological feedbacks

In developing this new generation of scenarios, it is vital not only to include key stakeholders in identifying the futures, but also to describe and model how they may respond to changes in drivers, biodiversity, ecosystem services and human well-being associated with each future. Models that couple social and ecological dynamics are becoming available, demonstrating that insights from social-ecological feedbacks can be critical for anticipating regime shifts¹⁵. Agent-based and dynamic models can represent how the well-being of key agents, within each sector and realm, differ in each vision, and how individual responses and actions can impact the drivers' trajectories¹⁶.

Many of these social-ecological feedbacks play out across multiple scales and locations through telecoupling between the production and consumption of ecosystem services, often mediated by trade, but also through institutional and governance linkages¹⁶. Being able to produce scenarios that show, for example, major relocation of crop production or fisheries as a result of environmental changes¹⁷, is essential to help policymakers prepare for potential socioeconomic (transboundary) impacts.

Global and regional policies set the boundaries for national policies, which affect decision-making in local communities. In turn, the decisions of local stakeholders and how they respond and manage different nature trajectories

can scale up to determine the dynamics of ecosystem change at regional scales. The development of multi-scale scenarios provides a unique environment to address these cross-scale social-ecological feedbacks, and their impact on human well-being, thereby stimulating further research in this field.

Towards social-ecological pathways

The SSPs do not adequately incorporate cross-scale dynamics and social-ecological feedbacks involving nature. These shortcomings lead to an underestimation of the effects of telecoupling and of tipping points in ecosystems (such as fisheries collapse or forest to savannah shifts)¹⁸. By producing multiscale scenarios for nature futures enriched with local to regional models of biodiversity and ecosystem services, we can assess how a similar scenario endpoint may produce distinct contributions to people in different areas of the world. This is particularly relevant to broadening the range of drivers assessed in current global scenarios of biodiversity, as many drivers are not currently well modelled at the global scale, but are well understood at local scales — for example, the impacts of hunting on biodiversity or the impacts of forest loss on pollination. Such work on social-ecological feedbacks and the development of coupled analyses of society, nature and nature contributions to people, may ultimately lead to a revised set of SSPs, in which nature plays a central

role alongside existing socioeconomic considerations.

To be successful, the scenario-development process proposed here will require scientific and technological advances to fill knowledge gaps¹ relating to the links between nature, nature's contributions to people and human well-being. It will thus rely on activities of a broad and interdisciplinary community of scholars, and equally critically, on the engagement of policymakers, practitioners, and other stakeholders. This engagement should occur throughout all stages of scenario development, from the identification of nature futures, to modelling and analysis, to decision support and policy implementation¹. Only through continued engagement will scenarios be policy-relevant and effectively used by decision-makers at all scales. □

Isabel M. D. Rosa^{1,2*}, Henrique M. Pereira^{1,2,3*}, Simon Ferrier⁴, Rob Alkemade⁵, Lilibeth A. Acosta⁶, H. Resit Akcakaya⁷, Eefje den Belder^{5,8}, Asghar M. Fazel^{9,10}, Shinichiro Fujimori^{11,12}, Mike Harfoot¹³, Khaled A. Harhash¹⁴, Paula A. Harrison¹⁵, Jennifer Hauck^{16,17}, Rob J. J. Hendriks¹⁸, Gladys Hernández¹⁹, Walter Jetz^{20,21}, Sylvia I. Karlsson-Vinkhuyzen²², HyeJin Kim²³, Nicholas King²⁴, Marcel T. J. Kok⁵, Grygoriy O. Kolomytsev²⁵, Tanya Lazarova⁵, Paul Leadley²⁶, Carolyn J. Lundquist^{27,28}, Jaime García Márquez²⁹, Carsten Meyer^{1,20}, Laetitia M. Navarro^{1,2}, Carsten Nesshöver^{1,16}, Hien T. Ngo³⁰, Karachepone N. Ninan³¹, Maria G. Palomo³², Laura M. Pereira³³, Garry D. Peterson³⁴, Ramon Pichs¹⁹, Alexander Popp³⁵, Andy Purvis³⁶, Federica Ravera^{37,38,39}, Carlo Rondinini⁴⁰, Jyothis Sathyapalan⁴¹, Aafke M. Schipper⁵, Ralf Seppelt^{2,17}, Josef Settele^{1,42}, Nadia Sitas⁴³ and Detlef van Vuuren⁵

¹German Centre for Integrative Biodiversity Research (iDiv), 04103 Leipzig, Germany. ²Martin Luther University Halle-Wittenberg, 06108 Halle, Germany. ³Centro de Investigação em Biodiversidade e Recursos Genéticos (CIBIO), Universidade do Porto, Vairão 4485-661, Portugal. ⁴Commonwealth Scientific and Industrial Research Organisation (CSIRO) Land and Water, Canberra 2601, Australia. ⁵PBL Netherlands Environmental Assessment Agency, 2500 GH The Hague, The Netherlands. ⁶Department of Community and Environmental Resource Planning, College of Human Ecology, University of the Philippines Los Banos (UPLB), Laguna 4031, Philippines. ⁷Department of Ecology and Evolution, Stony Brook University, Stony Brook, NY 11794-5245, USA.

⁸Agrosystems Research, Wageningen University and Research, 6708 PB Wageningen, The Netherlands.

⁹University College of Environment, Karaj 14155-6135, Iran. ¹⁰ECO Institute of Environmental Science and Technology (ECO-IEST), Karaj 31746-118, Iran.

¹¹Center for Social and Environmental Systems Research, National Institute for Environmental Studies (NIES), Tsukuba 305-8506 Ibaraki, Japan.

¹²International Institute for Applied Systems Analysis (IIASA), Schlossplatz 1 A-2361 Laxenburg, Austria.

¹³United Nations Environment Programme, World Conservation Monitoring Centre, Cambridge CB3 0DL, UK. ¹⁴Egyptian Environmental Affairs Agency (EEAA), Maadi, Cairo 11728, Egypt. ¹⁵Centre for Ecology and Hydrology, Lancaster Environment Centre, Bailrigg LA1 4AP Lancaster, UK. ¹⁶UFZ — Helmholtz Centre for Environmental Research, 04318 Leipzig, Germany. ¹⁷CoKnow Consulting, 04838 Jesewitz, Germany. ¹⁸Directorate of Agro and Nature Knowledge, Ministry of Economic Affairs, 2594 AC The Hague, The Netherlands. ¹⁹Centre for World Economy Studies (CIEM), Miramar, Habana 11300, Cuba. ²⁰Ecology and Evolutionary Biology Department, Yale University, New Haven, CT 06520-8106 Connecticut, USA.

²¹Department of Life Sciences, Imperial College London, Silwood Park Ascot Berkshire SL5 7PY, UK. ²²Public Administration Group, Wageningen University and Research, 6708 PB Wageningen, The Netherlands. ²³National Institute of Ecology, Seocheon 33657, Republic of Korea. ²⁴Research Unit for Environmental Sciences and Management, North-West University, Potchefstroom 2520, South Africa.

²⁵I. Schmalhausen Institute of Zoology of National Academy of Sciences of Ukraine, Kiev 01030, Ukraine. ²⁶Laboratoire d'Ecologie, Systématique et Evolution, Université Paris-Sud, 91405 Orsay, France. ²⁷Institute of Marine Science, University of Auckland, Auckland 1142, New Zealand. ²⁸National Institute of Water and Atmospheric Research Ltd (NIWA), Hamilton 3216, New Zealand. ²⁹IRI THESys, Humboldt-Universität zu Berlin, 10117 Berlin, Germany. ³⁰IPBES secretariat, D-53113 Bonn, Germany. ³¹Centre for Economics, Environment and Society, Bangalore 560 047, India. ³²Museo Argentino de Ciencias Naturales (MACN-CONICET), Buenos Aires C1405DJR, Argentina. ³³Centre for Complex Systems in Transition, Stellenbosch University, Stellenbosch 7600, South Africa. ³⁴Stockholm Resilience Centre, Stockholm University, Stockholm SE-106 91, Sweden. ³⁵Potsdam Institute for Climate Impact Research (PIK), Telegraphenberg, 14473 Potsdam, Germany. ³⁶Department of Life Sciences, Natural History Museum, London SW7 5BD, UK. ³⁷Instituto de Ciências Agrárias e Ambientais Mediterrânicas (ICAAM), University of Évora, Évora 7002-554, Portugal. ³⁸Agroecology and Food Systems, UVic-Universitat Central De Catalunya, Carrer de la Sagrada Família 7, 08500 Vic, Spain. ³⁹CREAF,

Cerdanyola del Vallès, Catalonia 08193, Spain. ⁴⁰Global Mammal Assessment Program, Department of Biology and Biotechnologies, Sapienza University of Rome, Rome 00185, Italy. ⁴¹Centre for Economic and Social Studies (CESS), Hyderabad 500016, India. ⁴²UFZ — Helmholtz Centre for Environmental Research, Halle 06120, Germany. ⁴³Council for Scientific and Industrial Research (CSIR), Stellenbosch 7600, South Africa. *e-mail: isabel.rosa@idiv.de; hpereira@idiv.de

DOI: 10.1038/s41559-017-0273-9

References

1. Ferrier, S. et al. (eds.) *The Methodological Assessment Report on Scenarios and Models of Biodiversity and Ecosystem Services* (IPBES, 2016).
2. Pereira, H. M. et al. *Science* **330**, 1496–1501 (2010).
3. Kok, M. T. et al. *Sustain. Sci.* **12**, 177–181 (2017).
4. Moss, R. H. et al. *Nature* **463**, 747–756 (2010).
5. Alcamo, J., van Vuuren, D. & Ringer, C. in *Ecosystems and Human Well-Being: Scenarios Vol. 2* (eds Carpenter, S. R., Prabhu, L. P., Bennett, E. M. & Zurek, M. B.) 147–172 (Island Press, 2005).
6. van Vuuren, D. P. & Carter, T. R. *Clim. Change* **122**, 415–429 (2014).
7. van Zeijts, H. et al. *European Nature In The Plural: Finding Common Ground For A Next Policy Agenda* (PBL Netherlands Environmental Assessment Agency, 2017).
8. Kok, M. et al. *How Sectors Can Contribute To Sustainable Use And Conservation Of Biodiversity* CBD Technical Report No. 79 (PBL Netherlands Environmental Assessment Agency, 2014).
9. Ferguson, B. C., Frantzeskaki, N. & Brown, R. R. *Landsc. Urban Plan.* **117**, 32–45 (2013).
10. Isbell, F. et al. *Nature* **477**, 199–202 (2011).
11. Harrison, P. et al. *Ecosyst. Serv.* **9**, 191–203 (2014).
12. Civantos, E., Thuiller, W., Maiorano, L., Guisan, A. & Araújo, M. B. *BioScience* **62**, 658–666 (2012).
13. van der Sande, M. T. et al. *Curr. Opin. Environ. Sustain.* **26**, 69–76 (2017).
14. Rieb, J. et al. *BioScience* (in press).
15. Bauch, C. T., Sigdel, R., Pharaon, J. & Anand, M. *Proc. Natl. Acad. Sci. USA* **113**, 14560–14567 (2016).
16. An, L. *Ecol. Model.* **229**, 25–36 (2012).
17. Pecl, G. T. et al. *Science* **355**, 6332 (2017).
18. Leadley, P. et al. *BioScience* **64**, 665–679 (2014).

Acknowledgements

These recommendations emerged from a workshop held at the German Centre for Integrative Biodiversity Research (iDiv), in Leipzig, between 3 and 6 October 2016, organized and funded by the Technical Support Unit on Scenarios and Models of Biodiversity and Ecosystem Services of IPBES Deliverable 3c, and iDiv. I.M.D.R. has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement no. 703862.

Author contributions

I.M.D.R. and H.M.P. wrote the paper with input from all co-authors. All co-authors were participants in the workshop, and provided comments and revisions to the manuscript. Note that the author list, after the fourth author, is in alphabetic order by authors' surname.

Competing interests

The authors declare no competing financial interests.

Cerdanyola del Vallès, Catalonia 08193, Spain.

⁴⁰Global Mammal Assessment Program, Department of Biology and Biotechnologies, Sapienza University of Rome, Rome 00185, Italy. ⁴¹Centre for Economic and Social Studies (CESS), Hyderabad 500016, India. ⁴²UFZ — Helmholtz Centre for Environmental Research, Halle 06120, Germany. ⁴³Council for Scientific and Industrial Research (CSIR), Stellenbosch 7600, South Africa. *e-mail: isabel.rosa@idiv.de; hpereira@idiv.de

DOI: 10.1038/s41559-017-0273-9

References

1. Ferrier, S. et al. (eds.) *The Methodological Assessment Report on Scenarios and Models of Biodiversity and Ecosystem Services* (IPBES, 2016).
2. Pereira, H. M. et al. *Science* **330**, 1496–1501 (2010).
3. Kok, M. T. et al. *Sustain. Sci.* **12**, 177–181 (2017).
4. Moss, R. H. et al. *Nature* **463**, 747–756 (2010).
5. Alcamo, J., van Vuuren, D. & Ringer, C. in *Ecosystems and Human Well-Being: Scenarios Vol. 2* (eds Carpenter, S. R., Prabhu, L. P., Bennett, E. M. & Zurek, M. B.) 147–172 (Island Press, 2005).
6. van Vuuren, D. P. & Carter, T. R. *Clim. Change* **122**, 415–429 (2014).
7. van Zeijts, H. et al. *European Nature In The Plural: Finding Common Ground For A Next Policy Agenda* (PBL Netherlands Environmental Assessment Agency, 2017).
8. Kok, M. et al. *How Sectors Can Contribute To Sustainable Use And Conservation Of Biodiversity* CBD Technical Report No. 79 (PBL Netherlands Environmental Assessment Agency, 2014).
9. Ferguson, B. C., Frantzeskaki, N. & Brown, R. R. *Landsc. Urban Plan.* **117**, 32–45 (2013).
10. Isbell, F. et al. *Nature* **477**, 199–202 (2011).
11. Harrison, P. et al. *Ecosyst. Serv.* **9**, 191–203 (2014).
12. Civantos, E., Thuiller, W., Maiorano, L., Guisan, A. & Araújo, M. B. *BioScience* **62**, 658–666 (2012).
13. van der Sande, M. T. et al. *Curr. Opin. Environ. Sustain.* **26**, 69–76 (2017).
14. Rieb, J. et al. *BioScience* (in press).
15. Bauch, C. T., Sigdel, R., Pharaon, J. & Anand, M. *Proc. Natl. Acad. Sci. USA* **113**, 14560–14567 (2016).
16. An, L. *Ecol. Model.* **229**, 25–36 (2012).
17. Pecl, G. T. et al. *Science* **355**, 6332 (2017).
18. Leadley, P. et al. *BioScience* **64**, 665–679 (2014).

Acknowledgements

These recommendations emerged from a workshop held at the German Centre for Integrative Biodiversity Research (iDiv), in Leipzig, between 3 and 6 October 2016, organized and funded by the Technical Support Unit on Scenarios and Models of Biodiversity and Ecosystem Services of IPBES Deliverable 3c, and iDiv. I.M.D.R. has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement no. 703862.

Author contributions

I.M.D.R. and H.M.P. wrote the paper with input from all co-authors. All co-authors were participants in the workshop, and provided comments and revisions to the manuscript. Note that the author list, after the fourth author, is in alphabetic order by authors' surname.

Competing interests

The authors declare no competing financial interests.