



Contents lists available at ScienceDirect

## Toxicology and Applied Pharmacology

journal homepage: [www.elsevier.com/locate/taap](http://www.elsevier.com/locate/taap)



### Corrigendum

## Corrigendum to 'Embryotoxic and pharmacologic potency ranking of six azoles in the rat whole embryo culture by morphological and transcriptomic analysis' [Toxicol. Appl. Pharmacol., 322 (2017) 15–26]



Myrto Dimopoulos<sup>a,b,\*</sup>, Aart Verhoef<sup>b</sup>, Jeroen Pennings<sup>b</sup>, Bennard van Ravenzwaay<sup>a,d</sup>, Ivonne M.C.M. Rietjens<sup>a</sup>, Aldert H. Piersma<sup>b,c</sup>

<sup>a</sup> Division of Toxicology, Wageningen University, The Netherlands

<sup>b</sup> National Institute of Public Health and the Environment (RIVM), Bilthoven, The Netherlands

<sup>c</sup> Institute for Risk Assessment sciences, Utrecht University, Utrecht, The Netherlands

<sup>d</sup> BASF SE, Experimental Toxicology and Ecology, Ludwigshafen, Germany

The authors regret that in the Results section - 3.7 - the data regarding the inhibition of Cyp26a1 provided by BASF SE were not IC50

values but rather Kd (dissociation constant) values.

The authors would like to apologise for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.taap.2017.03.001>

\* Corresponding author at: Division of Toxicology, Wageningen University, The Netherlands.

E-mail address: [myrto.dimopoulos@wur.nl](mailto:myrto.dimopoulos@wur.nl) (M. Dimopoulos).