

Index

Note: Page numbers followed by “f” and “t” refer to figures and tables, respectively.

A

- Agent-based models, 36, 284
- Air source HPs (ASHPs),
 - 191–192, 195–196,
 - 213–214
- A-line lamps, 234–236, 235f,
 - 242t, 243, 248–249, 249f,
 - 252
- Alkaline electrolysis, 165,
 - 269–270
 - current and future markets,
 - 179–182
 - data availability and methodological issues,
 - 170–174
 - drivers, 178–179
 - experience curve, 175–178
 - future CAPEX, 182–183
 - future drivers in CAPEX reduction, 182
 - global hydrogen capacity,
 - 168–170
- Alkaline electrolyzer, 166,
 - 169–171, 180–181
- ASsessment of TRAnsport Strategies (ASTRA), 283,
 - 285–288, 286f
 - modular structure of, 285–286
 - vehicle fleet and technology diffusion in, 286–288
- A-type lamps, 240–243, 250

B

- Balance of plant (BOP) costs, 177
- Balance of system (BOS), 67
 - BOS components, 27–28, 311
 - BOS costs, 67

- Battery electric vehicles (BEVs),
 - 55–56, 58f, 59f, 147–148,
 - 284
- Battery storage technologies, 124,
 - 127, 139
- Bipolar designs, commercialization of, 167–168, 178–179
- Bottom-up energy models, 35

C

- Cadmium telluride (CdTe), 53,
 - 65–66
- Capacity factors, 91–92, 95–97,
 - 106, 112, 112f
- CAPEX, 170–171, 172f, 173,
 - 173f, 174f, 178
 - future CAPEX of alkaline electrolysis systems,
 - 182–183
 - future drivers in CAPEX reduction, 182
- Capital expenditures (Capex),
 - 90–93, 106, 310
- Carbon capture and storage (CCS),
 - 19, 41, 265, 273
 - related technologies, 268–269
 - sensitivity of no technological learning for, 275
- Carnot cycle, inverse, 191
- Cell efficiency, 80, 179, 183–184
- China, offshore wind capacity in,
 - 104–105
- Coal-fired power plants, 4
- Coefficient of performance (COP),
 - 201–202
- Color-rendering index (CRI), 243
- Combi gas boilers, 193

- Combined-cycle gas turbines (CCGTs), 271–272
 - Component-based assessments,
 - 311
 - Component-based manufacturing cost projections, 250
 - Compressed-air-energy storage, 123
 - Concentrating solar power (CSP), 221
 - future outlook, 228–229
 - learning curve analyses,
 - 226–227
 - methodological issues and data availability, 224–225
 - price decline, main drivers of,
 - 227–228
 - technology options, 223f
 - time trend analyses, 225–226
 - Condensing boilers, technology description of, 192–193
 - Consumer price index (CPI), 18, 203
 - Cost and price changes, main drivers behind, 110–113
 - Cost versus price data, 15–16
 - Crystalline silicon, 77–80, 79f
 - Cumulative energy demand (CED), 53
 - Current density, 179, 182
- ## D
- Data gathering issues, 19t
 - Data harmonization, 17–18
 - Decarbonization transportation,
 - 160–161
 - Diffusion, defined, 54
 - Direct normal irradiance (DNI), 221

E

- Early adopters (EAs), 54
- Early majority (EM), 55
- Electric car market deployment
 considering endogenous
 battery price development,
 281
- assessment of transport
 strategies, 285–288
- modular structure of,
 285–286
- vehicle fleet and technology
 diffusion in, 286–288
- comparison of the two models,
 292
- comparison with other studies
 and limitations, 301–302
- effects of global learning via
 model coupling, 300
- electric vehicle market diffusion
 studies, status quo of,
 283–284
- experience curves,
 implementation of,
 293–294
- interface and feedback loops
 between models, 294
- motivation, 282–283
- results of reference scenario,
 296–297
- scenario and sensitivity
 analyses, 295
- sensitivity analyses, 297–299
- system dynamics (SD) transport
 modeling, 284
- Transport, Energy, Economics,
 and Environment (TE3)
 model, 288–292
- modular structure of, 289
- vehicle fleet and technology
 diffusion in, 289–292
- Electricity generation technologies,
 66–67, 265
- Electricity storage technologies,
 126–127, 129*t*, 130, 132,
 265–266
- data collection issues for, 126*t*
- experience curves for, 129*t*
- future cost of, 135*f*, 137*t*
- technology scope for, 130
- ELectricity TRAnsshipment
 MODel (ELTRAMOD),
 261–263, 274–275
- uncertainty of experience curve
 parameters in, 272–274
- Electric vehicles (EVs), 120, 282
- battery electric vehicles (BEVs),
 55–56, 58*f*, 59*f*, 147–148,
 284
- deployment projection, 158*f*
- fuel cell electric vehicles
 (FCEVs), 148, 151
- hybrid electric vehicles (HEVs),
 148
- plug-in hybrid electric vehicles
 (PHEVs), 56–57, 148, 284
- status quo of EV market
 diffusion studies, 283–284
- Electric vehicles (EVs), 145,
 154–156
- description of technology,
 147–149
- future outlook, 156–160
- market development, 149–152
- methodological issues and data
 availability, 152–154
- data collection and
 methodological issues,
 153–154
- Electrolysis, defined, 166
- Electrolysis–fuel cell combination,
 136–137
- Emerging technologies, 250–251
- Endogenous technological
 learning, 39–41
- Energy and climate models,
 application in, 313–314
- Energy demand technologies, 266
- experience curves for energy
 efficiency in, 51–52
- Energy efficiency, 212, 248, 249*f*,
 253–254
- Energy experience curves, 50–52
- for energy efficiency in energy
 demand technologies,
 51–52
- for energy efficiency in
 industrial processes, 50–51
- Energy modeling approaches,
 34–36
- agent-based models, 36
- bottom-up models, 35
- integrated assessment models
 (IAMs), 36
- optimization models, 35
- simulation models, 35
- technological learning in, 43
- top-down models, 34
- Energy models, experience curves
 in, 36–39, 257
- energy markets involved,
 overview of, 266–267
- exogenous technological
 learning, model results
 with, 267–275
- developments of novel
 technologies and concurrent
 price reductions, 267–270
- ELectricity TRAnsshipment
 MODel, uncertainty of
 experience curve
 parameters in, 272–274
- FORECAST, uncertainty of
 experience curve
 parameters in, 270
- PowerACE, uncertainty of
 experience curve
 parameters in, 270–272
- sensitivity of –50% of
 specific investment costs
 for batteries, 274–275
- sensitivity of no technological
 learning for carbon capture
 and storage technologies,
 275
- key new and incumbent
 technologies, 264–266
- electricity generation
 technologies, 265
- electricity storages, 265–266
- energy demand technologies,
 266
- modeling characteristics, 268*t*
- technical discussion on model
 implementation of
 experience curves, 37–39
- endogenous implementation,
 38–39
- exogenous implementation,
 38–39

- technological progress and experience curves, 260
- Energy system models, 260, 262*f*, 277
- Environmental experience curves and social learning, 312–313
- Environmental impacts, experience curves for, 52–54
- Europe, offshore wind farms in, 104–105, 104*f*
- European Heat Pump Association, 196
- Exogenous learning, 270
- Exogenous technological learning, 41–42, 267–275
- developments of novel technologies and concurrent price reductions, 267–270
 - sensitivity of ~50% of specific investment costs for batteries, 274–275
 - sensitivity of no technological learning for carbon capture and storage technologies, 275
 - uncertainty of experience curve parameters
 - in ELeCtricity TRAnsshIpment MODeL, 272–274
 - in FORECAST, 270
 - in PowerACE, 270–272
- Experience curve, 5, 9, 13*f*, 33
- analyses, 107–110
 - applications of, for policy makers, 21–27
 - direct applications, 23–26
 - indirect application, 26–27
 - empirical data collection for, 15–19
 - common issues with data collection, 18–19
 - cost versus price data, 15–16
 - data harmonization, 17–18
 - functional unit, 17
 - energy modeling approaches, 34–36
 - agent-based models, 36
 - bottom-up models, 35
 - integrated assessment models (IAMs), 36
 - optimization models, 35
 - simulation models, 35
 - top-down models, 34
- estimation of parameters of, 20–21
- determining fit accuracy and experience curve parameter errors, 20–21
 - regression method, 20
- implementation of, 293–294
- in energy models, 36–39
- issues, caveats, and drawbacks of experience-curve implementation in energy models, 42–45
- geographical scope of model, 42–43
 - technical issues, 43–44
- technological learning in energy modeling system, 43
- technology deployment constrained by modeling scenario and policy targets, 44
- issues and drawbacks of, 27–29
- cost reductions and causality, 28
 - nonconstant learning rates and learning rate uncertainty, 27
 - radical innovations, 28–29
 - technology quality, 29
 - technology systems and components, 27–28
- learning curve and, 10–15
- single factor experience curve, 11–12
 - two and multifactor experience curves, 12–15
- multifactor experience curves (MFECs), 68
- practical implications in different types of models, 39–42
- endogenous technological learning, 39–41
 - exogenous technological learning, 41–42
 - state-of-the-art experience curves, 71–76
 - two-factor experience curve (TFEC), 76–77
- Experience curves, application of, 49
- for energy efficiency in energy demand technologies, 51–52
 - for energy efficiency in industrial processes, 50–51
 - for environmental impacts and life cycle assessment, 52–54
 - social learning (SL), 54–60
 - modeling risk premiums and social and technological learning, 55–56
 - technological learning scenarios, 57–60
 - in transport sector, 55
- Experience rates (ERs), 125–126, 128–132
- F**
- Flow batteries, 122
- Fluorescent lamps, 234–235
- Flywheels, 120, 123
- FORECAST model, 262–263
- uncertainty of experience curve parameters in, 270
- F*-test, 21
- Fuel cell electric vehicles (FCEVs), 148, 151
- Fuel cell vehicles (FCVs), 56
- Fuel cells, 122–123
- Functional unit, 17
- G**
- Gas boilers
- current market developments of, 193–196
 - methodological issues and data collection for, 206–207
- General service lamps (GSLs), 248
- Government-funded research, development, and demonstration (RD&D), 25

Greenhouse gases (GHGs),
 emission of, 3–4, 22–23,
 53, 283

Grid-scale energy storage, 119
 future outlook, 134–138
 methodological issues and data
 availability, 124–129
 multifactor learning curves,
 133–134
 one-factor learning curves,
 130–133

Ground source HPs (GSHPs),
 191–192, 213–214

H

Habit-oriented consumers,
 291–292

Heating and cooling in the built
 environment, 189
 condensing boilers, technology
 description of, 192–193
 decreasing costs (prices) per unit
 in the case of gas boilers,
 212–213
 for the case of heat pump
 borehole heat exchangers
 and heat pump modules,
 210–212
 for the case of heat pumps,
 207–210

fossil heating systems and heat
 pumps, current market
 developments of
 case study for Switzerland,
 200–202

future market trends of heat
 pumps in The Netherlands
 and Switzerland, 213–215

gas boilers and heat pumps,
 current market
 developments of
 case study for The
 Netherlands, 197–200

heat pumps, technology
 description of, 191–192

market development, in the EU,
 193–197
 of gas boilers, 193–196
 of heat pumps, 196–197

methodological issues and data
 collection for gas boilers,
 206–207

methodological issues for heat
 pumps, 204–206
 data availability and data
 collection, 205
 data collection for heat
 pumps, 205–206

Heat pump (HP), 190–191, 266,
 269
 current market developments of,
 196–197
 decreasing costs (prices) per unit
 for the case of, 207–210
 improved energy efficiency in
 the case of, 212
 methodological issues for,
 204–206
 data availability and data
 collection, 205
 data collection for heat
 pumps, 205–206
 technology description of,
 191–192

Heat pump borehole heat
 exchangers and heat pump
 modules
 decreasing costs (prices) per unit
 for the case of, 210–212

Heat transfer fluid (HTF),
 222–223

High-CRI lamps, 243

Hybrid electric vehicles (HEVs),
 148

Hydrogen production methods,
 170*t*

I

IMAGE model, 36

Incandescent lamps, 236, 242–243

Industrial processes, experience
 curves for energy efficiency
 in, 50–51

Innovation activity, 14

Integrated assessment models
 (IAMs), 36

Interface and feedback loops
 between models, 294

Intergovernmental Panel on
 Climate Change, 26

Internal combustion engine
 vehicles (ICEVs), 282

International Energy Agency's
 Photovoltaic Power
 Systems Programme (IEA
 PVPS), 70

International Energy Agency's
 World Energy Outlook
 (WEO), 81

Inverse Carnot cycle, 191

K

Knowledge stock (*KS*), 13–14,
 76–77

L

Laggards (LG), 55

Lamps, 234

Lappeenranta University of
 Technology (LUT), 81

Late majority (LM), 55

Lawrence Berkeley National
 Laboratory (LBNL),
 242–243

Learning-by-doing, 23, 80

Learning-by-interacting, 23–24

Learning-by-searching, 80

Learning-by-using, 23

Learning curve, 10–12, 11*f*
 analyses, 226–227, 244–246
 and experience curve, 10–15
 single factor experience
 curve, 11–12
 two and multifactor
 experience curves, 12–15

Learning investments, 24

Learning rate (LR), 37, 40–41,
 153, 155, 160
 nonconstant behavior of, 27
 uncertainty, 27

LED lamps, 240, 242–244, 250

Levelized cost of electricity
 (LCOE), 16, 225–226,
 226*f*
 of offshore wind projects, 106,
 112

- of onshore wind energy, 90, 92–97
 - Life cycle assessment (LCA), experience curves for, 52–54
 - Life cycle inventory (LCI), 53
 - Light bulbs, 234–235
 - Light duty vehicles (LDVs), 55
 - Light-emitting diode (LED) lighting products, 233
 - future outlook, 248–252
 - component-based manufacturing cost projections, 250
 - discussion, 250–252
 - product-level price projections, 248–250
 - learning-curve analyses, 244–246
 - methodological issues and data availability, 238–241
 - approach to inferring cumulative production, 240–241
 - light-emitting diode lighting products, price data for, 238–240
 - price decline, main drivers of, 246–248
 - time-trend analyses, 241–244 in the 2010s, 234–237
 - Linear regression method, 20
 - Lithium battery storage system, 27–28, 126
 - Lithium-ion batteries, 121–122, 128, 265–266, 269
 - historical growth of sales of, 149–150, 150*f*
 - Lithium-ion technologies
 - experience and learning rates of, 133*f*
 - experience curves for, 132*f*
 - L-prize lamp, 236
 - Luminous lamps, 242–243
- M**
- MESSAGE–MACRO model, 41
 - Methodological considerations, of experience curves, 310–315
 - component-based assessments, 311
 - cost of capacity versus LCOE and other metrics, 310–311
 - data availability and future data collection, 314–315
 - energy and climate models, application in, 313–314
 - environmental experience curves and social learning, 312–313
 - two- and multifactor experience curves, 311–312
 - Model coupling
 - effects of global learning via, 300
 - experience curves and, 293–294
 - Modern-day conventional wind turbines, 88
 - Module-level power electronics, 67
 - Monopolar cells, 178
 - Multifactor experience curve (MFEC), 12–15, 18, 38, 68, 311–312
 - Multifactor learning curves, 45, 108–110, 116, 133–134
 - for silicon photovoltaic module prices, 76–77
 - Multistacking, 178, 182
- N**
- Natural gas condensing gas boilers, 193, 198–199
 - NEEDS project, 22
 - NEMA lamp, 240
 - Nonlinear regression method, 20
 - Notice of Proposed Rulemaking (NOPR), 248
- O**
- Offshore wind energy, 103
 - data collection issues for, 106*t*
 - experience curve analyses, 107–110
 - future outlook, 113–115
 - main drivers behind cost and price changes, 110–113
 - methodological issues and data availability, 105–107
 - One-factor experience curve (OFEC), 12–14
 - One-factor learning curves, 130–133
 - Onshore wind energy, 87
 - data collection and methodological issues, 98–99
 - experience curves for, 93–98
 - future outlook, 99–100
 - market development, 88–90
 - trends in capital expenditures and leveled cost of energy, 90–93
 - Open-cycle gas turbines, 271–272
 - Optimization models, 35, 43–44, 263
- P**
- Paris Climate Agreement, 198
 - Photovoltaic (PV) solar energy, 63
 - data collection issues for photovoltaics, 72*t*
 - future outlook for prices of photovoltaic modules, systems, and balance of system components, 81–83
 - methodological issues and data availability, 68–71
 - observed cost reductions, analysis and quantification of, 78–80
 - recommendations for science, policy, and business, 83–85
 - silicon photovoltaic module prices, multifactor learning curves for, 76–77
 - state-of-the-art experience curves, 71–76
 - Photovoltaic (PV) technology, 53
 - Plug-in hybrid electric vehicles (PHEVs), 56–57, 148, 284
 - Policy makers, applications of experience curve for, 21–27
 - direct applications, 23–26
 - indirect application, 26–27

- PowerACE, 261–264
 uncertainty of experience curve
 parameters in, 270–272
- Price decline, main drivers of,
 227–228, 246–248
- Price developments of
 technologies, 45
- Product-level price projections,
 248–250
- Progress rate (PR), 37
- Proton exchange membrane (PEM)
 cells, 166, 169–170
- Pumped hydro storage, 120–121
- P*-values, 21
- R**
- RAND Corporation, 11–12
- Redox-flow batteries, 265–266,
 269
- REFLEX project, 18, 22, 42–43,
 260, 261*f*, 266–268,
 276–277
- Regression method, 20
- Renewable energy sources (RES),
 190–191
- Research and development (R&D)
 portfolio, 4–5
- Risk premium (RP), 54–55
- S**
- Schmidt–Oerlikon cell, 167
- Seasonal energy-efficiency rating,
 201–202
- Sensitivity analyses, results of,
 297–299
- Silicon photovoltaic module prices,
 multifactor learning curves
 for, 76–77
- Simulation models, 35
- Single-factor experience curves,
 11–12, 38
- Social learning (SL), 54–60
 environmental experience curves
 and, 312–313
 modeling risk premiums and
 social and technological
 learning, 55–56
 model setup, 56
 scenario framework, 56
 technological learning scenarios,
 57–60
 in transport sector, 55
- Sodium–sulfur batteries, 127–128
- Solar electricity generation
 systems (SEGS) plants,
 223–224
- Solar thermal electricity, 221–222
- Solid State Lighting (SSL)
 program, 236, 253–254
- Specific energy consumption
 (SEC), 50
- Spillover effects, 44, 125–126,
 154
- S*-shaped curve, 244
- State-of-the-art experience curves,
 71–76
- Steam methane reforming (SMR),
 169
- Strategic Energy Technology Plan
 (SET Plan), 160–161
- Supercapacitors, 123
- System dynamics (SD) transport
 modeling, 284
- T**
- Technological progress, 38, 45
- Technology diffusion, 44, 54,
 262–263, 291
- Technology outlook till 2030,
 315–317
- Thermal energy storage (TES),
 221–222
- Time trend analyses, 225–226,
 241–244
- Top-down energy models, 34
- Total cost of ownership (TCO)
 approach, 35, 287–288
- Transport, Energy, Economics, and
 Environment (TE3) model,
 283, 288–292
 modular structure of, 289
 vehicle fleet and technology
 diffusion in, 289–292
- Transportation systems, 146
- Transport sector, social learning in,
 55
- Two-factor experience curve
 (TFEC), 12–15, 76–77,
 125, 311–312
- U**
- United Kingdom, offshore wind
 capacity in, 104–105
- V**
- Vehicle fleet and technology
 diffusion
 in ASsessment of TRANsport
 Strategies, 286–288
 in Transport, Energy,
 Economics, and
 Environment (TE3) model,
 289–292
- W**
- Water electrolysis, 167
- Weighted average cost of capital
 (WACC), 92, 106, 113
- Willingness-to-pay (WTP), 55
- Wind turbines, 29, 54, 88–91, 88*f*
- Wright's law, 125