FISEVIED

Contents lists available at ScienceDirect

Environment International

journal homepage: www.elsevier.com/locate/envint



Corrigendum



Corrigendum to "Europe-wide air pollution modeling from 2000 to 2019 using geographically weighted regression" [Environ. Int. 168 (2022) 107485]

Youchen Shen ^{a,*}, Kees de Hoogh ^{b,c}, Oliver Schmitz ^d, Nicholas Clinton ^e, Karin Tuxen-Bettman ^e, Jørgen Brandt ^f, Jesper H. Christensen ^f, Lise M. Frohn ^f, Camilla Geels ^f, Derek Karssenberg ^d, Roel Vermeulen ^{a,g}, Gerard Hoek ^a

- ^a Division of Environmental Epidemiology, Institute for Risk Assessment Sciences, Utrecht University, Utrecht, the Netherlands
- ^b Swiss Tropical and Public Health Institute, Basel, Switzerland
- ^c University of Basel, Basel, Switzerland
- ^d Department of Physical Geography, Faculty of Geosciences, Utrecht University, Utrecht, the Netherlands
- e Google, Inc, Mountain View, CA, United States
- f Department of Environmental Science, Aarhus University, Roskilde, Denmark
- g Julius Centre for Health Sciences and Primary Care, University Medical Centre, Utrecht University, Utrecht, the Netherlands

The authors regret an error in the colour palette in legends and maps in Fig 2 and Fig 3 in the original published article. Revised figures (Fig 2 & Fig 3) are shown below. The correct statement in Line 6 in the 3rd paragraph of Section 3.2 should be written as follows:

In the early 2000s, the PM_{10} concentrations were above 15 $\mu\text{g}/\text{m}^3$ in

all regions except in the Alps, Ireland, and northern Europe. In the recent 5 years, only the northern part of Italy, eastern Europe, and the Balkans had higher PM_{10} concentrations (>20 $\mu g/m^3$) than the rest of Europe.

The authors would like to apologise for any inconvenience caused.

DOI of original article: https://doi.org/10.1016/j.envint.2022.107485.

* Corresponding author.

E-mail address: y.shen@uu.nl (Y. Shen).




Fig. 2. Europe-wide annual average ground-level NO_2 , O_3 , PM_{10} , and $PM_{2.5}$ concentrations ($\mu g/m^3$) estimated by GTWR00-19 in 2000, 2005, 2010,2015, and 2019 (Base map source: Google Maps). For maps for all years from 2000 to 2019 for all pollutants, readers are referred to https://youchenshenuu.users.earthengine.app/view/expanse-air-pollution-20-yr-maps.




Fig. 3. Annual average ground-level NO_2 , O_3 , PM_{10} , and $PM_{2.5}$ concentrations ($\mu g/m^3$) estimated by GTWR00-19 in 2000, 2005, 2010, 2015, and 2019 in Paris. For maps for all years from 2000 to 2019 for all pollutants, readers are referred to https://youchenshenuu.users.earthengine.app/view/expanse-air-pollution-2 0-yr-maps.