

## References

- [1] M. Artin, “Versal deformations and algebraic stacks”, *Inv. Math.* **27** (1974), 165–189.
- [2] P. Berthelot, L. Breen, W. Messing, “Théorie de Dieudonné cristalline II”, *Lecture Notes in Math.* **930**, Springer-Verlag, Heidelberg, 1982.
- [3] N. Bourbaki, “Commutative Algebra”, Hermann, Paris.
- [4] C. L. Chai, P. Norman, “Singularities of the  $\Gamma_0(p)$ -level structure”, *J. Alg. Geometry* **1** (1992), 251–277.
- [5] S. E. Crick, “Local moduli of abelian varieties”, *Am. Journ. Math.* **97** (1975), 851–861.
- [6] P. Deligne, G. Pappas, “Singularités des espaces de modules de Hilbert, en les caractéristiques divisant le discriminant”, *Compositio Math.* **90** (1994), 59–79.
- [7] M. Demazure, “Lectures on  $p$ -divisible groups”, *Lecture Notes in Math.* **302**, Springer-Verlag, 1972.
- [8] V. G. Drinfeld, “Elliptic modules”, *Mat. Sbornik* **94** (136) (1974), No. 4., 561–592.
- [9] B. Fantechi, M. Manetti, “Obstruction calculus for functors of Artin rings, I”, *J. of Algebra* **202** (1998), No. 2, 541–576.
- [10] J.-M. Fontaine, “Groupes  $p$ -divisibles sur les corps locaux”, *Astérisque* 47–48 (1977).
- [11] B. H. Gross, “On canonical and quasi-canonical liftings”, *Invent. Math.* **84** (1986), 321–326.
- [12] L. Illusie, “Complexe cotangent et déformations, I, II”, *Lecture Notes in Math.* **239**, **283**, Springer-Verlag, 1971, 1972.
- [13] L. Illusie, “Déformations de groupes de Barsotti-Tate”, Exp. VI in: *Séminaire sur les pinceaux arithmétiques: la conjecture de Mordell* (Ed. L. Szpiro), *Astérisque* **127** (1985), Soc. Math. France.
- [14] N. Jacobson, “Basic algebra II”, second ed., Freeman, 1985.
- [15] G. Janusz, “Tensor products of orders”, *J. London Math. Soc. (Series 2)* **20** (1979), 186–192.

- [16] A. J. de Jong, “The moduli spaces of polarized abelian varieties”, *Math. Ann.* **295** (1993), 485–503.
- [17] A. J. de Jong, “The moduli spaces of principally polarized abelian varieties with  $\Gamma_0(p)$ -level structure”, *Journal of Alg. Geometry* **2** (1993), 667–688.
- [18] R. Kottwitz, “Points on some Shimura varieties over finite fields”, *Journal of the AMS* **5** (1992), 373–444.
- [19] J. Lubin, J. Tate, “Formal moduli for one-parameter formal Lie groups”, *Bull. Soc. Math. France* **49** (1966), 49–60.
- [20] S. Lichtenbaum, M. Schlessinger, “The cotangent complex of a morphism”, *Trans. Amer. Math. Soc.* **128** (1967), 41–70.
- [21] J. Lubin, J.-P. Serre, J. Tate, “Elliptic curves and formal groups”, *Lecture Notes Summer Inst. Algebraic Geometry, Woods Hole* (1964).
- [22] B. Mazur, “Deforming Galois representations”, *Galois groups over  $\mathbf{Q}$*  (Eds. Y. Ihara, K. Ribet, J.-P. Serre), *Math. Sciences Research Institute Publications*, Springer-Verlag, New York, 1989, 385–437.
- [23] W. Messing, “The crystals associated to Barsotti-Tate groups: with applications to abelian schemes”, *Lecture Notes in Math.* **264**, Springer-Verlag, 1972.
- [24] D. Mumford, “Abelian varieties”, *Tata Inst. Fund. Res.*, Oxford Univ. Press, 1970.
- [25] D. Mumford, J. Fogarty, “Geometric invariant theory”, Springer-Verlag, Heidelberg, 1982.
- [26] M. Nagata, “Local rings”, *Interscience tracts in pure in applied mathematics no. 13*, Interscience publishers, 1962.
- [27] P. Norman, “Lifting abelian varieties”, *Invent. Math.* **64** (1981), 431–443.
- [28] P. Norman, F. Oort, “Moduli of abelian varieties”, *Ann. Math.* **112** (1980), 413–439.
- [29] T. Oda, “The first De Rham cohomology group and Dieudonné modules”, *Ann. Sc. Ecole Norm. Sup.* **2** (1969), 63–135.
- [30] F. Oort, “CM-liftings of abelian varieties”, *J. Alg. Geom.* **1** (1992), 131–146.
- [31] F. Oort, “Finite group schemes, local moduli for abelian varieties, and lifting problems”, *Algebraic geometry, Oslo 1970* (Ed. F. Oort), Wolters-Noordhof 1972, 223–254.

- [32] G. Pappas, “Local structure of arithmetic moduli for PEL Shimura varieties”, preprint.
- [33] M. Rapoport, T. Zink, “Period spaces for  $p$ -divisible groups”, *Annals of Math. Studies* **141**, Princeton University Press, 1996.
- [34] I. Reiner, “Maximal orders”, Academic Press, London, 1975.
- [35] M. Schlessinger, “Functors of Artin rings”, *Trans. Amer. Math. Soc.* **130** (1968), 208–222.
- [36] M. Schlessinger, “On rigid singularities”, *Rice University Studies* **59** (1973), 147–162.
- [37] G. Shimura, “On analytic families of polarized abelian varieties and automorphic functions”, *Ann. Math.* **78** (1963), 149–192.
- [38] J. Tate, “ $p$ -divisible groups”, *Proc. Conf. on Local Fields*, Driebergen, 1966 (T. Springer, ed.), Springer-Verlag, 1967, 158–183.
- [39] J.-K. Yu, “On the moduli of quasi-canonical liftings”, preprint.
- [40] T. Zink, “Cartiertheorie kommutativer formaler Gruppen”, *Teubner-Texte zur Mathematik*, Band 68.